


Appendix E In Situ Test Results

Table summarising Pocket Penetrometer results


* Instrument limit reached.

Location	Start Depth (m)	Results 1-3	Average	Undrained Shear Strength (kN/m ²)
BH01	1.30	3.4/4/4	3.80	190
BH01	3.10	4/4/4	4.00	200
BH02	13.10	0/0/0	0.00	0
BH02	9.60	0.5/0.5/0.5	0.50	25
BH06	7.60	4/3/3	3.33	167
WS01	3.20	3.75/3.75/4	3.83	192
WS01	1.60	3.75/3.75/4	3.83	192
WS02	4.90	4/4/4	4.00	200
WS02	4.60	4.25/4.25/4.25	4.25	213
WS02	4.30	4/4/3.75	3.92	196
WS02	3.70	4.25/4.25/4	4.17	208
WS02	3.50	3.25/3.25/3.5	3.33	167
WS02	2.90	3.25/3.25/3.25	3.25	163
WS02	2.60	2/2/2.25	2.08	104
WS02	1.30	1/1/1	1.00	50
TP01	1.20	3/2.75/2.5	2.75	138
TP01	0.90	3.5/4/4	3.83	192
TP01	0.80	4/4.25/4	4.08	204
TP01	0.70	1.75/1.75/1.5	1.67	83
TP03	2.60	1/1/0.75	0.92	46
TP03	2.50	1/0.75/0.75	0.83	42
TP03	2.30	1.25/1/1.25	1.17	58
TP03	2.10	1/1/1.75	1.25	63
TP03	1.90	1.25/1.25/1.25	1.25	63
TP03	1.60	0/0/0	0.00	0
TP03	1.40	0.25/0.5/0.25	0.33	17
TP03	1.10	0/0/0	0.00	0
TP03	0.80	0/0	0.00	0
WS03	4.90	3.5/4/4	3.83	192
WS03	3.80	4.5/4.5/4	4.33	217
WS03	3.50	4/4/4.5	4.17	208
WS03	2.90	3.5/3/3	3.17	158
WS03	1.70	2/2.5/2	2.17	108
WS03	1.40	2.5/2/3	2.50	125
WS03	1.85	3.75/4/3.5	3.75	188
WS03	1.50	3.5/3.5/3	3.33	167


Plot summarising Pocket Penetrometer results versus depth filtered by location



Plot summarising Pocket Penetrometer results versus level filtered by location



Plot summarising Pocket Penetrometer results versus depth filtered by geology



Plot summarising Pocket Penetrometer results versus level filtered by geology




Table summarising Shear Vane results

* Instrument limit reached.

Location	Start Depth (m)	Results 1-3	Average	Undrained Shear Strength (kN/m ²)
TP04	2.40	6/4/4	4.67	12
TP04	2.20	6/6/4	5.33	26
TP04	2.00	10/12/12	11.33	25
TP04	1.80	10/10/10	10.00	23
TP04	1.60	10/10/10	10.00	51
TP04	1.40	22/22/22	22.00	11
TP07	2.60	28/28/26	27.33	64
TP07	2.40	32/30/32	31.33	73
TP07	2.10	34/36/34	34.67	81
TP07	1.80	40/36/38	38.00	89
TP07	1.60	44/52/38	44.67	104
TP07	1.30	32/34/34	33.33	78
TP07	1.00	22/32/24	26.00	61
TP07	0.70	28/33/24	28.33	66
TP07	0.40	26/32/32	30.00	70
TP08	1.80	22/34/28	28.00	65
TP08	1.60	54/48/36	46.00	107
TP09	3.00	20/20/18	19.33	45
TP09	2.70	18/16/22	18.67	43
TP09	2.40	28/32/26	28.67	67
TP09	2.10	100/78/88	88.67	45
TP09	1.90	98/112/106	105.33	44
TP09	1.70	96/104/90	96.67	41
TP09	1.50	26/26/25	25.67	60
TP09	1.30	60/68/48	58.67	137
TP09	1.10	44/56/48	49.33	115
TP09	0.80	72/44/56	57.33	134
TP09	0.50	42/72/48	54.00	126
TP10	3.50	56/60/58	58.00	24
TP10	3.40	80/96/78	84.67	27
TP10	3.20	24/30/28	27.33	64
TP10	3.00	40/52/58	50.00	21
TP10	2.80	50/54/58	54.00	126
TP10	2.50	30/28/34	30.67	13
TP10	2.30	30/48/34	37.33	87
TP10	2.10	72/78/86	78.67	33
TP10	1.80	24/24/32	26.67	62
TP10	1.50	28/30/34	30.67	71
TP10	1.20	20/30/26	25.33	59

Table summarising Shear Vane results

* Instrument limit reached.


Location	Start Depth (m)	Results 1-3	Average	Undrained Shear Strength (kN/m ²)
TP10	0.90	50/58/50	52.67	123
TP10	0.70	58/58/70	62.00	144
TP10	0.50	64/72/78	71.33	166
TP11	3.20	16/12/18	15.33	36
TP11	2.90	12/8/12	10.67	25
TP11	2.60	28/26/26	26.67	62
TP11	2.30	32/28/24	28.00	65
TP11	2.00	24/30/28	27.33	64
TP11	1.70	34/40/38	37.33	87
TP11	1.30	32/30/30	30.67	71
TP11	1.00	32/24/24	26.67	62
TP11	0.70	24/28/32	28.00	65
TP11	0.40	20/32/34	28.67	67
TP12	2.40	50/38/48	45.33	19
TP12	2.10	50/40/48	46.00	19
TP12	1.80	68/80/76	74.67	31
TP12	1.50	70/68/50	62.67	146
TP12	1.40	44/28/45	39.00	78
TP12	1.30	30/28/28	28.67	12
TP12	1.20	42/38/38	39.33	17
TP13	2.40	90/96/86	90.67	38
TP13	2.10	64/62/80	68.67	29
TP13	1.80	78/82/82	80.67	34
TP13	1.50	30/24/28	27.33	64
TP14	2.20	62/48/54	54.67	127
TP14	1.90	72/90/100	87.33	37
TP14	1.60	70/72/82	74.67	31
TP14	1.30	90/78/92	86.67	36
TP14	1.00	18/22/12	17.33	40
TP14	0.80	52/56/42	50.00	117
TP16	1.20	22/32/24	26.00	61
TP16	0.90	18/24/16	19.33	36
TP17	0.80	18/22/20	20.00	8
TP17	0.60	12/14/18	14.67	6
TP17	0.40	18/16/12	15.33	6
TP19	2.20	38/40/30	36.00	84
TP19	1.90	38/40/42	40.00	93
TP19	1.70	34/50/40	41.33	96
TP19	1.40	28/30/28	28.67	12

Table summarising Shear Vane results


* Instrument limit reached.

Location	Start Depth (m)	Results 1-3	Average	Undrained Shear Strength (kN/m ²)
TP19	1.10	32/26/38	32.00	13
TP20	2.30	80/64/75	73.00	31
TP20	2.10	78/64/76	72.67	31
TP20	1.80	62/74/68	68.00	29
TP20	1.50	38/50/48	45.33	19
TP20	1.30	40/34/40	38.00	16
TP20	1.10	42/28/26	32.00	13
TP20	0.80	38/42/34	38.00	16
TP20	0.50	42/48/62	50.67	21


Plot summarising Shear Vane results versus depth filtered by location



Plot summarising Shear Vane results versus level filtered by location



Plot summarising Shear Vane results versus depth filtered by geology



Plot summarising Shear Vane results versus level filtered by geology




Table summarising Standard Penetration Test (SPT) results

Location	Start Depth (m)	Penetration (mm)					
		Seating 1-2	Main 1-4	Total Seating	Total Main	Total Seating	Total Main
BH01	8.50	2/4	6/8/10/12	6	36	150	300
BH01	3.00	1/2	3/4/4/5	3	16	150	300
BH01	13.00	6/10	14/16/20/0	16	50	150	225
BH01	14.50	4/9	12/14/16/8	13	50	150	260
BH01	5.50	1/2	3/4/4/5	3	16	150	300
BH01	4.00	1/2	3/4/5/5	3	17	150	300
BH01	10.00	2/5	7/9/11/12	7	39	150	300
BH01	7.00	1/2	3/4/5/6	3	18	150	300
BH01	1.20	1/1	1/1/1/1	2	4	150	300
BH02	5.00	3/5	4/4/5/6	8	19	150	300
BH02	6.50	2/3	4/5/6/7	5	22	150	300
BH02	2.00	3/3	4/4/5/7	6	20	150	300
BH02	15.00	3/4	3/4/5/6	7	18	150	300
BH02	8.00	4/5	7/8/9/9	9	33	150	300
BH02	3.00	2/4	2/2/2/3	6	9	150	300
BH02	14.00	2/2	2/3/3/4	4	12	150	300
BH02	11.00	3/4	4/5/7/8	7	24	150	300
BH02	9.50	2/3	3/4/4/5	5	16	150	300
BH03	15.00	2/2	2/3/3/4	4	12	150	300
BH03	12.50	3/4	4/5/6/8	7	23	150	300
BH03	11.00	3/4	4/5/5/6	7	20	150	300
BH03	4.00	1/1	0/1/1/2	2	4	150	300
BH03	3.00	1/1	2/2/2/3	2	9	150	300
BH03	9.50	2/3	3/4/4/6	5	17	150	300
BH03	6.50	2/3	2/3/3/4	5	12	150	300
BH03	5.00	2/2	2/1/1/2	4	6	150	300
BH03	14.00	3/4	4/5/6/6	7	21	150	300
BH03	1.20	3/3	4/3/3/3	6	13	150	300
BH04	13.50	4/5	5/5/5/4	9	19	150	300
BH04	12.00	6/9	11/11/14/15	15	51	150	300
BH04	10.50	7/8	13/13/16/8	15	50	150	240
BH04	6.00	4/4	5/5/5/6	8	21	150	300
BH04	3.00	4/5	7/8/10/9	9	34	150	300
BH04	7.50	4/4	5/6/6/6	8	23	150	300
BH04	2.00	3/4	4/5/5/7	7	21	150	300
BH04	1.20	3/3	3/4/4/3	6	14	150	300
BH04	9.00	8/6	8/8/8/9	14	33	150	300
BH04	4.50	3/4	3/4/5/4	7	16	150	300
BH05	14.00	1/2	3/4/4/4	3	15	150	300
BH05	9.50	2/2	2/2/3/3	4	10	150	300

Table summarising Standard Penetration Test (SPT) results

Location	Start Depth (m)	Penetration (mm)					
		Seating 1-2	Main 1-4	Total Seating	Total Main	Total Seating	Total Main
BH05	8.00	2/3	3/3/3/3	5	12	150	300
BH05	5.00	2/3	4/5/6/6	5	21	150	300
BH05	12.50	1/2	3/3/4/4	3	14	150	300
BH05	11.00	1/2	2/3/3/4	3	12	150	300
BH05	4.00	2/3	4/5/5/6	5	20	150	300
BH05	3.00	2/3	4/4/5/5	5	18	150	300
BH05	6.50	2/3	4/4/4/4	5	16	150	300
BH05	2.00	1/3	3/4/5/5	4	17	150	300
BH05	1.20	1/3	3/3/4/4	4	14	150	300
BH06	13.50	1/2	3/3/4/4	3	14	150	300
BH06	9.00	1/2	3/4/4/4	3	15	150	300
BH06	1.50	2/2	3/3/4/4	4	14	150	300
BH06	12.00	1/2	3/3/3/4	3	13	150	300
BH06	7.50	1/2	3/4/5/6	3	18	150	300
BH06	4.50	1/2	2/3/3/4	3	12	150	300
BH06	10.50	1/2	3/3/4/4	3	14	150	300
BH06	15.00	1/2	3/4/4/4	3	15	150	300
BH07	12.00	1/3	4/4/4/4	4	16	150	300
BH07	4.50	1/2	3/3/4/4	3	14	150	300
BH07	1.50	1/2	2/4/5/5	3	16	150	300
BH07	15.00	1/2	3/3/4/5	3	15	150	300
BH07	13.50	1/2	3/4/5/4	3	16	150	300
BH07	10.50	2/4	6/8/9/9	6	32	150	300
BH07	7.50	1/2	2/3/3/3	3	11	150	300
BH07	6.00	1/1	2/3/3/4	2	12	150	300
BH07	3.00	1/3	4/5/6/6	4	21	150	300
BH08	12.00	2/3	3/4/4/4	5	15	150	300
BH08	7.50	5/7	8/10/10/11	12	39	150	300
BH08	15.00	3/4	5/5/5/6	7	21	150	300
BH08	13.50	3/3	3/4/4/4	6	15	150	300
BH08	4.50	4/6	8/10/10/11	10	39	150	300
BH08	10.50	4/4	4/5/5/5	8	19	150	300
BH08	9.00	5/8	8/10/10/12	13	40	150	300
BH08	6.00	3/5	7/8/10/10	8	35	150	300
BH08	3.00	2/3	3/3/4/5	5	15	150	300
BH08	1.50	3/3	4/4/4/5	6	17	150	300
BH09	15.00	2/2	3/3/2/3	4	11	150	300
BH09	14.00	5/8	8/8/8/8	13	32	150	300
BH09	9.50	2/2	2/2/3/5	4	12	150	300
BH09	6.50	3/3	3/4/4/5	6	16	150	300


Table summarising Standard Penetration Test (SPT) results

Location	Start Depth (m)	Penetration (mm)					
		Seating 1-2	Main 1-4	Total Seating	Total Main	Total Seating	Total Main
BH09	8.00	2/4	5/5/4/3	6	17	150	300
BH09	5.00	2/3	3/3/3/3	5	12	150	300
BH09	12.50	4/3	3/3/4/4	7	14	150	300
BH09	3.00	2/2	1/2/1/2	4	6	150	300
BH09	1.20	2/3	3/3/4/4	5	14	150	300
BH10	15.00	2/3	5/6/7/7	5	25	150	300
BH10	10.50	2/4	6/6/7/8	6	27	150	300
BH10	4.50	1/2	3/3/3/3	3	12	150	300
BH10	1.50	1/1	1/1/1/4	2	7	150	300
BH10	13.50	1/3	5/5/6/7	4	23	150	300
BH10	6.00	3/5	6/8/8/8	8	30	150	300
BH10	9.00	3/5	6/7/7/8	8	28	150	300
BH10	7.50	2/4	6/7/8/8	6	29	150	300
BH10	12.00	2/4	6/6/7/7	6	26	150	300
BH11	1.50	1/2	3/3/3/3	3	12	150	300
BH11	15.00	2/3	4/4/5/5	5	18	150	300
BH11	12.00	1/2	3/4/4/5	3	16	150	300
BH11	4.50	1/2	3/2/2/3	3	10	150	300
BH11	3.00	1/2	2/3/2/3	3	10	150	300
BH11	9.00	1/2	2/3/3/3	3	11	150	300
BH11	6.00	1/2	2/3/2/2	3	9	150	300
WS01	5.00	4/4	5/7/6/8	8	26	150	300
WS01	4.00	3/4	5/6/5/6	7	22	150	300
WS01	1.00	4/4	3/4/4/5	8	16	150	300
WS01	2.00	4/4	5/6/5/6	8	22	150	300
WS01	3.00	3/3	4/4/4/4	6	16	150	300
WS02	1.00	4/4	4/4/4/5	8	17	150	300
WS02	5.00	4/8	7/9/9/12	12	37	150	300
WS02	4.00	6/6	6/8/8/8	12	30	150	300
WS02	2.00	1/2	2/3/3/4	3	12	150	300
WS02	3.00	4/6	6/7/7/8	10	28	150	300
WS03	5.00	3/4	6/8/8/9	7	31	150	300
WS03	4.00	4/4	4/4/5/5	8	18	150	300
WS03	2.00	3/3	4/4/4/4	6	16	150	300
WS03	3.00	4/5	6/7/7/7	9	27	150	300
WS03	1.00	2/2	3/4/4/5	4	16	150	300
WS04	2.00	1/1	1/2/2/2	2	7	150	300
WS04	1.00	0/0	0/0/0/0	0	0	150	300
WS04	4.00	1/1	2/3/3/4	2	12	150	300
WS04	5.00	5/7	6/6/7/8	12	27	150	300


Table summarising Standard Penetration Test (SPT) results

Location	Start Depth (m)	Penetration (mm)					
		Seating 1-2	Main 1-4	Total Seating	Total Main	Total Seating	Total Main
WS04	3.00	2/2	3/3/4/4	4	14	150	300


Plot summarising Standard Penetration Test (SPT) results versus depth filtered by location




Plot summarising Standard Penetration Test (SPT) results versus level filtered by location



Plot summarising Standard Penetration Test (SPT) results versus depth filtered by geology



Plot summarising Standard Penetration Test (SPT) results versus level filtered by geology



Appendix F Post Fieldwork Monitoring

Site Record Type: In-situ parameter readings

Technician: Curtis Neylon / Josh Townrow

Instrument: AQUA TROLL 500


Date / Time	Location	Turbidity (NTU)	pH	ORP (mV)	Specific Conductivity (µS/cm)	Total Dissolved Solids (ppt)	RDO Saturation (%Sat)
22/02/2022 14:03	Spring 1	0.0	6.5	38.0	0.078	0.00005	97.4
22/02/2022 13:32	Spring 2	0.0	6.8	15.2	0.077	0.00005	97.7
22/02/2023 13:07	Spring 3	0.0	5.9	29.1	0.078	0.00005	97.6
22/02/2023 12:40	Spring 4	0.0	6.2	2.0	0.911	0.00059	96.8
14/03/2023 12:13	Spring 1	0.0	5.6	37.96	0.078	0.00005	97.7
14/03/2023 11:44	Spring 2	0.0	6.1	-20.6	0.082	0.00005	97.4
14/03/2023 11:25	Spring 3	0.0	6.1	43.8	3.000	0.00195	98.1
14/03/2023 11:57	Spring 4	0.0	5.8	14.3	0.080	0.00005	97.4
29/03/2023 11:37	Spring 1	0.8	6.0	-11.3	3.586	0.00233	98.8
29/03/2023 10:53	Spring 2	0.4	7.4	-65.6	30.200	0.01965	97.2
29/03/2023 12:14	Spring 3	4.6	6.0	24.9	1.333	0.00087	98.2
29/03/2023 11:54	Spring 4	1.1	6.3	5.8	1.256	0.00082	98.1


Ground gas and groundwater monitoring results

Notes

- 1) The instrument limit of detection has been adopted where no gas flows or concentrations have been recorded (indicated in grey italics).
2) Atmospheric temperature (*) data sourced from local weather station data.
3) CH4 = methane; CO2 = carbon dioxide; O2 = oxygen; PPM = parts per million CO = carbon monoxide; H2S = hydrogen sulphide.
4) Gas Screening Values (GSVs) are rounded to 3 decimal places.

Worst case scenario									0.6	0.9	0.8	3.7	3.4	18.6	18.6	2	0	0.01	0.00	0.02	0.02	GREEN	GREEN	ONE	
Average scenario									0.2	0.2	0.1	1.1	1.0	20.1	20.1	0	0	0.00	0.00	0.00	0.00	GREEN	GREEN	ONE	
Date	Time	Location	Install Reference	Install Response Zone		Atmospheric Pressure (mB)	Atmospheric Temperature (°C) *	Depth to Water (m)	Gas Steady Flow	CH ₄ (%v/v)		CO ₂ (%v/v)		O ₂ (%v/v)		Other Gases (PPM)		GSV (CH ₄)		GSV (CO ₂)		Indicative NHBC Guideline		Indicative (steady) CIRIA Characteristic Situation	Notes
				Response Zone (mBGL)	Flooded				l/Hr	Peak	Steady	Peak	Steady	Minimum	Average	CO	H ₂ S	Peak	Steady	Peak	Steady	Peak	Steady		
01/08/2024	13:33	WS01	1	1.00 - 5.00	No	993	22	Dry	0	0.0	0.0	0.5	0.2	20.2	21.0	0	0	0.000	0.000	0.001	0.000	GREEN	GREEN	CS-1	
30/08/2024	12:06	WS01	1	1.00 - 5.00	No	1006	19	Dry	0	0.0	0.0	0.7	0.4	19.3	19.5	0	0	0.000	0.000	0.001	0.000	GREEN	GREEN	CS-1	
27/09/2024	10:14	WS01	1	1.00 - 5.00	No	983	11	Dry	0.2	0.1	0.1	0.1	0.1	20.8	20.9	0	0	0.000	0.000	0.000	0.000	GREEN	GREEN	CS-1	
24/10/2024	11:05	WS01	1	1.00 - 5.00	No	999	12	Dry	0	0.1	0.1	0.6	0.6	20.5	20.5	0	0	0.000	0.000	0.001	0.001	GREEN	GREEN	CS-1	
28/11/2024	09:24	WS01	1	1.00 - 5.00	No	1008	1	Dry	0.5	0.1	0.1	0.1	0.1	21.3	21.4	0	0	0.001	0.001	0.001	0.001	GREEN	GREEN	CS-1	
01/08/2024	13:24	WS02	1	1.00 - 5.00	No	994	22	Dry	0	0.0	0.0	1.1	1.1	20.1	20.1	0	0	0.000	0.000	0.001	0.001	GREEN	GREEN	CS-1	
30/08/2024	12:24	WS02	1	1.00 - 5.00	No	1006	19	Dry	0	0.0	0.0	0.4	0.4	19.1	19.5	0	0	0.000	0.000	0.000	0.000	GREEN	GREEN	CS-1	
27/09/2024	10:26	WS02	1	1.00 - 5.00	No	984	11	Dry	0.2	0.1	0.1	0.6	0.6	20.3	20.3	0	0	0.000	0.000	0.001	0.001	GREEN	GREEN	CS-1	
24/10/2024	11:15	WS02	1	1.00 - 5.00	Yes	999	12	0.60	0	0.1	0.1	0.3	0.3	20.7	20.7	0	0	0.000	0.000	0.000	0.000	GREEN	GREEN	CS-1	
28/11/2024	09:35	WS02	1	1.00 - 5.00	Yes	1009	1	0.55	0.6	0.1	0.1	0.4	0.4	21.3	21.3	0	0	0.001	0.001	0.002	0.002	GREEN	GREEN	CS-1	
01/08/2024	13:41	WS03	1	1.00 - 2.00	No	993	22	Dry	0	0.0	0.0	0.2	0.7	20.9	20.5	0	0	0.000	0.000	0.000	0.001	GREEN	GREEN	CS-1	
30/08/2024	11:29	WS03	1	1.00 - 2.00	No	1006	19	Dry	0	0.1	0.0	0.3	0.3	20.1	20.1	0	0	0.000	0.000	0.000	0.000	GREEN	GREEN	CS-1	
27/09/2024	10:36	WS03	1	1.00 - 2.00	No	985	11	Dry	0.2	0.1	0.1	1.6	1.6	18.6	18.6	0	0	0.000	0.000	0.003	0.003	GREEN	GREEN	CS-1	
24/10/2024	11:24	WS03	1	1.00 - 2.00	Yes	999	12	0.90	0	0.1	0.1	0.5	0.5	20.3	20.3	0	0	0.000	0.000	0.001	0.001	GREEN	GREEN	CS-1	
28/11/2024	09:46	WS03	1	1.00 - 2.00	Yes	1009	1	0.60	0.5	0.2	0.1	1.1	1.0	20.8	20.8	0	0	0.001	0.001	0.006	0.005	GREEN	GREEN	CS-1	
01/08/2024	13:51	WS04	1	1.00 - 5.00	Yes	993	22	0.60	0	0.0	0.0	0.2	0.0	20.9	20.1	0	0	0.000	0.000	0.000	0.000	GREEN	GREEN	CS-1	
30/08/2024	11:50	WS04	1	1.00 - 5.00	Yes	985	19	0.60	0.2	0.3	0.3	3.7	3.4	18.6	18.6	2	0	0.001	0.001	0.007	0.007	GREEN	GREEN	CS-1	
27/09/2024	10:45	WS04	1	1.00 - 5.00	Yes	985	11	0.60	0.2	0.3	0.3	3.7	3.4	18.6	18.6	2	0	0.001	0.001	0.007	0.007	GREEN	GREEN	CS-1	
24/10/2024	11:36	WS04	1	1.00 - 5.00	Yes	1000	12	0.40	0	0.6	0.5	2.4	2.2	19.7	19.7	0	0	0.001	0.001	0.002	0.002	GREEN	GREEN	CS-1	
28/11/2024	09:59	WS04	1	1.00 - 5.00	Yes	1010	1	0.38	0.5	0.9	0.8	2.9	2.7	20.3	20.3	0	0	0.005	0.004	0.015	0.014	GREEN	GREEN	CS-1	





Title
Groundwater Monitoring Data: m BGL

Scale
As shown

Appendix
F