Do Not Scale

UNITS 129,130

30 Year Volume
1 in 30Yr Peak Volume to be stored with in 69m OF 1800Ø SEWER = 173m³

Flow Control (Hydrobrake) Restricted to 27 l/s.

New surface water sewer to be adopted by United Utilities and connect to existing manholes.

New Foul Manhole to be built on existing 225Ø UU sewer

L:\adept_projects\00_clients\2018\00.18042 - Great Howarth Street, Rochdale\01-WIP\Drawings\Civil\00.18042 - Drainage Drawings.dwg, 1/3/2019 4:19 PM,

DESIGN REVIEW

Design review by:	**	Checked by:	**

Residual hazards:

1. For general notes refer to drawing 002.

Health, Safety & Environmental Notes

Drawing Notes

INSERT DRAWING NOTES

Date	Revision	By	Chkd	Rev
03.10.19	Site layout updated	JR	RP	P4
01.10.18	MH SW09 added	JR	RP	P3
01.08.18	Design amended	BD	RP	P1
25.07.18	Initial Issue	BD	RP	P1

ADEPT
Civil and Structural Consulting Engineers
Engineering Better Solutions Together

Web: www.adeptcsce.com
Email: inbox@adeptcsce.com

Originating Office
1912 Mills, Sunny Bank Mills,
Farsley, Leeds, LS28 5UJ
Tel: 0113 2394518

Project
Great Howarth, Rochdale

Title
Drainage Layout

Client
Rochdale Boroughwide Housing

Scale @ A1	Drawn	Checked	Date
1:250	BD	RP	July 2018

Suitability	Purpose
S2	Preliminary

UPRN	Originator	Zone	Level	Type	Role	Class	Drg. No.	Rev.
00.18042 -	ACE	00	XX	DR	C	15	0161	P4