



AWOLF/BLK

Wolf CCT Multi Wattage Wallpack Black



Features

Modern, robust die-cast aluminium low glare wall pack suitable for commercial and industrial applications

Advanced lens technology offers wide distribution for optimum spacing and uniformity; whilst ensuring minimal uplight and light pollution

Reduced light pollution with less than 1% upward light distribution

Helps with compliance with Dark Skies recommendations

Power selectable; offering a choice of 3 outputs, in one luminaire

High efficiency up to 120 Lm/W

Electrostatic paint finish for enhanced corrosion resistance

Multiple conduit entry and BESA fixing points

20mm East and West side entry for surface conduit and through-wire

Dimmable and Smart options available

General Information

Lamp Type	LED
Colour / Finish	Black
Bluetooth Enabled	Yes
IP Rating	IP65
IK Rating	IK10
Class Protection	1
Internal / External	External
Surface / Recessed / Suspended	Surface
Lifetime (Hrs)	L80 B10 72,000h
Warranty (Years)	5
CE Mark	Yes
Width (mm)	343 mm
Height (mm)	217 mm
Depth (mm)	245 mm

Technical Information

Wattage	18W - 30W
Lumens Delivered	2200lm - 3600lm (4000K)
Lm/W	120lm/W (4000K)
Beam Angle	70/140
CRI	82
CCT	3000/4000K
Input	220/240V
Hertz	50/60Hz
Operating Temp	-20°C to 40°C
SDCM	6

Datasheet generated from <https://onetimepim.com> last updated Friday, November 18, 2022 3:00:47 PM

