


Technical Information



Design

BSEN40, PD6547: 2004+A1: 2009 (No sign)

Load class B

Deflection class 3

Head load- See Table

Finish

Galvanised to BSEN 1461:2009

Welding


In accordance with BSEN1011

Procedures to BSEN ISO 15614-1:2017

Welders qualified to BSEN ISO 9606-1:2017

* Maximum design head load based on wind loading region with orientation of bracket/ luminaire(s) being on same plane as door*

Maximum Loading including Bracket		
Wind Loading Region	Terrain Category	Weight/Area
Extra Light	I	45kg/0.40m ²
	II	55kg/0.50m ²
Light	I	40kg/0.34m ²
	II	48kg/0.43m ²
Medium	I	30kg/0.32m ²
	II	40kg/0.40m ²
Heavy	I	28kg/0.29m ²
	II	36kg/0.36m ²
Extra Heavy	I	22kg/0.22m ²
	II	30kg/0.25m ²



2020 © Copyright



Lighting Project Solutions
E-mail: info@lpslighting.co.uk
01623 855320

All dimensions in millimetres unless stated otherwise.

When Multiple views are shown 3rd Angle Projection is assumed.

Revisions		
Rev.	Description	Date

Title

8 Metre Tubular Post Top Column

Drg No. 44631-0

Scale: 1:35

Sheet 1 of 1

Drawn By: FR

Chk'd: MB

Ref. 8M01B

Contract:

Customer:

Date: 21/12/2020