



INTERNAL WALL SCHEDULE							
Colour Reference	Type Reference	Description	Fire Rating Achieved	Acoustic Rating Achieved	Acoustic Performance Required	Duty Rating	Overall Width
	INT1	Acoustic & fire rated partition wall.	90mins	56 dB Rw	53 dB Rw	Severe	132
	INT2	Acoustic & fire rated partition wall.	30mins	47 dB Rw	45 dB Rw	Heavy	102
	INT4	Acoustic & fire rated partition wall.	30mins	42 dB Rw	40 dB Rw	Heavy	102
	INT5	Kingspan Kooltherm Dry Lining	Euroclass B-s1,d0	N/A	N/A	N/A	153
	INT6	General boxing out.	N/A	N/A	N/A	N/A	63
	INT7	Partition wall.	30mins	38 dB Rw	N/A	Medium	97

© TRIANGLE ARCHITECTS LIMITED

■ THIS DRAWING IS THE SUBJECT OF COPYRIGHT WHICH VESTS IN TRIANGLE ARCHITECTS LIMITED. IT IS AN INFRINGEMENT OF COPYRIGHT TO REPRODUCE THIS DRAWING, BY WHATEVER MEANS, INCLUDING ELECTRONIC, WITHOUT THE EXPRESS WRITTEN CONSENT OF TRIANGLE ARCHITECTS LIMITED WHICH RESERVES ALL ITS RIGHTS.

■ TRIANGLE ARCHITECTS LIMITED ASSERTS ITS RIGHTS TO BE IDENTIFIED AS THE AUTHOR OF THIS DESIGN.

■ DRAWING NOT TO BE SCALED: FIGURE DIMENSIONS TO BE WORKED TO IN ALL CASES.

■ THE CONTRACTOR IS RESPONSIBLE FOR CHECKING DIMENSIONS, TOLERANCES & REFERENCES.

■ ANY DISCREPANCY TO BE VERIFIED WITH THE ARCHITECT BEFORE PROCEEDING WITH THE WORKS.

■ REPORT ERRORS & OMISSIONS TO ARCHITECT.

■ WHERE AN ITEM IS COVERED BY DRAWINGS OF DIFFERENT SCALE, THE LARGER SCALE DRAWING TO BE WORKED TO. DO NOT SCALE FROM THE DRAWING. FIGURED DIMENSIONS TO BE WORKED TO IN ALL CASES.

■ CHECK ALL DIMENSIONS ON SITE.

■ DRAWING TO BE READ IN CONJUNCTION WITH THE HEALTH & SAFETY PLAN, AND ALL RELEVANT RISK ASSESSMENTS AND THE FOLLOWING DRAWINGS:

NOTE:

- Revision notes are provided to assist with tracking changes, but do not necessarily capture all changes, which may be covered by other drawings, specifications, A/s, RFI's, etc.
- Refer to drawing '4761 Internal Wall Schedule' for detailed wall specification.
- Proposed Ground Floor Plan drawing to be read in conjunction with FFE layouts by DV8. Where discrepancies occur with furniture, DV8 FFE layouts to take precedent.

C05	18.09.23	JS	As Built handover drawings.
C04	16.06.23	JS	Loaded Room Layouts revised following M+E and AV install comments.
C03	13.06.23	JS	Updated Construction issue.
C02	09.06.23	JS	Updated Construction issue.
C01	22.05.23	JS	Construction issue.
Rev	Date	By	Remarks

Client:		Rochdale Borough Council	
Project No. / Project Name:		21-051 / Smith Street, Rochdale	
Drawing Name:		Proposed Floor Plan	
Drawing Purpose:		CONSTRUCTION	
Project:	Origin:	Val/Sys:	Level:
SMI - TRI - ZZ - GF - DR - A - 5100			
Status	Scale @ A1	Drawn	Check
-	1 : 50	JS	AJD
		Date	May 2023