

- notes:
- DO NOT SCALE FROM THIS DRAWING - USE FIGURED DIMENSIONS ONLY.
 - TO BE READ IN CONJUNCTION WITH ALL OTHER CONSULTANTS / SPECIALISTS DRAWINGS. REPORT ANY DISCREPANCIES BEFORE AFFECTED WORK COMMENCES.
 - ALL SETTING OUT DIMENSIONS TO BE CHECKED ON SITE BY CONTRACTOR BEFORE WORK COMMENCES.



Roof plan showing proposed roof and chimney works - 1:100


Strip existing stone slate roof coverings and set aside salvaged slates for re-use. Strip existing battens, felt, lead lined gutters and gutter structure and tip. Re-felt, batten, counter batten existing roof slope. As per detail A in drawing HOH-SEV-XX-XX-DR-A-04001.

- Chimney
Chimney Requiring Works
(Detailed in Works Key, C1-C6 part of previous works)



Chimneystacks typically; take down top 6 courses and rebuild. Replace circa 25nr. bricks. Repoint 100%. Refaunch and provide stainless steel ventilation grills to aperture.

Site photos highlighting proposed works on chimneys C7 - C16



CLIENT
PROJECT
TITLE
NUMBER

Rochdale Borough Council
HOP - Hopwood Hall Phase 3
Roof Plan & Chimney Works
HOP-SEV-XX-R1-DR-A-02005

REVISION
STATUS
SCALE
DATE
DRAWN BY
CHECKED BY

P01
Planning
1:100 @A1
13/09/23
SM
SG

REVISIONS | P01 FIRST_ISSUE

13/09/23 SM SG
DATE: DRAWN: CHECK

seven.

SEVENARCHITECTURE.CO.UK
Studios at:
Unit 1.3, Wauk Mill, 51 Bengal Street,
MANCHESTER, M4 6LN
t: 0161 236 5655
Clarendon House, Victoria Avenue,
HARROGATE, HG1 1DY
t: 01423 709 807
24 Grenville Street,
LONDON, EC1N 8SS
t: 0203 036 0691