

[Contact Details](#)[Sign-up for eNews](#)[Website Feedback](#)

ALUTEC
ALUMINIUM RAINWATER SYSTEMS

Alutec aluminium rainwater

Product Range

Colour Options

Alutec Aluminium rainwater systems can be supplied in plain (mill) finish or one of our 18 standard colours, factory applied architectural polyester powder-coated (PPC) satin-matt finishes to BS 6496 and 6497.

- [Introduction](#) ☐
- [Product Selector](#) ☐
- [Product Search](#) ☐
- [Colour Options](#) ☐
- [Features & Benefits](#) ☐
- [Flow calculation](#) ☐
- [Design](#) ☐
- [Installation](#) ☐
- [Sitework Guidance](#) ☐
- [Properties & Performance](#) ☐
- [Standards & Specifications](#) ☐
- [Download CAD Files](#) ☐
- [Case Studies](#) ☐
- [New Products](#) ☐
- [Links](#) ☐




RAL 1013
Pearl White



RAL 1017
Saffron Yellow



RAL 2002
Vermillion



RAL 3002
Signal Red



RAL 3003
Ruby Red



RAL 5002
Ultra Marine



RAL 5003
Sapphire Blue



RAL 5010
Flower Blue



RAL 6002
Green



RAL 6005
Moss Green




RAL 6018
Yellow Green




RAL 7021
Granite Grey




RAL 7035
Light Grey



RAL 7037
Steel Grey



RAL 8014
Sepia Brown



RAL 8016
Chestnut Brown



RAL 8017
Chocolate



RAL 9010
White



RAL 9005
Black*



RAL 9997
Conservation
Black



Contact Details

Sign-up for eNews

Website Feedback

ALUTEC
ALUMINIUM RAINWATER SYSTEMS

Alutec aluminium rainwater

Product Range

- Introduction ☐
- Product Selector ☐
- Product Search ☐
- Colour Options ☐
- Features & Benefits ☐
- Flow calculation ☐
- Design ☐
- Installation ☐
- Sitework Guidance ☐
- Properties & Performance ☐
- Standards & Specifications ☐
- Download CAD Files ☐
- Case Studies ☐
- New Products ☐
- Links ☐

**Alutect Aluminium Rainwater
Product Selector**

Aligator® Classic

Classic has an ogee style profile, ideal for prestige housing or local authority applications. jointed with external unions and sealed with alutec sealant. Classic is fixed to the fascia using external fascia brackets.

Downpipes:


Circular 63mm
Square 62mm

Aligator Classic Range

[Please click here to view range](#)

Size

Composition



120 x 75mm

Formed
1.2mm thick high
tensile
aluminium

Aligator® Deepflow


Deepflow is a deep half round system with concealed fascia brackets and internal snap fit unions. Sealed with Alutec sealant.

Downpipes:

Circular 63mm, 76mm, 102mm
Square 72mm, 102mm
Rectangular 102 x 76mm

Aligator Deepflow Range:

[Please click here to view range](#)



130 x 80mm

Extruded
3mm thick
aluminium

Aligator® No. 46 Ogee


No.46 Ogee has a modified ogee shape which is ideal for projects demanding a high capacity gutter with a decorative profile. Complete with concealed fascia brackets and internal snap unions. Sealed with Alutec sealant.

Downpipes:

Circular 63mm, 76mm, 102mm
Square 72mm, 102mm
Rectangular 102 x 76mm

Aligator No.46 Ogee Range:

[Please click here to view range](#)



155 x 100mm

Extruded
3mm thick
aluminium

Boxer is a rectilinear profile, ideal for modern styling. Fixed with concealed fascia brackets and internal snap fit unions. Sealed with Alutec sealant/

Downpipes:

Circular 63mm, 76mm, 102mm
Square 72mm, 102mm*
Rectangular 102 x 76mm

*135 x 100mm & 160 x 100mm only

Aligator Boxer Range:

[➔ Please click here to view range](#)

Aligator® Viscount

Viscount has a hybrid style profile, designed to blend into the traditional eaves cornice detail. Viscount has internal snap fit joints, sealed with Alutec sealant. Direct fixed at 600mm centres, no fascia brackets are required.

Downpipes:

Circular 63mm, 76mm, 102mm
Square 72mm, 102mm
Rectangular 102 x 76mm

Aligator Viscount Range:

[➔ Please click here to view range](#)

Aligator® Giant

Giant is a commercial size trapezoidal profile with external unions and concealed supports, sealed with Alutec sealant. Designed for large roofs, Giant is able to deal with capacities of over 10 litres per second.

Downpipes:

Circular 76mm, 102mm
Square 72mm, 102mm
Rectangular 102 x 76mm

Aligator Giant Range:

[➔ Please click here to view range](#)

Lip Box

Lip Box is a high capacity box gutter with a front bottom lip to support a soffit panel. When installed, only the front face is visible, giving the roof a neat edge. Jointed by internal bolted unions and sealed with Alutec sealant. Supported by top or side rafter arm brackets at maximum 750mm centres.

Downpipes:

Circular 76mm, 102mm
Square 72mm, 102mm
Rectangular 102 x 76mm

Lip Box Range:

[➔ Please click here to view range](#)

Traditional Half Round

Designed to emulate and be fully compatible with cast iron, but with all the advantages of aluminium. Can be supported with external fascia brackets or rafter arms. Socket and spigot bolted joints are sealed with Alutec sealant.

Downpipes:

Circular 63mm, 76mm
Square 72mm
Rectangular 102 x 76mm*


*125mm only

Traditional Half Round Range:

[➔ Please click here to view range](#)


Traditional Victorian Ogee

Domestic sized decorative ogee profile. Completely interchangeable with cast iron systems. Can be




120 x 80mm
135 x 100mm
120 x 100mm

Extruded
2.5mm, 3mm & 3mm
thick
aluminium




150 x 121mm

Extruded
3mm thick
aluminium




200 x 150mm

Formed
1.2mm thick
high tensile
aluminium



150 x 134mm

Extruded
3mm thick
aluminium



100mm
113mm
125mm

Cast/Extruded
3-4mm thick
aluminium



or directly fixed to the fascia. Socket and spigot bolted joints are sealed with Alutec sealant.

Downpipes:

Circular 63mm, 76mm
Square 72mm
Rectangular 102 x 76mm*

*125mm only

Traditional Victorian Ogee Range:

→ [Please click here to view range](#)

Traditional 5 x 4 Moulded Ogee

Deep ogee style traditional gutter. Completely interchangeable with cast iron systems. Internal spigot bolted joints are sealed with Alutec sealant. Can be supported with external fascia brackets, rafter brackets, rafter arms or direct fixed with adapter brackets/

Downpipes:

Circular 63mm, 76mm, 102mm
Square 72mm, 102mm
Rectangular 102 x 76mm

Traditional 5 x 4 Moulded Ogee Range:

→ [Please click here to view range](#)

Traditional Circular Downpipe

Heavy grade traditional style range with factory fitted die cast aluminium sockets. Available with and without socket ears for direct or bracket fixing. Joints are sealed using polyurethane filler rod and Alutec sealant.

Traditional Circular Downpipe Range:

→ [Please click here to view range](#)

Vortex® Circular Downpipe

Traditional in appearance, the Vortex range has an unrestricted bore with integrally formed pipe sockets. The deep socket means that no joint seaming is necessary.

Vortex Circular Downpipe Range:

→ [Please click here to view range](#)

Square Downpipe

With regency style die cast sockets. Available with and without socket ears for direct or bracket fixing. Joints are sealed using Alutec sealant.

Square Downpipe Range:

→ [Please click here to view range](#)

Classic Square Downpipe

Designed specially to team with the **Aligator Classic** gutter system. Joints are made using separately supplied eared sockets.

Classic Square Downpipe Range

→ [Please click here to view range](#)


Rectangular Downpipe

With regency style die cast sockets. Available with or without socket ears for direct or bracket fixing. Joints are sealed



100mm
113mm
125mm

Cast
3-4mm thick
aluminium



125mm x 100mm

Cast
3-4mm thick
aluminium




63mm
76mm
102mm

Cast/Extruded
1.6 mm thick
aluminium




63mm
76mm

Extruded
1.63mm thick
aluminium



72mm
102mm

Cast/Extruded
1.63mm thick
aluminium




62mm

Formed 1.3mm
high tensile
aluminium



[→ Please click here to view range](#)



102mm x 76mm


Extruded
1.63mm thick
aluminium

Vandal Resistant Downpipe

Direct back to wall fixing with no projecting profile renders the pipe 'non climbable'. Designed for a top to bottom installation sequence, no sealing of joints is necessary.

Vandal Resistant Downpipe Range:

[→ Please click here to view range](#)



72mm
102mm
102 x 76mm

Extruded
1.63mm thick
aluminium

The following **Hopper Heads** are also available in the **Alutec Aluminium Rainwater** range:

[→ Please click here to view range](#)