



NOTES

The existing building measured survey has been undertaken by Salford Archaeology and all reference to this information is referenced directly from the associated drawings.



Existing walls requiring upgrade to 30 minutes FR.



Existing wall:
70mm timber stud with
1no. wall board either side.
Overall 102mm thickness.

Proposed upgrade:
1no. 12.5mm Gyproc
FireLine board installed to
either side of the wall.

0000
01 Mezzanine Plan
1:100 @ A4

0000
02 Wall Section
1:10 @ A4

Notes					Drawing Status					Donald Insall Associates Chartered Architects and Historic Building Consultants Bridgegate House, 5 Bridge Place Chester CH1 1SA (+44) 01244 350 063 chester@insall-architects.co.uk Rochdale Town Hall, for Rochdale Development Agency Phase Three Existing Walls - Fire Upgrade <table><tr><td>Project</td><td>RTH.06</td><td>No</td><td>0000</td></tr><tr><td>Scale (A4)</td><td>1: VAR</td><td>Status</td><td>P</td></tr><tr><td></td><td></td><td>Revision</td><td>2</td></tr></table>					Project	RTH.06	No	0000	Scale (A4)	1: VAR	Status	P			Revision	2
Project	RTH.06	No	0000																							
Scale (A4)	1: VAR	Status	P																							
		Revision	2																							
1. Any dwg format drawing is to be read in conjunction with and at the scale of the accompanying pdf.					F Feasibility																					
2. Where colours other than black or grey are used, the drawing must be plotted in colour.					S Sketch Design																					
3. For status "C" (Construction) drawings all dimensions are to be checked on site by the contractor, scaling is for Local Authority purposes only.					P Planning																					
4. Unless otherwise indicated, all dimensions are in millimeters.					B Building Control																					
5. All information on this drawing is to be read in conjunction with the relevant Donald Insall Associates specification and trade contractors' drawings and information by specialists.					D Design Development																					
6. In the event of any discrepancy, please contact us immediately.					M Measurement																					
7. This drawing may contain survey information by others and is to be used solely for the purposes for which it was issued.					T Tender																					
8. These are uncontrolled documents issued for information purposes only. If you have any queries regarding the drawings, please contact DIA immediately.					C Construction																					
9. Please note DIA cannot be held responsible for any errors arising from changes made to an uncontrolled dwg file.					R Record																					
					1	08-11-2024	CZS	DAC	For Listed Building Consent updates																	
					0	30-08-2024	SZG	SM	Initial Issue																	
					Rev	Date	Dwn	Auth	Revision																	

© 2019 DONALD INSALL ASSOCIATES LTD