SCALE WITH CAUTION AS DISTORTION CAN OCCUR 0 1 2 3 4 5 6 7 8 9 10cm

1. All dimensions are in millimetres unless noted otherwise.
2. All dimensions must be taken on site and not measured off drawing.
3. All levels refer to metres Above Ordnance Datum (AOD).

Fire route

Main part of Servery fit out to be done as part of another conservation application.

Floor Beam Upstand

2 x Micco for equipment

Fire Suppression

High 2

5.00 Pass

1000

1008

Elect intakes

110 mm outlet to be provided adjacent to power pole, final location to be provided by kitchen manufacturer.

1.00 Dish / Pot Wash

View A

Drainage in basement

View C

View D

4.00 Cookline

View B

2.00 Prep

Dist. Bd.

Dist. Bd.


2350


3.00 Cold Room


1300


Existing Chiller Room

PP









KEY FOR SERVICE SYMBOLS
- ELECTRICAL ISOLATOR
- ELECTRICAL OUTLET
- EXTRACTION CONTROL
- 13AMP TWIN SWITCH SOCKET
- 13AMP SINGLE SOCKET
- GAS
- HOT WATER
- COLD WATER
- WASTE
- INTERLOCKING PANEL
- DATA POINT X2

GENERAL NOTE

900mm MINIMUM CLEAR OPENING TO KITCHEN TO KITCHEN FOR EQUIPMENT ACCESS

ALL SERVICES TO BE BROUGHT TO WITHIN 1 (ONE) METRE OF THE CONNECTION POINT TO THE APPLIANCE **BY OTHERS**

ALL WIRING TO BE BEHIND WHITEROCK BUT NO CHASING OUT TO THE FABRIC OF THE BUILDING. ONLY AREAS PREVIOUSLY CLAD IN WHITEROCK ARE TO BE ARE TO BE RE-CLAD IN WHITEROCK.

SUSPENDED CEILING TO BE ZANTIA ULTIMA+ GRID SYSTEM IN OFF WHITE
FLOOR FINISH TO BE ALTRO SAFETY VINYL FLOORING TYPE AND COLOUR TO MATCH FIRST FLOOR KITCHEN

Note: All Hot & Cold Water Feeds to be surface mounted

Rev	Details of revision	By	Chkd	Date
	REVISION: ADDITIONAL GENERAL NOTES			10/08/23
*	*	*	*	**/**/2*

ROCHDALE BOROUGH COUNCIL

NEIGHBOURHOODS
Director: M. Widdup

HIGHWAYS & PROPERTY
Assistant Director: D. Bowler

Project
163
Rochdale Town Hall
Rochdale

Title
Ground Floor Kitchen
Elevations As Proposed

Drawn	Checked and Approved	Safety Audit Check
BM/IRD	*	*

Scale 1/25 & 1/50 @A1

Date 12/01/23

Dwg No.
A1/2004833/02