





As Existing



As Proposed

Stone Repair Method Statement

- The existing gate support post is currently screwed into the original sandstone stone quions at the corner of the neighbouring wall.
- Care is to be taken when removing the existing gate post.
- The screws are to be removed with a screwdriver and the rawl plugs carefully extracted minimizing the amount of damage to the stone.
- After the rawl plugs are removed the resulting holes are to be lightly blown out with a straw to remove internal loose dust.
- The clean holes are expected to be small and are to be filled with natural lime putty and struck flush with the face of the stone.
- All lime putty/mortar smears are to be cleaned from the face of the stone with a soft damp cloth while it is still wet.
- Stone indents should not be required. If this is considered necessary then the stone indent must be cut tight with minimal filling space, and formed from natural sandstone to match the existing, preferably from the original quarry. If they are required, stone indents are to be cut and finished flush and are to be set using NHL5 lime mortar, flush struck.
- Cement or any other alternative materials MUST NOT BE USED.

Ian Bright Architects
Chartered Architects – Conservation Architects

Short House
1-5 Short Street
Macclesfield
SK11 6JY

RIBA 
Chartered Practice

t : 0161 818 2225
m: 0777 56 88825
w: www.ianbrightarchitects.com
e : ib@ianbrightarchitects.com

arb
Architectural Register Board

job title
Alkrington Hall East

drawing title
**Gate / Wall Details
Existing and Proposed**

scale
1:50

sheet print size
A3

date of this issue
27/06/2023

drawn by
ITB

revisions record

rev	date	details	by


drawing purpose
**Planning and Listed
Building Consent**

drawing status
Submission

job no.
2529

drawing no.
5-2-51-2

rev



Do not scale from this drawing. Use figured dimensions only. This drawing must only be used for the purpose for which it is supplied. The copyright of this drawing remains with Ian Bright Architects Ltd and cannot be used by any other party for any purpose without prior written agreement.