

NOTES
The existing building measured survey has been undertaken by Safford Archaeology and all reference to this information is referenced directly from the associated drawings.

To be read in conjunction with Specifications H62 & H71

KEY: Hatches

Coloured areas of hatch on interior elevations indicate proposed fixtures, fittings or built fabric, proposed to be inserted, as below:

- (Light Blue) - Proposed to be added, viewed in elevation.
- (Dark Blue) - Proposed to be added cut through by plane of view.
- (No Hatch) - Existing structure cut through by plane of view

KEY: Annotation

- Health and safety risk item
- 60 minute fire rated compartment line. - Assumed existing structure meets 60 minutes fire compartmentation. Any existing holes to be filled and new penetrations to be sealed to meet 60 minutes requirement.
- 30 minute fire rated compartment line. - Assumed existing structure meets 60 minutes fire compartmentation. Any existing holes to be filled and new penetrations to be sealed to meet 60 minutes requirement.
- Existing fire compartment line (target 60 minutes fire rating). No modifications proposed. Any existing holes to be filled and new penetrations to be sealed to meet 60 minutes requirement.

For all door upgrades refer to door drawings and door schedule.

All new wall construction to comply with required fire rating.

General health and safety notes

Asbestos: All known asbestos to be removed. Risk of uncovering unknown asbestos during works.
Works to existing structure: All works to existing structure to be carried out in accordance with structural engineers details and to be sufficiently propped during works.
Existing services: All existing unused services to be removed.

Notes		Status codes		C02	12-06-24	CZS	DAC	Roof repairs and vents indicated - for construction.							
1. Any dwg format drawing is to be read in conjunction with and at the scale of the accompanying pdf.		S0 Work in Progress		D1 Suitable for Costing		C01	20-10-23	CZS	ARF	Skylight to remain - issued for construction					
2. Where colours other than black or grey are used, the drawing must be plotted in colour.		S1 Suitable for Co-ordination		D2 Suitable for Tender		P07	17-08-23	CZS		Value Engineering					
3. For status 'C' (Construction) drawings all dimensions are to be checked on site by the contractor, scaling is for Local Authority purposes only.		S2 Suitable for Information		D3 Suitable for Contractor Design		P06	22-06-23	CZS	ARF	For Building Control					
4. Unless otherwise indicated, all dimensions are in millimeters.		S3 Suitable for Review & Comment		D4 Suitable for Manufacture/Procurement		P05	05-06-23	CZS	ARF	For Planning & LBC					
5. All information on this drawing is to be read in conjunction with the relevant Donald Insall Associates specification and trade contractors' drawings and information by specialists.		S4 Suitable for Stage Approval				P04	14-04-23	CZS		Specifications referenced					
6. In the event of any discrepancy, please contact us immediately.						P03	24-02-23	CZS	ARF	For costing					
7. This drawing may contain survey information by others and is to be used solely for the purposes for which it was issued.						P02	06-02-23	CZS	ARF	Soil pipes to be removed					
8. These are uncontrolled documents issued for information purposes only. If you have any queries regarding the drawings, please contact DIA immediately.		A1,A2,A3, An etc. Approved and accepted as stage complete		B1,B2,B3, Bn etc. Partially signed off, with minor comments from the Client		P01	23-01-23	CZS		Initial issue					
9. Please note DIA cannot be held responsible for any errors arising from changes made to an uncontrolled dwg file.		CR Construction Record				Rev	Date	Dwn	Auth	Revision	C03	18-06-24	CZS	DAC	Indent repair following removal of waste stacks added. For construction

Donald Insall Associates

Chartered Architects and Historic Building Consultants

Bridgegate House, 5 Bridge Place, Chester CH1 1SA

(+44) 01244 350 063

chester@insall-architects.co.uk

Rochdale Town Hall

for Rochdale Development Agency

Scale A3@

Status

Purpose of issue

100

S4

Listed Building Consent

Phase Three

Roof Plan as Proposed

File Name

RTH.06 - DIA - XX- 50 - DR- A - 2036

Project Originator Volume Level Type Role Number Revision

P08