







Smoking Shelter Plan
Scale @ 1:50




Side Elevation
Scale @ 1:50



Front Elevation
Scale @ 1:50



Rear Elevation
Scale @ 1:50



Site Location Plan
Scale @ 1:500


Smoking Shelter Specification

Smoking Shelter Type:
Broxap (BXMW/HAR), Harrowby smoking and vaping shelter (or similar approved). Type B shelter 3135mm X 1540mm. To include standard tubular steel lean seating. Installation to be BREEAM compliant. Framing & Seat to be in light grey (RAL 7038). Clear polycarbonate to roof covering.

Floor:
Feature flag paving installed around and within smoking shelter footprint. Paving dressed around shelter support posts. Shelter and stand supports fixed down to concealed concrete pads in accordance with manufacturers requirements and recommendations.

Structure & Roof and Side cladding:
Robust modular construction featuring load bearing purlins. Tubular section anti-climb end frames. Curved roof glazing bar framing members with ClearView PETg UV cladding. All assembled using anti-tamper high strength bolts. Shelters to be installed to provide BREEAM compliant configuration.

Foundations:
Typical foundation details are calculated for shelters in good solid ground like firm clay, not loose fill or soft ground like sandy or gravelly ground. A ground bearing pressure of 100kN/m2 is assumed for all typical foundations. Concrete grades typically C20 for pockets and C35 for bases with reinforcing mesh. All reinforced bases (typically 150mm deep) must be laid on compacted hardcore - MOT type 1 stone. Confirmation details will be advised by supplier on placement of order, after which construction may commence, subject to project Structural Engineer on the details.



NOTES AEWTP029C

- All dimensions and levels are to be checked on site.
- Any discrepancies are to be reported to the architect before any work commences
- This drawing shall not be scaled to ascertain any dimensions. Work to figured dimensions only.
- This drawing shall not be reproduced without express written permission from AEW.
- Title overlay drawings and ownership boundaries are produced using all reasonable endeavors. AEW cannot be responsible for the accuracy or scale discrepancy of base plans supplied to them.
- All works are to be undertaken in accordance with Building Regulations and the latest British Standards.
- All proprietary materials and products are to be used strictly in accordance with the manufacturers recommendations.

CDM 2015

Client notified of duties: 20/12/2022
Principal Designer: Rider Levett Bucknall
Unless noted below, all known hazards have been highlighted on the drawing:

P01	27/03/23	CF	CL
Planning Issue			
REV	Date	Drawn by: -	Checked by: -
Status	Purpose of Issue		
S2	For Information		
drawing stage	Planning		
client			
Russell LDP			
project			
Plot 3, South Heywood			
drawing title			
Proposed GA Smoking Shelter			
date	Mar 2023	drawn	CF
scale@A3	As Indicated	checked	CL

Rev P01

13230-AEW-XX-XX-DR-A-0523

aew architects
0161 214 4370
www.aewarchitects.com

AEW