

	Stone - New: To match existing internal areas - sample to be provided for agreement.
	Stone - New: Specified by landscape consultant to match and run in with terrace stone paving. Note: There is only 110mm o/a depth to lay the paving in due to clock tower lift level restrictions.
	Stone - Existing: Remaining in situ. Minor localised repairs and light clean.
	Stone - Existing: Stone removed and stored during Phase 1 to be re-laid in same layout - NBS M40-115A . <i>Note - for all areas of existing stone flags to be re-laid in same layout: Allow 10% salvaged stone from other areas of the Town Hall to make up any shortfall.</i>
	Stone - Existing: Salvaged internal stone paving from elsewhere in the building (i.e. where lift has been removed) to be used to carry out localised making good and repairs.
	Timber - New:
TYPE 1	Solid wood flooring - NBS K21-110
TYPE 2	Engineered wood flooring - NBS K21-111A
	Timber - Existing: Fully repaired, overhauled and finished - NBS C53-122; M60-179 .
	Timber - Existing Repaired: NBS C53-122; M60-179 . Repairs: Allow a provisional sum. Full extent and scope of repairs to be confirmed when protection removed.
	Minton Tiles - Existing: Fully repaired, overhauled and finished. Allow a provisional sum. Full extent and scope of repairs to be confirmed when protection removed and specialist engaged.
	Quarry Tiles to G13f - Store: Fully repaired, overhauled and finished. See drawing for repairs.

Threshold - Existing: Retained and/or no threshold strip

TE TYPE A	Timber
TE TYPE B	Brass (carefully removed and cleaned before re-use)
TE TYPE C	Stone
TE TYPE D	Tiled

Allow for extending floor finishes into all newly formed openings.

✕ BLUE Fire Door - No issue foreseen. Please see accompanying Schedule 6104 for any mitigation actions required.


■ Floor Box - see MEP drawings for setting out (2091-2094)

© 2019 DONALD INSALL ASSOCIATES LTD

Status codes

A1,A2,A3, An etc. Approved and accepted as stage complete
B1,B2,B3, Bn etc. Partially signed off: with minor comments from the Client

CR Construction Record



Scale A1@	Status	Purpose of issue
100	CR	For Construction

File Name	
RTH - DIA - XX- 10 - DR- A - 0081	C08
Project Originator Volume Level Type Role Number	Revision

Rochdale Town Hall
for Rochdale Development Agency

Phase 2 - Ground Floor Plan

Floor Finishes

Donald Insall Associates
Chartered Architects and Historic Building Consultants

Bridgegate House, 5 Bridge Place, Chester CH1 1SA
(+44) 01244 350 063
chester@insall-architects.co.uk

