



INFORMATION WITHIN THIS DRAWING IS NOT NECESSARILY PRODUCED TO SCALE.
ALWAYS USE FIGURED DIMENSIONS AND CO-ORDINATES - IF IN DOUBT, ASK.

NOTES

KEY:

Indicates a masonry retaining wall. Retained height as indicated.

NOTE: Where retained height exceeds 600mm guardrails are to be provided to retaining wall. Guardrails to be minimum for 1100mm high from finished ground level.

NOTE: Heights indicated to retaining walls are the retained height not the total construction height.

N	Plot 18 & 35 FFL updated	CH	PR	11.09.23
M	Revised to suit latest external works designs & site layout	CH	PR	06.09.23
L	Revised to suit latest external works designs.	RJ	CH	12.07.23
K	Revised to suit latest external works designs.	RJ	CH	20.06.23
J	Revised to suit clients comments.	RJ	CH	24.04.23
H	Updated to latest planning layout	GH	CH	03.02.23
G	Updated to latest planning layout	GH	CH	27.06.22
F	Updated to latest planning layout	AS	GH	24.06.22
E	Updated to latest planning layout	CH	PR	28.07.21
D	Updated to latest layout - indicative levels added	CH	PR	29.06.21
C	Additional spot levels added to private drives	CH	PR	04.02.21
B	End of road 1 lifted, plot 125 lifted. Retaining walls added around basin. FFLs of 70-71 amended.	RB	CH	26.11.20
A	First Issue.			
REV	DESCRIPTION	SIG	CHK	DATE

VISTRY HOMES

LITTLEBOROUGH

LEVELS APPRAISAL - SHEET 1

Eastwood & Partners
CONSULTING ENGINEERS

St. Andrew's House
23 Kingfield Road
Sheffield
S11 9AS
Tel 0114 255 4554
Fax 0114 255 4330

mail@eastwoodandpartners.com
www.eastwoodandpartners.com



SCALE WHEN PLOTTED AT A1

1:500

DRAWING STATUS

PRELIMINARY

DRAWN	CHECKED	DATE	DRAWING NUMBER	REV
RJ	CH	23.11.20	45466/004	N