



CHANGING PLACES: OPTIONS BROCHURE



Produced by RISE Adaptations Limited.

CONTENTS

03. Timescales

04. Internal Specification

05. Specialist Equipment

06. Wall Panelling

07. Safety Flooring

08. Graphic Feature Wall

09. External Specification

10. Cladding

12. Door & Access System

13. Roof & Plastics

14. Checklist

15. Signage

16. Inspiration Gallery

18. More About RISE

Thank you for placing your trust in RISE. As the UK's leading specialist Changing Places contractor, you're in safe hands.

Whether you're adapting an existing space or installing a modular pod, we know how to create the perfect facility.

We've taken the most stylish and practical elements of our best installations, to help you create unique environment that is safe, hygienic and extremely durable.

Please take your pick from the following options and we'll use this information to finalise your build specification.

MODULAR

All external materials must be detailed as part of your planning application. If your project doesn't require full planning permission, then we need to confirm all materials 4-weeks prior to commencing with any building works.

SIGN CONTRACT

Upon confirmation of your order, please select your preferred internal and external finishes

ORDER MATERIALS

Once we've received your choices, we'll need **3-4 weeks to order all custom materials**

START BUILD

Works commence at our Doncaster premises, with a standard 'CP Pod' taking 3-4 weeks to complete

POD COMPLETE

DELIVER/INSTALL

ADAPTATION

If you're adapting an existing space, then we don't need to worry about external material with longer lead times. However, you will still need to confirm all internal materials at least 2-weeks prior to us commencing works onsite.

SIGN CONTRACT

Upon confirmation of your order, please select your preferred internal finishes

ORDER MATERIALS

Once we've received your choices, we'll need **2 weeks to order all custom materials**

START ONSITE


Works can then commence onsite, adapting your existing space into a registered Changing Places toilet

HANDOVER

REGISTRATION

INTERNAL SPECIFICATION

Whether your project is an adaptation or modular installation, we install all fixtures, fittings and specialist equipment in strict accordance with BS 8300 and the Changing Places Practical Guide.



Standard internal layout of RISE CP Pod

01. Raised Height Pan
02. Drop Down Grab Rail
03. Fixed Vertical Grab Bar
04. Large Shelf
05. Pull Down Alarm Cord
06. Alarm Reset Button (900mm)
07. Height Adjustable Basin
08. Thermostatic Tap
09. Soap Dispenser
10. Paper Towel Dispenser
11. Swing Bin
12. Robe Hooks (Two Heights)
13. Safety Mirror
14. Privacy Screen
15. Electric Heater
16. Hoist System
17. Height Adjustable Changing Bench
18. Couch Roll Dispenser
19. Door With Horizontal Grab Bar
20. Underfloor Shower Tray
21. Thermostatic Electric Shower
22. Water Heater
23. Electric Board
24. Electric Hand Dryer

SPECIALIST EQUIPMENT


We install market leading equipment from Guldmann and Pressalit as standard. Through our experience, we've found these to be the best solutions available – reliable products that combine exceptional ergonomics and durability.



◀ We install Guldmann GH3 or GHZ ceiling track hoist systems with constant charge and safe working loads of 200kg



Pressalit height adjustable Matrix basin, installed as standard ▶



▶ The market-leading Pressalit SCT 3000 shower change table is installed in most RISE CPTs. (Safe working load: 200kg)


a.) WALL PANELLING

We install Multipanel wall panels in all RISE Changing Places, as a smarter alternative to tiles. Not only do they look great, but they're completely waterproof (with no mouldy grout), easy to clean, 100% recyclable, and come with a 30-year manufacturer's warranty.


Please Note: Whilst additional finishes are available from Multipanel, we have purposely removed these options (no gloss finishes, for example) to ensure that your facility is compliant and can be fully registered.

MULTIPANEL CLASSIC COLLECTION


Panels from the Classic Collection are typically specified in most CPTs, as they provide a calming environment, contrast well with grab bars, and are forgiving with wear and tear. The following four options are recommended.




Classic Marble



Frost White




Grey Marble



Riven Marble

Additional options are available from the Classic Collection, which also work well within Changing Places toilets.




White Snow £



Jupiter Silver £



Arctic Stone £



Marfil Cream £

b.) SAFETY FLOORING


Polysafe Hydro is installed in all RISE Changing Places toilets. A safety vinyl flooring that combines slip resistance with high durability, this product is ideal for Changing Places and disabled adaptations.

Available in eight colours, the responsibly sourced (BES 6001) range features safety aggregates and a raised pimple emboss for added grip and underfoot safety.


Installed with 150mm coving to all walls, all eight options come with a 10-year manufacturer's warranty as standard.

POLYFLOR HYDRO

'Tempered Steel' and 'Woodland Grey' are the two most commonly installed options. Both compliment our recommended multipanel finishes, and are forgiving with dirt and tyre marks in a commercial CPT environment.




Tempered Steel




Woodland Grey


An additional six options are available from the Polyflor Hydro range, with the same anti-slip properties as above.



White Stone




Bisque




Sheared Slate



Oystershell



Blue Forge



Marine



c.) GRAPHIC FEATURE WALL

One of the most commented on aspects of our CPT installations are the graphic feature walls. Printed on hygienic, waterproof 5mm Foamex boards, we can include a custom image or graphic of your choice to cover an entire wall elevation. The adjacent images are sized at 3m x 2.3m (as per our modular pods), though sizes for adaptations will vary, depending on the existing space.

Whether your modular entrance door is located on the front or side elevation, your graphic feature wall will remain on the internal right-hand wall (indicated red).



We can print almost any image, though the ideal quality is around 8,500 x 6,800 pixels. Vectors can be scaled to any size and retain full quality.




EXTERNAL SPECIFICATION

If we're providing you with a modular facility then there are some additional options to choose from, including external cladding, entrance door, soffits, fascias, and rainwater goods.

It's worth noting that as one of the very few specialist providers to build our modular facilities in-house, we have the ability to completely tailor the design of your CPT. That includes, pitched and parapet roof options, bespoke sized facilities, reclaimed materials, access systems and eco-friendly additions, such as solar PV.

Over the past two-years, RISE has successfully installed more modular CPTs than any other specialist provider. References can be provided upon request.



d.) EXTERNAL CLADDING (1 OF 2)

Our standard and highly recommended cladding is Cedral Lap weatherboard, due to its durability, wide range of colours, and 50-year manufacturer's warranty. However, we can externally clad your facility in a host of other materials, including various natural timbers, render, and brick slips.

CEDRAL LAP WEATHERBOARD

We offer 18 colours options in Cedral Lap weatherboard – 16 standard, and 2 premium options. All are extremely low maintenance and are installed horizontally as standard.



White



Beige



Grey Brown



Dark Brown



Grey



Grey Green



Cream White



Sand Yellow



Blue Grey



Atlas Brown



Dark Grey



Slate Grey



Black



Silver Grey




Pearl



Pewter




Taupe



Sage Green




Forest Grey



Burnt Red



Violet Blue



Light Oak £



Dark Oak £

d.) EXTERNAL CLADDING (2 OF 2)

Our planning experts can advise on the most suitable and sympathetic material choices for conservation areas and heritage sites. We can also tailor your specification to suit maritime or high traffic areas where robustness is critical.



📍 RISE CPT in Kent, finished in Sweet Chestnut cladding

NATURAL TIMBER £ 🌿

Whilst it requires more maintenance than our recommended Cedral Lap weatherboard cladding, the aesthetics of natural timber can be hard to beat. We offer a range of premium timber options, which includes the following:



Green Oak



Red Cedar




Sweet Chestnut




Douglas Fir-Larch

WEBERSIL TF RENDER

A textured silicone render system that is highly water repellent and available in over 100 colours.



Winter White



Chalk



Cream



Pearl Grey



Graphite



Stone Grey

Full list of colours at: www.uk.weber/webersil-tf

BRICK SLIPS £ 🌿

Weberwall brick provides an authentic brick-effect finish that is lightweight and extremely durable.




Antique Red Brick



Reclaimed Red Brick



Antique Buff Brick



Sanded Slate Brick

Full range of finishes at: www.uk.weber/weberwall-brick

e.) STEEL SECURITY DOOR

Our standard steel doors provide high security protection in most environments, and come with a minimum opening of 1,000mm.

Outward opening with a level threshold, our robust doors are fully DDA compliant and provide excellent thermal performance.

Doors are available in any RAL colour, and are installed with RADAR key system and overriding deadlock (recommended access system of the Changing Places Consortium).



RISE CPT clad in Sage Green (C57) Cedral Lap with door finished in RAL 6016 Turquoise Green

ACCESS & SECURITY OPTIONS £

If your site requires alternative additional security or access system, we can tailor your specification accordingly. Security cameras, anti-vandalism roof spikes, digital keypad or key fob entry systems, are all available upon request.

Select any RAL colour for your door. A full list is available here: www.metador.com/colours

9023	9010	9011	9018
8028	8019	8008	8004
6033	6036	6025	6020
6015	6019	6024	6018
6010	6004	6011	4012
4008	4007	5000	4004
3031	3018	3012	3009
3007	3015	4005	4009
2009	2013	2003	2002
1036	1027	3000	1028
1016	1007	1014	1011

f.) ROOF & PLASTICS


Our modular CPTs have a dark grey flat EPDM roof as standard with front oversail canopy (with LED downlights in soffit).

Within the standard price, you can select black or white fascias, soffits, rainwater goods and bottom board, to compliment your chosen cladding and entrance door.

Premium options include natural timber as an alternative to plastics, as well as aluminium guttering— both well suited for heritage sites. The additional option of solar PV helps reduce running costs, but is not recommended in public spaces where anti-social behaviour is a risk.

STANDARD UPVC FINISHES

Once you've chosen your external cladding and the RAL colour of your door, please select your preferred colour for uPVC fascias, guttering (and rainwater pipes), soffits, and bottom board. The choice is simple: Black or white.



Notes / Custom Materials:

.....

.....

.....

HANDY CHECKLIST

Please refer to the previous pages and list your preferred options. Share this information with us, and we'll use it to finalise your build specification.

Deadline Reminder

We require all final external choices 4-weeks prior to your start date.

All internal choices are required at least 2-weeks prior to starting onsite.

INTERNAL SPECIFICATION

a.) Wall Panelling:

Select one of eight options from the Multipanel classic range (page 06)

b.) Safety Flooring:

Select one of eight options from the Polyflor Hydro range of safety flooring (page 07)

c.) Graphic Feature Wall (To Note)

Don't forget to send us your preferred image for your graphic feature wall, at the highest resolution possible

EXTERNAL SPECIFICATION (MODULAR CPT ONLY)

d.) Cladding — Material: Colour:

Select from Cedral Lap weatherboard, natural timber, render or brick slips (pages 10–11)

e.) Door Colour:

Select any RAL colour (full list here: www.metador.com/colours)

f.) Soffit Colour: Fascia Colour:

Bottom Board Colour: Guttering/RWP Colour:

Select black or white uPVC soffits, fascias, bottom board, and guttering/rainwater pipes (page 12)

Notes / Custom Materials:

.....
.....
.....

SIGNAGE





Our comprehensive service covers everything you need to register your facility upon completion, including internal and external signage.

The finishing touches for all RISE adaptations is the installation of an external Changing Places sign, as well as wall-mounted internal instructions for specialist equipment.

If you have ordered a modular facility, this will arrive onsite with all internal and external signage already fitted.

INTERNAL SIGNAGE

A4 instructions are printed on Foamex and wall-mounted next to your height adjustable basin, ceiling track hoist system, and height adjustable bench. An instruction/warning sign is also included for the pull cord alarm system.



EXTERNAL SIGNAGE


A 600mm x 600mm acrylic sign is fitted on the outside front elevation of all RISE modular CPTs and adaptations. Plus any projects funded via the government's £30m CPT fund will also have a 300mm x 300mm acrylic plaque installed on the same external elevation.





- Govt-Funded Plaque
- Standard External Signage



Children's Country House, Sudbury – National Trust:
Blizard Multipanel (Custom); Marine Polyfloor



Gateway Café, Peacehaven: >
Frost White Multipanel;
Woodland Grey Polyfloor



The Lowry, Manchester: White Snow Multipanel; Slate Haze Polyfloor (Custom)

INSPIRATION

Images of past RISE projects
to inspire your own interior.



Shorne Woods Country Park, Kent:
White Snow Multipanel; Woodland Grey Polyfloor



^ Rossington Leisure Centre, Doncaster:
Arctic Stone Multipanel; Tempered Steel Polyfloor



^ ROARR!, Norwich: Jupiter Silver Multipanel; Bisque Polyfloor



^ Whipsnade Zoo: Frost White Multipanel; Woodland Grey Polyfloor



^ Woburn Safari Park:
Grey Marble Multipanel; Oystershell Polyfloor



^ Slimbridge Wetland Centre, WWT:
Dove Grey Multipanel (Custom); Sheared Slate Polyfloor

MORE ABOUT RISE

Doncaster-based RISE Adaptations is the UK's leading Changing Places contractor, specialising in complex adaptations and modular Changing Places toilets (CPTs).

1. Construction Expertise. We're not just equipment suppliers or manufacturers, we're specialist contractors. Whether we're adapting an existing space or building a new modular facility, we take complete project ownership from your initial feasibility study to the design, build, installation, warranties and maintenance of your CPT.

2. Specialist Knowledge. When it comes to the turnkey delivery of CPT projects, our in-house team is the most experienced in the UK. We stand as one of the leading authorities on CPTs and come highly recommended by the Changing Places Consortium.

3. Purpose & Values. We believe in access for all, and put our purpose into action through our 'High Five Promise', donating five percent of our time and annual profits to the Changing Places campaign. This includes free consultancy and seminars that have supported over 500 UK organisations to date.

These three factors combined, uniquely position RISE as the only dedicated construction company with the specialist knowledge, experience and passion for Changing Places.

The quality of our work is unrivalled, and we offer the assurance that any CPT project we commit to is guaranteed to be registered upon completion.

To learn more about our market-leading products and service, please get in touch by emailing hello@riseadapt.co.uk or calling [07729 224 738](tel:07729224738).

Locations of all successfully completed CPT projects delivered full turnkey over the past two-years



A few of our clients

