

RTH.03
Decoration Schedule
Rochdale Town Hall

File Name					
RTH-DIA-XX-XX-SH-A-6500-DecorationsSchedule					
Date	Prepared by	Approved by	Status Code	Version Number	Purpose of issue
08/03/2023	CSH	SM	D1	P10	For FWP BQ Prep
30/03/2023	CSH	SM	D1	P11	For CCF059b Update
05/04/2023	CSH	SM	CR	C01	For Construction
17/04/2023	CSH	SM	CR	C02	For Construction. AI 214
11/05/2023	SZG	RZM	CR	C03	For Construction. AI 224
20/07/2023	SZG	RZM	CR	C04	For Construction. AI 255
24/07/2023	SZG	RZM	CR	C05	For Construction. AI 257

Revisions Highlighted

Simon Malam
simon.malam@insall-architects.co.uk
Tel: 01244 350 063

Chester Office
Donald Insall Associates
Bridgegate House, 5 Bridge Place, Chester, CH1 1SA
www.insall-architects.co.uk

This report and all intellectual property rights in it and arising from it are the property of or are under licence to Donald Insall Associates or the RDA. Neither the whole nor any part of this report, nor any drawing, plan, other document or any information contained within it may be reproduced in any form without the prior written consent of Donald Insall Associates or the RDA as appropriate. All material in which the intellectual property rights have been licensed to Donald Insall Associates or the RDA and such rights belong to third parties may not be published or reproduced at all in any form, and any request for consent to the use of such material for publication or reproduction should be made directly to the owner of the intellectual property rights therein.

RTH.03
Decoration Schedule
Rochdale Town Hall

Notes

Generally:	Greyed out text is for information only - not to be priced.
Generally:	To be read in conjunction with M52; M60 Control Samples: In accordance with NBS Clause M60/300. Ceiling Structure: includes exposed trusses, beams, corbels, purlins, ribs. Walls: includes arches (new and existing), plastered cills. Masonry: includes stone, brick, blockwork, concrete. Walls include window reveals where applicable.
Colours:	Colours: Generally referred to by room. Stone Window Surrounds: Previously painted window surrounds where noted - Stone Colour: "Sandstone". Window surrounds will be painted different from reveals (plastered reveal same colour as walls, window tracery stone colour specified) Cornices (all areas): All cornice decoration schemes subject to in-situ trials. Assume 3no trials to be undertaken for approval purposes. Trial colours to be agreed on site when high level access to cornices available to allow for closer inspection of mouldings. For pricing purposes assume each cornice to have 5no colours from the colour palette in the appendix. Dry Riser & historic internal grilles will be decorated RAL 7022.
Windows:	For decoration of overhauled metal casements - as M60/113A. Refer to window schedule: RTH-DIA-XX-XX-SH-A-6200-WindowSchedule for locations. All windows powdercoated unless overhauled. Where windows are replaced, the black sealant is to be painted in same colour as window masonry internally. Allow for a trial with decorator to review application of paint onto sealant.
Intumescent Paint:	All New Steelwork that was installed in Ph1/Ph1a/P2 and is to be left exposed is to be intumescently painted. Individual existing structural exposed steels are noted in the schedule. Structural Exposed Steels: includes beams, columns, lintels, ties - all sections and profiles. Existing exposed joinery that is non-loadbearing is to be redecorated. Existing exposed joinery that is loadbearing is to be redecorated in upgrade. New exposed joinery that is loadbearing is to be decorated in upgrade or designed to allow for suitable charring factor.
New Joinery:	Softwood: Skirting, Architraves, Doors: M60/150 Hardwood:Skirting, Architraves, Doors: M60/132 New Bespoke Oak Screens:M60/125 Internal Hardwood Doors: M60/125 External Hardwood Doors: M60/110A Internal Softwood Doors: M60/150 - Basement Doors: White. Doors to WCs: Dark Green: F4261C. Other Flush Doors: To match adjacent walls. Loft Hatches: New/replaced loft hatches are all specified as to be concealed - ie without an timber architrave, so decorations to ceilings also apply to the lid of the loft hatch.
Clear Finishing Existing Joinery:	Existing Clear Finished Joinery (Incl Panelling, Architraves, Linings, Dados, Capping, Skirting, Integrated benches.); - Cleaning to existing joinery will be undertaken by volunteers after the project. - Clear Finishing to all (Except Great Hall F1) existing retained clear finished joinery: M60/131. - Clear Finishing to Great Hall (F1) is not to be completed in this contract, will be later undertaken by volunteers. All joinery repairs listed in RTH-DIA-XX-XX-SH-A-6101-HistoricDoorsRepairSchedule & RTH-DIA-XX-XX-SH-A-6020-PhotographicRepairScheduleJoinery are to be finished in to match the adjacent existing using M60/132. Only previously decorated or SW joinery is to be painted, unless specifically noted as item under joinery features. Note: Decorations to door sets (including door, architrave surround and blocks, panelled reveals, glazed screens) are covered in the Historic Doors Repairs Schedule: 6101.
Surface Spread of Flame Approach:	For information only the approach to which type of paint is to be applied to walls and ceilings (including features) is noted here:

	To achieve		
European Class	B-s3, d2	C-s3, d2	D-s3, d2
Description	Escape Corridors, circulation routes and escape stairs	Rooms with an area equal or over 30sqm	Rooms with an area under 30sqm
Bcontrol confirmed exempt as use not changed and just re-painting	paint system 3/4	paint system 3/4	paint system 3/4
Newly skimmed walls which will be painted (ie where a new lining or skimmed over as large repairs/alterations)	paint system 3/4	paint system 3/4	paint system 3/4
Existing wall patch repaired plaster, which need re-painting	paint system 1	paint system 2	paint system 3/4
Walls that will have lining paper	paint system 1	paint system 2	paint system 3/4

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
					Note: In Window plane only (whole tracery) for reveals and sills refer walls							Lining Paper NBS M52/110	Paint	Lining	Paint	(excl ceiling structure)	
Second Floor																	
S2	Bright Hall	Paneling and Radiators - Dark Green: F4261C Walls and ceiling panels - Light Green: F3680P Beams and Ribs - Dark Red: 4550 - Y90R with highlights of gold to bosses and floral carvings. Stone features (statue alcoves, string course, label stops etc.) - Stone Colour: Sandstone Eaves Beam - Dark Red: 4550 - Y90R with highlights of charcoal 8500 - N and gold (exact scheme tbc based on analysis carried out by LCS) For further detail of Bright Hall Decorative Scheme refer SK0304 in appendix For further detail of WF1.15 Decorative Scheme refer appendix	NA	NA	M60/172 To all windows including tracery of WF1.15 (prior to installation of new screen) For further detail of WF1.15 Decorative Scheme refer appendix	Corbels - Completed by Specialists M60/172 - Gable Niches & String Course	New Plaster	>30qgm	N	M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3 Area - excluding bay window skylights that will receive decorative frieze	High Level Frieze to be commissioned separately Surfaces to be prepared adequately to receive vinyl transfer Note: Plaster arch over bespoke screens DS2.1 & DS3c.1 are to be decorated as walls. Wall colour to change along line of screen installation.	New and existing panelling to be painted/repainted. M60/150. Decorative eaves beam to be painted. M60/150 One solid colour with gold detailing as M60/119. Note no requirements of achieving reaction-to-fire ratings. New timber green to Bright Hall side of WF1.15 decorated as per sketch in appendix as M60/150.	Ceiling Structure - Main Roof Beams - M60/150 Ceiling Structure - Ceiling beams - M60/150 Note no requirements of achieving reaction-to-fire ratings.	NA	NA
S3a	Exhibition	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Skirting - Dark Green: F4261C	NA	NA	M60/172	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	Skirting - to match walls	NA	NA	NA	NA
S3b	Activity Suite	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Cornice: To Match Ceiling	NA	NA	M60/172	NA	New Plaster	>30qgm	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3 Note: Beam to be decorated to match ceiling	M60/151 - Paint System 2 - EX Cornice	Decoration of radiator cover refer drgs 0021/0022 DS3c.5 decorated as wall	M60/150 - Central Beam	NA	NA
S3c	Corridor	Ceiling - Dark Beige: 1510 - Y20R Walls - Light Beige: B5760U Dry Riser: RAL 7022 Cornice: Dark Beige 1510-Y20R	NA	NA	NA	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3 Note: Plaster arch over bespoke screen DS3c.1 to be decorated as walls. Wall colour to change along line of screen installation.	Paneling - refer drg 3674	NA	NA	M60/116 Decoration to dry riser (full height)	
S3d	Tower Link	Walls / sloping eaves - Mid Green: F4460V Ceiling - Lightest Green: F1730H Beams - Dark Red: 4550 - Y90R Skirting - Dark Green: F4261C For further detail of Dormer Window and Rooflight decoration refer appendix.	NA	NA	M60/172	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3 Note: Beam to be decorated to match ceiling	DS3c.10 - Rooflight and roof window to match wall and ceiling M60/151 - Paint System 1 - EX Roof Light (walls) M60/130 - Rooflight Joinery M60/130 - Dormer Window	M60/150 - EX ceiling beams	NA	M60/116 Rooflight Ironmongery.	
S4a	Tower Link Doorway	Walls / Boxing In / Flush Doors - Mid Green: F4460V Ceiling - Lightest Green: F1730H Skirting - Dark Green: F4261C	NA	NA	NA	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	Skirting - to match walls	NA	NA	NA	NA
S6a	WC's Cubicles & Lobby Space Combined	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V IPS: Dark Green: F4261C Doors: Dark Green: F4261C Cornice: Light Beige B5760U	NA	NA	M60/172	NA	New Plaster	<30qgm Cubicles & Lobby separate size	N	M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - New Cornice	Vanity Unit: M60/127 M60/150 MEP Boxing In / IPS to all WC's	NA	NA	NA
S6c	Office	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Grille: To match walls Skirting - Dark Green: F4261C Cornice: To Match Ceiling	NA	NA	M60/172	NA	New Plaster	>30qgm	N	M60/151 - Paint System 3	N	M60/151 - Paint System 3	M60/151 - Paint System 2 - EX Cornice	Note: No finishing to Existing Chimney Breast Cupboard	NA	NA	M60/113 Chimney Breast Vent Grille
S6d	Store	Walls and Ceiling - Lightest Green: F1730H	NA	NA	M60/172	NA	New Plaster ceiling, repaired plaster walls	<30qgm	N	M60/151 - Paint System 3 Above Tiling	N	M60/151 - Paint System 3	NA	NA	NA	NA	NA
S6e	Store	Walls and Ceiling - Lightest Green: F1730H	NA	NA	M60/172	NA	New Plaster ceiling, repaired plaster walls	<30qgm	N	M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3	NA	Door DS6e.6 decorated as wall Panelling - Existing - No finishing required (back of house)	NA	NA	NA
S6f	Lift Lobby	Walls - Light Green: F3680P Ceiling - Lightest Green: F1730H Skirting - Dark Green: F4261C	NA	NA	Concealed by lift shaft partly with S6g	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3 Note: If existing cornice can be retained then use Paint System 1	Door DS6f.2 Decorated as wall	NA	NA	For finishes to lift refer CDP Item	

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
					Note: In Window plane only (whole tracery), for reveals and sills refer walls				Lining Paper NBS M52/110	Paint	Lining	Paint	(excl ceiling structure)				
S6g	Lift Lobby	Ceiling - Dark Beige: 1510 - Y20R Walls - Light Beige: B5760U Cornice: Dark Beige 1510-Y20R	NA	NA	N/A Concealed by lift shaft, partly with SdI	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - New Cornice Note: If existing cornice can be retained then use Paint System 1 Note: Plaster arch over bespoke screen DS2.1 to be decorated as walls. Wall colour to change along line of screen installation.	Panelling - refer dpg 3674	NA	NA	For finishes to lift refer CDP Item
S6h	Corridor to WC's	Walls - Light Green: F3680P Ceiling - Lightest Green: F1730H Skirting: Dark Green: F4261C Cornice: Light Beige B5760U	NA	NA	NA	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - New Cornice	Door D56h.2 Decorated as wall	Zn. Exposed refer ends where sit below ceiling level. M60/150	NA	NA

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
									Lining Paper NBS M52/110	Paint	Lining	Paint	(excl ceiling structure)				
First Floor																	
F1	Great Hall	N/A	NA	NA	Specialist Cleaning	Corbels - Specialist cleaning Arch heads to doorways to be left as existing finish & will be cleaned	Heritage Plaster	Non-certified SSF rating space. Ref Email BCO 01.11.21 (As part of highly Significant Heritage Rooms)	N	Specialist Stencilling	N	Specialist Touching Up Specialist Paintwork	Mural Magna Carta Specialist LCS	Stage & Benches & Dado Finishing will be completed by volunteers outside contract	Specialist Touching Up Specialist Paintwork	NA	NA
F2a	Refreshment Room (Zodiac Room)	Lower walls – Dark Green: F4261C Upper Walls – Dark Beige: 1510 – Y20R Dado banding – Bright Red: 2070 – Y80R, Charcoal: 8500 - N (see example scheme in appendices) Ceiling - Light Beige: B5760U Skirting: Strip existing and review. Darkest green F30 80R (unless can be stripped successfully) Cornice: Subject to trials	NA	NA	M60/172	No works to corbels (existing finish retained)	Lining Paper	Non-certified SSF rating space. Ref Email BCO 01.11.21	Y	M60/151 - Paint System 4	N	Stabilisation only Existing Decorative Scheme retained with no works.	M60/151 - Paint System 3 - EX Cornice	Existing Decorative Features retained with no works.	Existing Decorative Features retained with no works.	NA	NA
F2b	Bar & Servery	Lower walls – Dark Green: F4261C Upper Walls – Dark Beige: 1510 – Y20R Dado banding – Bright Red: 2070 – Y80R, Charcoal: 8500 - N (see example scheme in appendices) Ceiling - Light Beige: B5760U Metalwork: To match walls Skirting: Strip existing and review. Darkest green F30 80R (unless can be stripped successfully) Cornice: Subject to trials	NA	NA	M60/172	M60/172 - Corbels - Redecorate previously decorated feature.	Lining Paper	Non-certified SSF rating space. Ref Email BCO 01.11.21	Y	M60/151 - Paint System 4	N	M60/151 - Paint System 3 1 colour scheme	M60/151 - Paint System 3 - EX Cornice	Bar Servery - re-purposed joinery and Window Boards: M60/127	M60/900 Specialist - Remove over painting	NA	M60/113 Vent Grille & wall feature near safe
F2h	Bar Wash Area	Walls - Light Green: F3680P Ceiling - Lightest Green: F1730H Doors: TBC - Under review	NA	NA	NA	M60/900 - Corbels - Specialist Paint removal and Stone Cleaning (above ceiling - refer F2b item)	New Plaster	<30sqm	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	NA	Door DF2h.3 Decorated as wall	NA	NA	NA
F3a	Exhibition	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Cornice: Light Beige B5760U	NA	NA	M60/172	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	M60/151 - Paint System 1 - EX Cornice	Corner boxing in - Refer Joinery repair schedule 6020	NA	NA	Adapted Safe. Refer Drg 3273.
F3d	Tower Link	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Skirting: Darkest green F30 80R Cornice: Light Beige B5760U	NA	NA	M60/172	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	M60/151 - Paint System 1 - EX Cornice	NA	NA	NA	NA
F3b	Male WC's	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V IPS: Dark Green: F4261C Cornice: Light Beige B5760U	NA	NA	NA	NA	New Plaster	<30sqm	N	M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	NA	Decorate frame of glazed in historic wall lining M60/126 MEP Boxing in / IPS to all WC's Vanity Unit M60/127	NA	NA	NA
F3e	Accessible WC	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V IPS: Dark Green: F4261C Cornice: Light Beige B5760U	NA	NA	NA	NA	New Plaster	<30sqm	N	M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	NA	M60/150 MEP Boxing in / IPS to all WC's	NA	NA	NA
F3f	Female WC's	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V IPS: Dark Green: F4261C Doors: Dark Green F4261C Cornice: Light Beige B5760U	NA	NA	NA	NA	New Plaster	<30sqm	N	M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	NA	M60/150 MEP Boxing in / IPS to all WC's Vanity Unit M60/127	NA	NA	NA
F3g	Cleaners Store	Walls and Ceiling - Lightest Green: F1730H	NA	NA	NA	NA	New Plaster	<30sqm	N	M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	NA	Door DF3g.1 Decorated to match adjacent wall	NA	NA	NA
F3h	Corridor to WC's	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Grille: To match walls Skirting: Darkest green F30 80R Cornice: Dark Green (F4261C) upper and lower profiles with single line Mid Red (030 40 40) highlight to each. Lightest Green (F1730H) to central section of cornice. Refer to images in Appendix. Corbels: paint to match walls (subject to trial) Beams: paint to match ceiling (subject to trial)	NA	NA	M60/172	NA	Plaster Repair & Some new plastered walls	Escape Route / Circulation	N	M60/151 - Paint System 1 (To Existing Walls) M60/151 - Paint System 3 (To New Walls)	N	M60/151 - Paint System 1 (including over WC's)	M60/151 - Paint System 1 - EX Cornice	NA	M60/126 Ceiling Beams (across WC's also)	NA	M60/113 Vent Grille
F2e & F3c	Corridor	Ceiling - Dark Beige: 1510 – Y20R Walls - Light Beige: B5760U Dry Riser: R4: 7022 Cornice: Dark Green (F4261C) upper and lower profiles with single line Mid Red (030 40 40) highlight to each. Dark Beige (1510-Y20R) to central section of cornice. Refer to images in Appendix.	NA	NA	M60/172	NA	New Plaster	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21 But escape route improvement	N	M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3	Cornices are under review with specialist report. M60/151 - Paint System 1 - Where EX Cornice M60/151 - Paint System 3 - Where New Cornice	Panelling, Dado, Benches Refer Drg 3973	NA	NA	M60/116 Decoration to dry riser (full height)

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
					Note: In Window plane only (whole tracery), for reveals and sills refer walls				Lining Paper NBS M52/110	Paint	Lining	Paint	(excl ceiling structure)				
F4a	Tower Link Doorway	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Doors: Painted to match wall	NA	NA	NA	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	NA	NA	NA	NA	NA
F6a	Lift Lobby	Walls - Light Green: F3682P Ceiling - Lightest Green: F1730H	NA	NA	N/A Concealed by lift shaft partly with F6h	NA	New Plaster ceiling & repaired plaster walls (new plaster to lift lobby)	Escape Route / Circulation	N	M60/151 - Paint System 1 (To Existing Walls) M60/151 - Paint System 3 (To New Walls)	N	M60/151 - Paint System 3	M60/151 - Paint System 1 - EX Cornice	NA	NA	NA	For finishes to lift refer CDP Item
F6c	Service Kitchen	Whiterock - Walls Ceiling - Lightest Green: F1730H Doors: Dark Red 4550-Y90R	NA	NA	M60/172	NA	New Plaster with hygienic wipeable surface & Plaster ceiling (with suspended ceiling below)	>30sqm	Hygienic wipeable surface. Full height to u/s suspended ceiling 3.6m high	NA	N	M60/151 - Paint System 3 (to suspended ceiling)	NA	Door DF6c.4 Decorated to match adjacent whiterock	NA	M60/114 - Window Lintels (exposed below suspended ceiling)	NA
F6d	Washing & Rinse	Whiterock - Walls Ceiling - Lightest Green: F1730H	NA	NA	M60/172	NA	New Plaster with hygienic wipeable surface & Plaster ceiling (with suspended ceiling below)	>30sqm	Hygienic wipeable surface. Full height to u/s suspended ceiling 3.6m high	NA	N	M60/151 - Paint System 3 (to suspended ceiling)	NA	Note: Corner cupboard is to be enclosed with partitions and therefore no finishing required.	NA	Note: grille does not need decorating as above ceiling level	NA
F6f	Crockery & Dry Store	Walls and Ceiling - Lightest Green: F1730H Doors: Dark Red 4550-Y90R Cornice: To Match ceiling	NA	NA	M60/172	NA	Class 3 (<30sqm)	<30sqm	N	M60/173	N	M60/173	NA		NA	NA	NA
F6g	Cold Store	Walls and Ceiling - Lightest Green: F1730H Doors: Dark Red 4550-Y90R	NA	NA	M60/172	NA	Class 3 (<30sqm)	<30sqm	N	M60/173	N	M60/173	NA		NA	NA	NA
F6h	Lift Lobby	Ceiling - Dark Beige: 1510 - Y20R Walls - Light Beige: B5760J Skirting: Strip existing and review whether to stain or paint. Cornice: Dark Green (F4261C) upper and lower profiles with single line Mid Red (030 40 40) highlight to each. Dark Beige (1510-Y20R) to central section of cornice. Refer to images in Appendix.	NA	NA	N/A Concealed by lift shaft partly with F6a	NA	New Plaster	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21 But escape route improvement	N	M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3	M60/151 - Paint System 1 - EX Cornice	Panelling - refer dpg 3673	NA	NA	For finishes to lift refer CDP Item

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
									Lining Paper NBS M52/110	Paint	Lining	Paint	(excl ceiling structure)				
Mezzanine Floor																	
M2a	CCTV Monitoring Room	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Doors: Dark Green F4261C Skirting: Darkest Green F30 80R	NA	NA	NA	NA	Patch Repaired Plaster & Some New walls & New Ceiling	<30sqm	N	M60/151 - Paint System 3	N	M60/151 - Paint System 3	NA	NA	NA	NA	NA
M2b	Stairwell & Landing	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Balustrade: RAL 7022 Skirting: Darkest Green F30 80R	NA	NA	NA	NA	Patch Repaired Plaster & Some New walls & New Ceiling	Escape Route/Circulation	N	M60/151 - Paint System 3 (To Existing Walls) M60/151 - Paint System 3 (To New Walls)	N	M60/151 - Paint System 3	NA	M60/126 - New Stair Handrail	NA	NA	M60/113 Redecorate stair balustrade
M2c	Staff Area	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Balustrade: RAL 7022 Doors: Dark Green F4261C Skirting: Darkest Green F30 80R	NA	NA	NA	NA	Patch Repaired Plaster & New Ceiling	<30sqm	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	NA	NA	NA	NA	M60/113 Redecorate stair balustrade between M2b & M2c
M2d & M2e	Office	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Skirting: Darkest Green F30 80R	NA	NA	M60/172	NA	Patch Repaired Plaster & Some New walls & New Ceiling	<30sqm	N	M60/151 - Paint System 3	N	M60/151 - Paint System 3	NA	M60/130 Corner Cupboard	NA	NA	NA
M2h	Staff WC	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V IPS: Dark Green: F4261C Doors: Dark Green F4261C	NA	NA	NA	NA	Patch Repaired Plaster & Some New walls & New Ceiling	<30sqm	N	M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	NA	M60/150 MEP Boxing In / IPS to all WC's	NA	NA	NA
M2j	Locker Room / Changing Room	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Doors: Dark Green F4261C Skirting: Darkest Green F30 80R	NA	NA	NA	NA	Patch Repaired Plaster & Some New walls & New Ceiling	<30sqm	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3	NA	NA	NA	NA	NA

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
									Lining Paper NBS M52/110	Paint	Lining	Paint					
					Note: In Window plane only (whole tracery), for reveals and sills refer walls								(excl ceiling structure)				
Ground Floor																	
G1f	Porte Cochere Entrance	DO NOT overpaint exposed stone	Stone	Stone	Stone	Stone	Masonry	Escape Route	NA	NA	NA	NA	NA	Refer SK0047 Decorations to noticeboards New joinery section: M60/132 Existing Noticeboards: M60/131	NA	NA	M60/112 Basement Lightwell Grilles (7022)
G1a	Exchange	DO NOT overpaint exposed stone	Stone	Stone	Stone	Stone	Masonry	Escape Route	NA	NA	NA	NA	NA	NA	NA	NA	NA
G8a	Exchange	DO NOT overpaint exposed stone	Stone	Stone	Stone	Stone	Masonry	Escape Route	NA	NA	NA	NA	NA	All display joinery in heritage rooms in exhibition package	NA	NA	M60/112 Grille over trough (RAL 7022)
G8c	Exchange	DO NOT overpaint exposed stone	Stone	Stone	Stone	Stone	Masonry	Escape Route	NA	NA	NA	NA	NA	NA	NA	NA	NA
G8d	Back of House	Already painted areas of wall and ceiling - Stone Colour: Sandstone	Stone & Repaint previously painted: M60/172	NA Existing painted surface to be left as existing	M60/172	Stone - Decorative Spandrel Panels to Rib Beams	Masonry	<30sqm	NA	NA	NA	NA	NA	NA	NA	NA	NA
G1d	Welcome Gallery Note: Room finishes only described - refer to Exhibition Package for fit out.	Walls – Assume Light Green: F3680P with details highlighted in Bright Red: 2070 – Y60R and a high level banding in Mid Red: 030 40 40 (subject to trials / review with Redman) Ceiling – Assume Lightest Green: F1730H (subject to trials / review with Redman) Cornice – to match ceiling (Subject to trials) Skirting: Dark Green: F4261C	NA	NA	M60/172	M60/900 - Corbels - Specialist Paint removal and Stone Cleaning	Non-certified SSF rating space. Ref Email BCO 01.11.21	Non-certified SSF rating space. Ref Email BCO 01.11.21 Ceiling new plaster	Y	M60/151 - Paint System 4	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - EX Cornice	Door DG1d.4 Decorated as wall	M60/800 Specialist - Cleaning	M60/114 - Beam Brackets	NA
G13f	Store	Walls and Ceiling - Lightest Green: F1730H Cornice: As Ceiling	NA	NA	M60/172	NA	Plastered	<30sqm	N	M60/151 - Paint System 3	N	M60/151 - Paint System 3	NA	NA	NA	NA	NA
G1b	Old Council Chamber	N/A	NA	NA	M60/172 (With Specialist - LCS in attendance to advise on any protections required) (Excl Window Reveals - by Specialist LCS)	Stone Arched and Braced Beams - Specialist LCS	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	NA	Specialist LCS	NA	Specialist LCS	Specialist LCS	Specialist LCS	Specialist LCS	NA	NA
G2a	Mayor's Parlour	N/A	NA	NA	Existing window finish to be retained and will be cleaned	Corbels - Specialist LCS	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	NA	Specialist LCS	NA	Specialist LCS	Specialist LCS	Specialist LCS	Specialist LCS	NA	NA
G2b	Mayor's Reception	N/A	NA	NA	M60/172 (With Specialist - LCS in attendance to advise on any protections required)	Corbels - Specialist LCS	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	NA	Specialist LCS	NA	Specialist LCS	M60/810 - Panel of Decorative Reinstatement - Specialist	Specialist LCS	Specialist LCS	NA	NA
G3a	Mayor's Entrance	Already painted areas of wall and ceiling - Stone Colour: Sandstone	Stone & Repaint previously painted: M60/172	Stone	Stone	Stone	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	NA	NA	NA	NA	NA	NA	NA	NA	NA
G3b	Small Exchange	N/A	NA	NA	Existing window finish to be retained and will be undertaken by volunteers	Corbels - Specialist LCS	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	NA	Specialist LCS	NA	Specialist LCS	Specialist LCS	Specialist LCS M60/150 - Corner Cupboard (Colour to match existing)	Specialist LCS	NA	NA
G3d	Mayor's Entrance Lobby	N/A	Stone	Stone	NA	Stone	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	NA	NA	NA	NA	NA	NA	NA	NA	NA
G2h & G3c & G2j	Corridor	Ceiling - Dark Beige: 1510 – Y20R Walls - Light Beige: B5760J Drg Riser: RAL 7022 Cornice: Cornice: Dark Green (F4261C) upper and lower profiles with single line Mid Red (030 40 40) highlight to each. Dark Beige (1510-Y20R) to central section of cornice. Refer to images in Appendix. Note: DG2j.8 - prime only	NA	NA	NA	NA	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	Heritage room, like for like finishes, no classification requirement. Ref BCO Email 19.10.21	N	M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3	Corbices to G3c & G2h are under review with specialist report. M60/151 - Paint System 1 - Where EX Cornice M60/151 - Paint System 3 - Where New Cornice	Panelling & Dado Refer Drg 3972 Note: DG 2j.8 - prime only	NA	NA	M60/116 Decoration to dry riser (full height)

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork				
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Lining Paper NBS M52/110	Paint	Lining	Paint	Features	Features (excl ceiling structure)	Ceiling Structure	Structural Exposed Steel	Features		
G2e	Gender Neutral WC's	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V IPS: Dark Green: F4261C Cornice: Light Beige B5760U	NA	NA	NA	NA	New plaster walls / new partitions / ceilings to cubicles. Repaired plastered ceiling to lobby	Circulation	N			M60/151 - Paint System 4 Above / Around Tiling (includes lobby)	N	M60/151 - Paint System 1 (in lobby) M60/151 - Paint System 3 (in cubicles)	M60/151 - Paint System 3 - New Cornice	M60/150 MEP Boxing In / IPS to all WC's Hardwood frame to mirrored reveal (refer 3275) M60/127 Vanity Unit: M60/127	NA	NA	NA
G2f	Corridor to WC's	Walls - Light Green: F3680P Ceiling - Lightest Green: F1730H Cornice: Light Beige B5760U	NA	NA	NA	NA	New plaster walls. Repaired plastered ceiling.	Circulation	N			M60/151 - Paint System 4	N	M60/151 - Paint System 1	M60/151 - Paint System 3 - New Cornice	NA	NA	NA	NA
G2q	Ambulant Accessible WC	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V IPS: Dark Green: F4261C Cornice: Light Beige B5760U	NA	NA	NA	NA	New plaster walls & ceiling	<30sqm	N			M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - New Cornice	M60/150 MEP Boxing In / IPS to all WC's	NA	NA	NA
G2k	Lobby to WC's	Walls - Light Green: F3680P Ceiling - Lightest Green: F1730H Skirting: Darkest Green F30 B0R Cornice: Light Beige B5760U	NA	NA	NA	NA	New plaster walls & ceiling	Circulation	N			M60/151 - Paint System 4	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - New Cornice	Note new architrave around doorway - Refer Drg 3972	NA	NA	NA
G2h	Baby Change	Walls and Ceiling - Light Green: F3680P IPS Panelling - Mid Green: F4460V Cornice: Light Beige B5760U	NA	NA	NA	NA	New plaster walls & ceiling	<30sqm	N			M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - New Cornice	M60/150 MEP Boxing In	NA	NA	NA
G2p	Accessible WC	Walls - Light Green: F3680P Ceiling - Mid Green: F4460V (no IPS) Cornice: Light Beige B5760U	NA	NA	NA	NA	New plaster walls & ceiling	<30sqm	N			M60/151 - Paint System 4 Above / Around Tiling	N	M60/151 - Paint System 3	M60/151 - Paint System 3 - New Cornice	M60/150 MEP Boxing In	NA	NA	NA
G2m	Stairwell to Mezzanine	Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Skirting: Darkest Green F30 B0R	NA	NA	NA	NA	Repointed existing masonry & New plaster walls & ceiling	Circulation	N			M60/151 - Paint System 1 (To Existing Walls) M60/151 - Paint System 3 (To New Walls)	N	M60/151 - Paint System 3	NA	M60/150 MEP Boxing In M60/126 - New Stair Handrail (same handrail as noted against M2b)	NA	NA	Refer M2b Redecorate stair balustrade
G2r	Under Stair Cleaner's Cupboard	Walls - Light Green: F3680P Ceiling - Lightest Green: F1730H	NA	NA	NA	NA	New plaster walls & ceiling	<30sqm	N			M60/151 - Paint System 4	N	M60/151 - Paint System 4	NA	Door DG2r.1 Decorated as wall	NA	NA	NA
G6a	Cafe (Decorations out of Scope)	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope
G6b	Cafe Lobby (Decorations out of Scope)	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope
G6c	Cafe Servery (Decorations out of Scope)	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope	Out of scope
G6d	Lift Lobby	Ceiling - Dark Beige: 1510 – Y20R Walls - Light Beige: B5760U Cornice: Dark Green (F4261C) upper and lower profiles with single line Mid Red (030 40 40) highlight to each. Dark Beige (1510-Y20R) to central section of cornice. Refer to images in Appendix.	NA	NA	N/A (Concealed by lift shaft)	NA	New Plaster	Circulation / Escape Route	N			M60/151 - Paint System 3 Above Panelling	N	M60/151 - Paint System 3	M60/151 - Paint System 1 - EX Cornice	Panelling & Dado Refer Drg 3972	NA	NA	For finishes to lift refer CDP Item
G7	Kitchen (Decorations out of Scope)	WhiteRock walls – no dec required	NA	NA	NA	NA	NA	NA	Hygienic wipeable surface- Full height to underside ceiling - 2.51m height	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
					Note: In Window plane only (whole tracery), for reveals and sills refer walls				Lining Paper NBS M52/110	Paint	Lining	Paint	(excl ceiling structure)				
Basement Floor																	
B2c	Barrel Store	Ceiling: White Walls: N/A	M60/172 (Above Hygienic Wipeable Surface)	M60/173	NA	NA	Exposed Masonry	<30qcm	Hygienic wipeable surface	NA	NA	M60/151 - Paint System 3	NA	NA	NA	NA	NA
B2d	Store	Ceiling: White Walls: N/A	M60/172	M60/173	NA	NA	Exposed Masonry	<30qcm	NA	NA	NA	NA	NA	NA	NA	M60/114 2no. Beams supporting previously removed chimney	NA
B2e & f	Corridor Area	Ceiling: White Walls: N/A Skirting: RAL 7039 Quartz Grey	NA	M60/173	NA	NA	Exposed Masonry & New Plaster	Escape Route / Circulation	NA	NA	NA	NA	NA	NA	NA	M60/114 Ceiling beams	NA
B2g	Lobby to barrel store	Ceiling: White Walls: White Doors – Dark Red 4550 – Y90R Skirting: RAL 7039 Quartz Grey	M60/172	M60/173	NA	NA	Exposed Masonry & New Plaster	<30qcm	NA	M60/151 - Paint System 4 (New Partitions only plastered, but masonry walls also decorated)	NA	M60/151 - Paint System 3	NA	NA	NA	M60/114 Ceiling beams	NA
B2k	Plant Room	Ceiling: White Walls: N/A (Stud walls not plastered or painted) Doors – Dark Red 4550 – Y90R Note: Inside face of doors DB3c.1 & DB3c.2 don't need to be painted.	NA	NA	NA	NA	Exposed Masonry & New Plaster	<30qcm	NA	NA	NA	NA	NA	NA	NA	M60/114 Ceiling beams	NA
B3b	Store (Out of scope)	Out of scope, not decorated	NA	NA	NA	NA	Exposed Masonry	>30qcm	NA	NA	NA	NA	NA	NA	NA	M60/114 2no. Beams across ceiling, Barrel Arch Steel & 2no. Columns	NA
B3c	Corridor Area	Ceiling: White Walls: White to plastered walls Doors – Dark Red 4550 – Y90R Skirting: RAL 7039 Quartz Grey	NA	M60/173	NA	NA	Exposed Masonry & New Plaster	Escape Route / Circulation	NA	M60/151 - Paint System 4 (New Partitions only)	NA	NA	NA	NA	NA	Beam over opening to DB3c.3 & across corridor between DB3c.3&DB3c.2	NA
B5	Plant Room	Ceiling: White Walls: White	NA	M60/173	NA	NA	New plaster (waterproofed walls) & masonry ceiling	<30qcm	NA	M60/151 - Paint System 3	NA	NA	NA	NA	NA	M60/114 Beam over WB5.1 & WB5.2	NA
B6a	Store	Ceiling: White Walls: White Doors – Dark Red 4550 – Y90R Skirting: RAL 7039 Quartz Grey	NA	M60/173	NA	NA	Exposed Masonry & New Plaster	<30qcm	NA	M60/151 - Paint System 4 (New Partitions only)	NA	NA	NA	NA	NA	M60/114 Beam over WB6a.1 & Barrel Arch Steel. In wall beam.	NA
B6c	Heritage Skills Workshop	Decorations (except where intumescent painting) to HCSS: will be by client Ceiling: White Walls: White Window surrounds: Stone Colour: Sandstone Doors – Dark Red 4550 – Y90R	M60/151 - Paint System 4 Blockwork	M60/173	M60/172	NA	Masonry	<30qcm	NA	M60/151 - Paint System 4 Into plastered reveals	NA	NA	NA	NA	NA	M60/114 Beam over WB6c.1 & Barrel Arch Steel. In wall beam.	NA
B6d	Heritage Skills Conservations Studio	Decorations (except where intumescent painting) to HCSS: will be by client Ceiling: White Walls: White Window surrounds: Stone Colour: Sandstone Doors – Dark Red 4550 – Y90R	M60/151 - Paint System 4 Blockwork	M60/173	M60/172	NA	Masonry	<30qcm	NA	M60/151 - Paint System 4 Into plastered reveals	NA	NA	NA	NA	NA	M60/114 Beam over WB6d.1 & WB6d.2 & Barrel Arch Steel	NA
B6e	WC / Shower	Ceiling: White Walls: Wetroom Lining Doors – Dark Red 4550 – Y90R	Wet Room Lining	M60/173	NA	NA	Plastered waterproofed walls & New Plaster Partitions	<30qcm	NA	Refer Drg 3579 for wetroom cladding system	NA	NA	NA	NA	NA	NA	NA
B6f	Lobby	Ceiling: White Walls: White Doors – Dark Red 4550 – Y90R Skirting: RAL 7039 Quartz Grey	NA	M60/173	M60/172 incl infill	NA	Plastered waterproofed walls & New Plaster Partitions	Escape Route / Circulation	NA	M60/151 - Paint System 4 (New Partitions only)	NA	NA	NA	NA	NA	M60/114 Beam over WB6f.1 Barrel Arch Steel	NA
B6j	Changing Area	Ceiling: White Walls: White Doors – Dark Red 4550 – Y90R	NA	M60/173	NA	NA	Plastered waterproofed walls & New Plaster Partitions	Class 3 (<30qcm)	NA	M60/151 - Paint System 4	NA	NA	NA	NA	NA	NA	NA
B6g	Lift Lobby	Ceiling: White Walls: White Doors – Dark Red 4550 – Y90R (Note existing stone Plaster not waterproofed) Skirting: RAL 7039 Quartz Grey	M60/172 (to stone walls) M60/172 to new brick walls)	M60/173	NA	NA	Exposed Masonry & New Plaster & Fixed shut doorway	Escape Route / Circulation	NA	M60/151 - Paint System 3 (New Partitions only)	NA	NA	NA	NA	NA	M60/114 Bottom edge of plate wall between B6g & B6f Beam over DB6g.3	NA
B6h	Lift Lobby	Ceiling: White Walls: White to plastered walls Skirting: RAL 7039 Quartz Grey	NA	M60/173	NA	NA	Exposed Masonry & New Plaster	Escape Route / Circulation	NA	M60/151 - Paint System 3 (New Partitions only)	NA	NA	NA	NA	NA	NA	NA

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Walls		Ceilings		Features	Features	Ceiling Structure	Structural Exposed Steel	Features
					Note: In Window plane only (whole tracery), for reveals and sills refer walls				Lining Paper NBS M52/110	Paint	Lining	Paint	(excl ceiling structure)				
B7a	Store	Ceiling: White Walls: White to plastered walls Doors – Dark Red 4550 – Y90R Skirting: RAL 7039 Quartz Grey	NA	NA	NA	NA	Exposed Masonry & New Plaster	Escape Route / Circulation	NA	M60/151 - Paint System 3 (New Partitions only)	NA	M60/151 - Paint System 1	NA	NA	NA	M60/114 Beam over opening between B7b & B7a	NA
B7b	Store	Ceiling: White Walls: White to plastered walls Doors – Dark Red 4550 – Y90R Skirting: RAL 7039 Quartz Grey	NA	NA	NA	NA	Exposed Masonry & New Plaster	>30sqm Bin store	NA	M60/151 - Paint System 3 (New Partitions only)	NA	M60/151 - Paint System 1	NA	NA	NA	M60/114 Beam over opening between B7b & B7a	NA
B8a	Female WC's Refer CCF 047 / AI 198 for scope	Ceiling: White Walls: White to plastered walls	NA	NA	Refer Schedule 6023	NA	Exposed Masonry & New Plaster	>30sqm	N	M60/151 - Paint System 2 Above Tiling	NA	M60/151 - Paint System 2 Vaults	NA	NA	NA	NA	NA
B8b	Male WC's Omitted from scope	Ceiling: White Walls: White to plastered walls	NA	NA	Refer Schedule 6023	NA	Exposed Masonry & New Plaster	>30sqm	N	M60/151 - Paint System 2 Above Tiling	NA	M60/151 - Paint System 2 Vaults	NA	NA	NA	NA	NA

Surface		Colour Notes: Doors are to be painted both sides unless specifically noted. Generally service riser doors are to be painted to match adjacent walls and this is noted in Joinery Features column	Masonry				Building Control - For Information		Plaster				Joinery		Painted Metalwork		
Room Ref	Room Name		Walls	Vaults / Exposed Slab Ceilings	Window Surrounds (Colour TBC)	Decorative Features	Substrate (For information)	Notes for Surface Spread of Flame (For information)	Lining Paper NBS M52/110	Paint	Lining	Paint	Features	Features	Ceiling Structure	Structural Exposed Steel	Features
					Note: In Window plane only (whole tracer), for reveals and sills refer walls									(excl ceiling structure)			
Stairs																	
Stair 4	Clock Tower Stair/Lift	Tower Walls - Mid Green: F4460V Ceiling - Lightest Green: F1730H Tower steelwork is to be RAL 7022	NA	NA	M60/172	NA	New Plaster	Escape Route / Circulation	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3 Stair Tower Ceiling	NA	M60/150 - Clock Access Stair Door and Partition	M60/128 - Tower Ceiling Structure	Lift and stair exposed structure - refer to SR Spec	NA
Stair 5	Stair	Walls: Crown Light Beige B5760U Under Stairs: Stone Colour - Sandtex 'Sandstone' Skirting: Crown Dark Red 4550 – Y90R (include returns where new skirting returns into screen) Ceiling and second floor cornice: Crown Dark Beige 1510 – Y20R Windows: Sandtex 'Sandstone' Balustrades: To largely take on the existing scheme as follows refer sketch in appendix for detail. Existing: Cream Areas – Crown Light Beige B5760U Red Areas – Crown Dark Red 4550 – Y90R Blue / Green Areas – Crown Darkest Green F3080R Gold Areas – Repaint with Polyvine acrylic metallic paint in Bright Gold	NA	NA	M60/172	landing soffits (underside of stairs and landings only)	Repaired Plaster	Heritage room, like for like finishes, no classification requirement	N	M60/151 - Paint System 4	N	M60/151 - Paint System 3 Stair Ceiling	M60/151 - Paint System 3 - EX Cornices Plaster skirting - spec to match walls (but different colours)	NA	NA	M60/114 - Window Linets	M60/116 Decoration to dry riser (full height) M60/113 - Balustrade - colour scheme as per marked up sketch in appendix & colour descriptions
Stair 8 (F8)	Main Stair	N/A	Stone (Specialist/Hirst)	Stone (Specialist/Hirst)	Stone (Specialist/Hirst)	Stone (Specialist/Hirst)	Stone	Heritage room, like for like finishes, no classification requirement	NA	NA	NA	NA	NA	NA	NA	NA	M60/113 Vent Grille (RAL 7022)

RTH.03
Decoration Schedule
Rochdale Town Hall

Appendix

**Reference Colour
Scheme Images:**



SCHEME 2


Colour Palette:

- Dark Red: 4550 – Y90R
- Mid Red: 030 40 40
- Bright Red: 2070 – Y80R
- Charcoal: 8500 - N
- Lightest Green: F1730H
- Light Green: F3680P
- Mid Green: F4460V
- Dark Green: F4261C
- Darkest Green: F30 80R
- Dark Beige: 1510 – Y20R
- Light Beige: B5760U
- Stone Colour: A9430R / "sandstone"
- Gold Paint: TBC – samples required
- Stone Flags Colour for basement skirtings: RAL 7039 Quartz Grey

RTH.03
Decoration Schedule
Rochdale Town Hall

Appendix

**Clarification of
colours to WF1.15:**



RTH.03
Decoration Schedule
Rochdale Town Hall

Appendix

**Clarification of
colours Stair 5
Balustrade:**



RTH.03
Decoration Schedule
Rochdale Town Hall


Appendix

**Clarification of
colours the Bright
Hall.
SK0034 P01**

RTH.03
Decoration Schedule
Rochdale Town Hall

Appendix

**Clarification of
colours to the
principle corridor
cornices.**




Note: In F3h central section of 'Dark Beige' changes to 'Lightest Green' (to match ceiling).

RTH.03
Decoration Schedule
Rochdale Town Hall

Appendix

**Clarification of
colours to S3d
Dormer Window
and Rooflight.**



Prior to decoration, please remove 2no. redundant fixings to top of window (blue circles) and carry out timber repair to mullion (green circle, refer Window Schedule 6200).

Window Surround, Cheeks and Soffit:
Mid Green: F4460V

Timber Bead and Window Sill:
Dark Red: 4550 – Y90R

Metal Frame to Central Light:
RAL 7022



Rooflight Joinery and Stays:
Dark Red: 4550 – Y90R