



Project Title

Geo-Environmental Phase 1 Desk Study

At

**Three Development Sites,
Whitworth Road,
Rochdale
OL12**

For

Cornerstone Place Ltd

PG Consulting
108 Ack Lane West
Cheadle Hulme
Cheshire
SK8 7ES

Tel: 07710 758971

Mail: Paul@pgcl.co.uk

Paul Graveney Consulting Ltd Trading as PG Consulting
Company Registration 11238546

Document Management

Project No.: PGC 388
Project Name: Whitworth Road, Rochdale
Report Title: Geo-Environmental Phase 1 Desk Study
Issue: 1
Status: Final
Prepared By: Paul Graveney BEng, CEng, MICE

Document Revision

Issue	Status	Author	Approved	Date
1	Final	Paul Graveney	Paul Graveney	09.02.22

Distribution

Issue	Organisation	Quantity
1	TA/CP	1

This report is the property of Paul Graveney Consulting Ltd and is confidential to the client designated in the report. Whilst it may be shown to their professional advisers, the contents are not to be disclosed to, or made use of, by any third party, without our express written consent. Without such consent we can accept no responsibility to any third party.

Paul Graveney Consulting Ltd certify that they have carried out the work contained herein with due skill, care and diligence to their best belief and knowledge based on the time and information available.

This report is made on behalf of Paul Graveney Consulting Ltd. By receiving it and acting on it, the client – or any third party relying on it – accepts that no individual is personally liable in contract, tort or breach of statutory duty or otherwise (including negligence).

Paul Graveney Consulting Ltd

CONTENTS

Executive Summary.....	3
1.0 Introduction.....	6
1.1 Background	6
1.2 Objectives.....	6
1.3 Limitations.....	6
2.0 Development Description and Location	7
2.1 Site Location.....	7
2.2 Existing Site Description and Walk Over	7
2.3 Site Photographs	8
2.4 Topography	9
2.5 Development Proposals	9
3.0 Site History	10
3.1 Summary of Site History.....	10
4.0 Geo-Environmental Setting	11
4.1 Geology	11
4.2 Local Geotechnical Data.....	11
4.3 Hydrology	11
4.4 Hydrogeology	12
4.5 Ground Stability	13
4.6 Coal Mining.....	13
4.7 Waste Management Facilities.....	13
4.8 Sensitive Land Use.....	14
4.9 Infilled Land.....	14
4.10 Ecology	14
4.11 Unexploded Ordnance (UXO) Risk	14
5.0 Preliminary Conceptual Site Model.....	15
5.1 Introduction	15
5.2 Potential Contamination Sources	15
5.3 Potential Pathways.....	16
5.4 Pollution Receptor	16
5.5 Potential Contaminant Linkage and need for further ground investigation	17
6.0 Recommendations	18
6.1 Recommendations Further Investigation to Support Proposed Development	18
7.0 References.....	19
Appendix A: Architects Drawings	
Appendix B: Groundsure Report	
Appendix C: Coal Report	

Executive Summary

Site Address	Land Off Whitworth Road, Rochdale	
Grid Reference	389790, 414327	
Site Area	Approx 0.10 Hectares	
Current Site Use	The three adjacent development sites currently classed unmade and used for garages, parking and a disused children's play area.	
Proposed Development	The proposal is for the overall construction of 14 residential apartment units on the three sites.	
Environmental Setting	<i>Drift Geology</i>	Glacial Till.
	<i>Bedrock Geology</i>	Old Lawrence Rock, comprising sandstone.
	<i>Fault</i>	No faults in area.
	<i>Hydrogeology</i>	Secondary Aquifer – Undifferentiated within drift deposits, underlain by a Secondary A Aquifer within Bedrock Geology.
	<i>Hydrology</i>	No watercourses identified in close proximity.
	<i>Flood Risk</i>	The site is not within an area prone to flooding.
	<i>Ecology</i>	N/A
	<i>Compressible Ground and Subsidence Hazards</i>	No hazard identified in data searches.
Site History	Historical mapping indicates that residential properties were located across all three sites from 1858. By 1982 these are all been demolished and replaced with a children's play area in Block (site) A, garages in Block (site) B and car parking in Block (site) C. These are still present to this day.	
Utility Locations	A review of the statutory service plans has identified that all three sites are surround by existing services, as would be expected for a residential led area. There does not appear to be any onsite services, though other unidentified services could also exist.	

Landfill Sites & Ground Gases	The Groundsure report has identified 5 active or recent landfills and 4 historic landfill within 500m of the site. The closest being 178m to the east.
Local Borehole Data	A review of the BGS Borehole database has located four records within 250m of the site. These are located 207m to the SW and indicate sandy clay over mudstone.
Invasive Plant Species	No invasive plant species were identified during the site review. Though it is suggested that a full Ecology Report is undertaken.
Radon	Unaffected – No special precaution required.
Coal Mining / Land Stability	The site is not within or close to an area that may be affected by coal mining. <i>No previous coal mine working.</i> <i>Coal in reserve at depth but no working currently planned.</i> <i>Located in area of boulder clay, over sandstones, over coal measures.</i> <i>No mine entries are identified within 20m of the site;</i> <i>No ground gas emissions.</i> According to the Coal Authority Interactive Map the site is within a 'Coal Mining Reporting Area'. The site is deemed to be at Low Risk in terms of the potential presence of shallow mine workings that have the potential to cause ground instability. It is not considered that any further assessment is required.
Geotechnical Risk	
Based on the desk study information, the following geotechnical assessment has been made: - The site is very flat and so there is unlikely to have needed any major earthworks to form the original site. There has also been little historic development at the site. - Basement from previous buildings that have been previously demolished may still exist and need grubbing out. Investigation required. - An intrusive investigation will be required to assess the ground conditions and undertake in-situ geotechnical testing to determine the foundation solutions.	

Contaminated Land Risk Assessment

Human Health

The three sites have been used as a children's play area, historic garages and car parking for the last 40 years or so. This plus the unknown historic made ground represent potential sources of heavy metal, polycyclic aromatic hydrocarbon (PAH), petroleum hydrocarbon, asbestos, and ground gas. Considering the potential for direct contact during development works, these potential sources of soil and groundwater contamination represent a low to medium risk to construction workers and end users. An intrusive ground investigation to identify, and assess for the presence of these contaminants is required to facilitate further risk assessment, and determine appropriate remediation and / or mitigation measures.

Controlled Waters

The history of the site may include Made Ground, if present, represent potential sources of mobile hydrocarbon contamination. Low permeability Glacial Till reduces that potential for the migration of mobile contaminants, if present. Considering the presence of a Secondary A Aquifer, a moderate risk to controlled waters is identified. Intrusive investigation with chemical analysis of soil and groundwater samples is recommended to assess the presence of mobile contaminants and facilitate further risk assessment.

Ground Gas

Made Ground and the historic uses in the area associated with historical groundworks represent a potential source of hazardous ground gases. Carbon dioxide and methane are associated with asphyxiation and explosive risks. Installation of monitoring wells during intrusive ground investigation is recommended to assess for the presence of ground gases and facilitate further risk assessment.

Recommendations

A detailed Phase II intrusive Geo-Environmental Ground Investigation should be undertaken to confirm the findings of the initial conceptual site model and assess the Geo-Environmental site conditions.

A pre-demolition asbestos survey will be required to the current garages on Site B.

An intrusive investigation to determine the presence of coal workings and assess the risk of ground stability issues is not deemed to be required.

1.0 Introduction

1.1 Background

- 1.1.1 Paul Graveney Consulting Ltd (PGC) have been commissioned by Cornerstone Place Ltd to produce a Geo-Environmental Phase 1 Desk Top Study and Preliminary Risk Assessment for the proposed residential development at a site known as Whitworth Road, Rochdale.
- 1.1.2 This report assesses the existing information for the sites and presents a conceptual site model identifying preliminary levels of risk associated with potential and known contamination. This report also recommends where further intrusive investigation works would provide improved certainty on the extent and associated levels of risk from contamination at the site and the potential requirement for any remedial action.

1.2 Objectives

- 1.2.1 The primary objective of the desk study is to assess whether the sites have the potential to be affected by contamination.
- 1.2.2 This study includes a review of the available geological, historical and environmental information in order to establish the likely ground conditions at the site. The review is based on the following information:
- To assess historical activities, referring to past Ordnance Survey maps at the site with respect to their potential impact on the site environment;
 - To characterise the environmental setting of the site, identify migration pathways and vulnerable receptors for contamination originating at the site, focusing on potential soil and groundwater liabilities;
 - To assess historical and current surrounding land use, referring to past Ordnance Survey maps, in relation to known or potential off-site contamination issues that may impact the subject property;
 - Prepare a conceptual site model identifying the potential risk to human health and controlled water by virtue of known and potential contamination at the site.

1.3 Limitations

- 1.3.1 The summary report and the assessment within are based on the information available at the time of production. The study area (the 'Sites') are limited to the areas of interest as shown in Appendix 1. Paul Graveney Consulting Ltd have used their best professional endeavours in collating and interpreting this information but can take no responsibility for information for which they were not aware, or inaccuracies of information obtained.

2.0 Development Description and Location

2.1 Site Location

The site is referenced in Figure 1, and a site location map is provided in Appendix A.

Item	Brief Description
Project name	Whitworth Road
Site address and location	Whitworth Road, Sykes, Rochdale, OL12.
Council Area	Rochdale Borough Council
Approximate Grid Reference	OS: 389790, 414327
General Locality	The site is located some 1km to the north of Rochdale Town Centre on land off Whitworth Road.

Figure 1: Site Referencing Information

2.2 Existing Site Description and Walk Over

- 2.2.1 The three development sites (Red Line Boundaries) are irregular in plan shapes and are situated within a largely residential area. A site visit was undertaken on Tuesday 8th February 2022. A summary of the three sites is identified below:

Block A – Currently encompasses a tarmac former children’s play area on the western side with surrounding metal hand railings. Site bounds the rear yards of terraced properties to the south and west. Eastern area is grassed with a nominal fall down to Whitworth Road to the east. A medium sized tree was identified along the southern edge. A footpath passes between the two areas.

Block B – Currently encompasses a number of derelict garages. Identified to be in a poor condition and evidence of asbestos sheeting identified. Some fly tipping to the sides of the garages. A medium sized tree in poor condition is located in the NE corner.

Block C – Currently tarmac surfaced, with peripheral grassed areas. Used as car parking and evidence of fly tipping. Site immediately adjacent a sub-station.

- 2.2.2 Figure 2 identifies the overall site location details. Further details of the existing layout can be seen on the Red Line Plans in Appendix A.

Access to Block A will be from Derwent Street, Whilst access to Blocks B & C will be off Grasmere Street.




Figure 2: Site Location Plan

2.3 Site Photographs



Block A – Former Play Ground to West



Block A – Open Grassed Area to the East



Block B – Existing Garages from the South



Block B – Existing Garages from the North



Block C – Un-made Land from the South



Block C – Sub Station with Site Beyond

2.4 Topography

- 2.4.1 All three sites are relatively flat and range in level from 155m AOD at Block A to the south up to 157m AOD at Block C at the north.

2.5 Development Proposals

- 2.5.1 As discussed in the earlier sections, this report has been prepared to support a planning application for the construction of three residential blocks of flats, totaling 14 units, with associated gardens and landscaping.
- 2.5.2 The outline Site Master Plan as indicated in Appendix A provides details of the proposed development intent.

3.0 Site History

3.1 Summary of Site History

The desk study findings based on a review of Historical Ordnance Survey Maps are shown below.

Map Date	On The Site	In The Vicinity Of The Site
1851	A number of residential properties were located on all three sites. Western area of Block A undeveloped.	The surrounding area is generally agricultural land with Whitworth Road to the east.
1891	Further residential properties at Block C.	Large areas are now being developed for residential properties to all sides.
1910	No significant changes across all three sites.	Full area now developed for residential properties. Grasmere Street and Derwent Street constructed.
1930	No significant changes across all three sites.	No significant changes in the local area.
1959	Block A remains unchanged. Residential properties in Block B have been demolished and replaced with garages. Residential properties on the northern side of Block C have been demolished.	No significant changes in the local area.
1982	All properties across all three sites shown to be demolished and classed as unmade. Car Park shown next to Block B and an Electricity sub station shown adjacent Block C.	A number of residential properties in the area have also been demolished.
2003	Block A identified as a children's playground. Other sites remain unchanged.	No significant changes in the local area.

Figure 3: Summary of Site History

4.0 Geo-Environmental Setting

4.1 Geology

Superficial Geology (Drift)

The superficial geology at the site is noted as encompassing Till, which would comprise generally clays and silts.

Solid Geology

The solid geology/bedrock at the site is identified as the Old Lawrence Rock, comprising sandstone.

Faults

There are no records of any fault lines in the vicinity of the site, however, that is not to say none exist.

Radon

According to the Health Protection Agency (HPA) Radon atlas of England and Wales (2007), the property is not in Radon Affected Area, with less than 1% of properties above the Action Level. As such, radon protection measures are not considered necessary.

4.2 Local Geotechnical Data

- 4.2.1 Reviewing the British Geological Society (BGS) website, 4 boreholes have been identified within 250m of the site to the south west. In summary these indicate a sandy clay to 2.0-2.7mbgl, underlain by weathered Mudstone.

4.3 Hydrology

- 4.3.1 According to the Environment Agency indicative flood maps, the site is located in Low Risk Flood Zone 1, as shown in Figure 4. There are no identified watercourses in close proximity to the development site.




Figure 4: EA Indicative Flood Maps

4.4 Hydrogeology

Groundwater Vulnerability

- 4.4.1 The superficial deposits of the site have been classified as a Secondary Undifferentiated Aquifer. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type.
- 4.4.2 The bedrock deposits have been classified as a Secondary A Aquifer. These are layers of rock or drift deposits capable of supporting water supplies at a local rather than strategic scale and in some cases forming an important source of base flow to rivers.

Source Protection Zone

- 4.4.3 There are no Environment Agency-defined Source Protection Zones within 500m of the site.

Groundwater Abstraction

- 4.4.4 There is 1 historic and 1 active licensed groundwater abstractions within 500m of the site, with both located 432m to the north of the site.

4.5 Ground Stability

4.5.1 Detailed below is the potential risk from a variety of ground stability sources.

Hazard	Risk
Natural Ground Subsidence - Shrink Swell Clay	Very Low
Landslides	Very Low
Ground Dissolution Soluble Rocks	Negligible
Compressible Deposits	Negligible
Collapsible Deposits	Very Low

Figure 5: Ground Stability Summary

4.6 Coal Mining

- 4.6.1 A Coal Mining Search Report has been procured and reviewed. Although there is the potential for coal to exist below the site, is not situated within the boundary of a former coal mining site. There are no workings planned to remove this coal.
- 4.6.2 The site is not within 200m the boundary of a currently operating opencast mining site, nor does the property lie within 800m of the boundary of an opencast site for which the Coal Authority is determining whether to grant a license to remove coal by opencast methods, or where a license has been granted.
- 4.6.3 The Coal Authority has no knowledge of any mine entries within the site or within 20m of the boundary of the site. Records may be incomplete. Consequently, there may exist in the local area, mine entries of which the Coal Authority has no knowledge.
- 4.6.4 The property is not located in the vicinity of the recorded worked coalfield, and there are no coal related mine gas emissions relevant to the property. The Coal Authority has no record of any damage notice or coal mining related subsidence claims in relation to the property for the past 14 years.
- 4.6.5 The Coal Authority's conclusion is it is unlikely that coal will be worked in the foreseeable future and the site can be treated as no coal mining risk.

4.7 Waste Management Facilities

- 4.7.1 There is one identified waste treatment, transfer or disposal sites within 500m of the study site. There are 17 identified Environment Agency licensed waste sites within 500m of the site, with the closest located 178m to the east. There are also 12 historic landfill sites within 500m of the site, with the closest located 172m to the east.

4.8 Sensitive Land Use

Nitrate Vulnerable Zone

- 4.8.1 The site is not located within a Nitrate Sensitive Area (which is described as an area where sensitive waters exist that may be at risk of becoming polluted by nitrates).

Industrial Land Use

- 4.8.2 There are 89 known historical industrial land uses within 250m of the site. The majority relate to the historic mills and are predominantly to the east and west of the site, which is situated at a lower ground level. In addition to this there are 4 current, potentially contaminative land uses within 250m of the site. These all relate to electrical features such as pylons, the closes of which is a sub station located adjacent Block C.
- 4.8.3 There are no records of historic Integrated Pollution Control (IPC) Authorisations and no records of Dangerous Substances Inventories within 500m of the site. However, there are 5 records of Licensed Discharge consents within 500m of the site boundary; the closest of these is 264m to the north west and relates to sewage overflow.

4.9 Infilled Land

- 4.9.1 There are 2 records of potentially infilled land within 250m of the site, and 3 further records within 500m of the site.

4.10 Ecology

- 4.10.1 The three sites primarily encompass areas of hardstanding areas and so have limited ecology.
- 4.10.2 The site is within 500-2000m of two Sites of Special Scientific Interest (SSSI), one of a Local Nature Reserve and three of a designated Ancient Woodland. Refer to site-specific Ecological report for full details.

4.11 Unexploded Ordnance (UXO) Risk

- 4.11.1 Available information indicates that the site is located in a 'Low' bomb risk area.

5.0 Preliminary Conceptual Site Model

5.1 Introduction

- 5.1.1 In line with the requirements of CLR-11 guidance, a preliminary conceptual site model is presented. The conceptual site model represents a development and refinement of the conceptual models relating to the site. The conceptual model takes consideration of information within the historic records and the findings of this preliminary investigation. The conceptual model has been developed to assess potential contamination sources, receptors and potential contaminant linkages identified at the site.

5.2 Potential Contamination Sources

- 5.2.1 This desk top study indicates that the three blocks have historically encompassed residential terraced properties which were fully demolished prior to 1982. Since then Block A has been a children's play area and unmade land. Block B has encompassed derelict garages and Block C hard paved for parking. In light of these findings, all three sites have the potential for various levels of contamination, but not limited to PAH, hydrocarbon and asbestos. Historic basements for the former properties are likely to be filled with made ground.
- 5.2.2 There are limited historical industrial land uses in the vicinity of the site and so the risk from these sources can be considered to be low. All of these factors must be considered in light of the site being at a higher level to all of its surroundings.

Potential Source	Associated Potential Contaminants		Likelihood of Presence (Known/Likely/Possible /Unlikely)
	Type	Name	
Made Ground to form current ground levels	Heavy Metals	Cadmium, Lead, Zinc, Nickel, Copper, Chromium, Mercury,	Likely
Made Ground to form current ground levels	Ground Gas	Carbon Dioxide and Methane	Likely
Car Park Surfaces	Organics	Oil/fuel hydrocarbons	Likely
Derelict Garages	Asbestos		Known
Nearby historical Industrial Uses	Organics		Possible

Figure 6: Summary of Identified Contamination Sources

5.3 Potential Pathways

5.3.1 The potential exposure pathways to the identified receptors are detailed in Figures 7 and 8

Exposure Pathway	Present
Ingestion of soil and dust	Possible
Ingestion of home grown vegetables and soil attached to vegetables	Unlikely
Dermal contact with soil and dust	Possible
Inhalation of outdoor dust	Possible
Inhalation of outdoor air from soil volatilisation, ground volatilisation and ground gas	Possible
Inhalation of asbestos fibres	Possible

Figure 7: Exposure Pathways to Human Health

Exposure Pathway	Present
Leaching of contaminants in soils by infiltrating rainfall and migration, or direct migration of dissolved contaminants into groundwater.	Possible

Figure 8: Exposure Pathways to Controlled Waters

5.4 Pollution Receptor

5.4.1 Potential key receptors that may be at risk from contamination within the soils beneath the site include the following:

- Groundwater;
- Future residents and contractors;
- Construction Workers;

5.5 Potential Contaminant Linkage and need for further ground investigation

Figure 9 details the potential contaminant linkages, taking into account each of the contamination sources, pathways and receptors identified, and provides an indication of the risk level and potential need for further investigation.

Contamination Source	Pathway	Receptors			Likelihood of contaminant source being present	Risk Level to Potential Receptors	Need for Investigation
		Controlled Waters	End users	Construction workers			
Metals/ metalloids and inorganics in SOIL	Direct Ingestion		✓	✓	Unlikely	Low	Yes
	Dermal Contact		✓	✓	Unlikely	Low	
	Inhalation		✓	✓	Unlikely	Low	
	Leaching/ direct movement	✓			Unlikely	Low	
Asbestos containing material in SOIL	Inhalation		✓	✓	Likely	Medium	screening test will be needed if identified during investigation
Organics in SOIL (hydrocarbons)	Direct Ingestion		✓	✓	Possible/Likely	Low	Yes
	Dermal Contact		✓	✓	Possible/Likely	Moderate	
	Inhalation		✓	✓	Possible/Likely	Low	
	Leaching/ direct movement	✓	✓	✓	Possible/Likely	Moderate	
GROUND GAS (Carbon Dioxide and Methane)	Direct Ingestion				n/a	n/a	Yes
	Dermal Contact				n/a	n/a	
	Inhalation		✓	✓	Possible/Likely	Moderate	
	Leaching/ direct movement		✓		Possible/Likely	Moderate	

Figure 9: Table 6 Summary of Potential Contaminant Linkages

NB: The potential significant linkages listed above are based on the available data during the desk the features noted during the site walkover. Therefore, the linkages identified are tentative and subjected to the following uncertainties - Actual presence of significant contamination in soil, significant ground gas and depth of controlled water.

6.0 Recommendations

6.1 Recommendations Further Investigation to Support Proposed Development

6.1.1 The following outline Phase 2 Site Investigation proposals are based on the Geo-Environmental Phase 1 Desk Study interpretation within this assessment the proposed development intent. The objective is to identify the geotechnical and environmental status of the site to enable an economic foundation design to be achieved, and to address the source - pathway - receptor model such that any identified linkages can be broken at development stage.

6.1.2 The following site investigation works are proposed:

- One days of window sampling (circa 4-5m deep) to provide understanding on ground conditions, receipt of samples for contamination testing (exact number to be agreed to suit final development intent) and future gas monitoring.
- One day's trial pitting to understand extent of existing foundation depths & size and additional high-level sampling across the site.
- Sampling from window samples and trial pits for appropriate chemical and geotechnical testing in line with the standard suite of tests. But at a minimum to include metals, pH and Sulphates, TPH's and PAH's and asbestos.
- Installation of three monitoring wells (one for each site) for ground water and gas (plus ongoing testing over a minimum of 6 weeks).

6.2.3 The Phase 2 works will include a fully documented factual report along with an interpretive report giving recommendations on:

- Foundation design parameters and types.
- Recommendations on ground slabs.
- Ground classification for land fill. (WAC testing).
- Reviewing of Environmental findings to define if a remediation strategy is required to ensure the source - receptor linkage is broken.
- Gas Protection recommendations.
- Ground Water protection measures.

6.2.4 Note that further desk study work will be required to identify any on site services or easements, any Rights of Way across the site, Party Wall issues and any Highways Issues or adjoining Planning Consents which might impact on this site. These items are outside the scope of this Desk Study.

7.0 References

Groundsure Report – Ref: CMAPS-CM-1015727-62315-280122EDRGEO

Coal Mining Search Report

DEFRA and Environment Agency (2004). Model Procedures for the Management of Contaminated Land, R&D Publication CLR11.

British Standards Institution, BS10175:2011 Investigation of potentially Contaminated Sites

British Standards Institution, BS EN 1997-2: Part 2 Ground Investigation and Testing

Appendix A – Architects Drawings

© TRIANGLE ARCHITECTS LIMITED

■ THIS DRAWING IS THE SUBJECT OF COPYRIGHT WHICH VESTS IN TRIANGLE ARCHITECTS LIMITED. IT IS AN INFRINGEMENT OF COPYRIGHT TO REPRODUCE THIS DRAWING, BY WHATEVER MEANS, INCLUDING ELECTRONIC, WITHOUT THE EXPRESS WRITTEN CONSENT OF TRIANGLE ARCHITECTS LIMITED WHICH RESERVES ALL ITS RIGHTS.

■ TRIANGLE ARCHITECTS LIMITED ASSERTS ITS RIGHTS TO BE IDENTIFIED AS THE AUTHOR OF THIS DESIGN.

■ DRAWING NOT TO BE SCALED. FIGURE DIMENSIONS TO BE WORKED TO IN ALL CASES.

■ THE CONTRACTOR IS RESPONSIBLE FOR CHECKING DIMENSIONS, TOLERANCES & REFERENCES.

■ ANY DISCREPANCY TO BE VERIFIED WITH THE ARCHITECT BEFORE PROCEEDING WITH THE WORKS.

■ REPORT ERRORS & OMISSIONS TO ARCHITECT.

■ WHERE AN ITEM IS COVERED BY DRAWINGS OF DIFFERENT SCALE, THE LARGER SCALE DRAWING TO BE WORKED TO. DO NOT SCALE FROM THE DRAWING. FIGURED DIMENSIONS TO BE WORKED TO IN ALL CASES.

■ CHECK ALL DIMENSIONS ON SITE.

■ DRAWING TO BE READ IN CONJUNCTION WITH THE HEALTH & SAFETY PLAN, AND ALL RELEVANT RISK ASSESSMENTS AND THE FOLLOWING DRAWINGS.



Revision:	Date:	By:	Remarks:	TRIANGLE ARCHITECTS Tel: 0161 272 3500 E-mail: studio@trianglearchitects.co.uk Web: www.trianglearchitects.co.uk Twitter: @TriangleArch Raven House, 113 Fairfield Street, Manchester, M12 6EL	Drawing Purpose:	Revision:	Scale @A3: 1 : 1250	Client:
P01	23.06.21	JS	Issued for client comment.		INFORMATION	P03	Date: June 2021	Cornerstone Place
P02	07.09.21	JH	Smaller site included within the red line boundary.		Project: Origin: Vol/Sys: Level: Type: Role: Drg No.:	Drawn: JS	Project No. / Project Name:	21-032 / Whitworth Road, Rochdale
P03	27.10.21	JS	Amended to suit latest scheme for 3 sites.		WHI - TRI - ZZ - ZZ - DR - A - 2000	Checked: AJD	Drawing Name:	Site Location Plan



© TRIANGLE ARCHITECTS LIMITED

■ THIS DRAWING IS THE SUBJECT OF COPYRIGHT WHICH VESTS IN TRIANGLE ARCHITECTS LIMITED. IT IS AN INFRINGEMENT OF COPYRIGHT TO REPRODUCE THIS DRAWING, BY WHATEVER MEANS, INCLUDING ELECTRONIC, WITHOUT THE EXPRESS WRITTEN CONSENT OF TRIANGLE ARCHITECTS LIMITED WHICH RESERVES ALL ITS RIGHTS.

■ TRIANGLE ARCHITECTS LIMITED ASSERTS ITS RIGHTS TO BE IDENTIFIED AS THE AUTHOR OF THIS DESIGN.

■ DRAWING NOT TO BE SCALED: FIGURE DIMENSIONS TO BE WORKED TO IN ALL CASES.

■ THE CONTRACTOR IS RESPONSIBLE FOR CHECKING DIMENSIONS, TOLERANCES & REFERENCES.

■ ANY DISCREPANCY TO BE VERIFIED WITH THE ARCHITECT BEFORE PROCEEDING WITH THE WORKS.

■ REPORT ERRORS & OMISSIONS TO ARCHITECT.

■ WHERE AN ITEM IS COVERED BY DRAWINGS OF DIFFERENT SCALE, THE LARGER SCALE DRAWING TO BE WORKED TO. DO NOT SCALE FROM THE DRAWING. FIGURED DIMENSIONS TO BE WORKED TO IN ALL CASES.

■ CHECK ALL DIMENSIONS ON SITE.

■ DRAWING TO BE READ IN CONJUNCTION WITH THE HEALTH & SAFETY PLAN, AND ALL RELEVANT RISK ASSESSMENTS AND THE FOLLOWING DRAWINGS:

Site Plan Legend

- Soft landscaping (details TBC by landscaping proposal)
- Hard landscaping (details TBC by landscaping proposal)
- Screening planting (details TBC by landscaping proposal)
- SP = Lampost / telegraph pole / signpost
- LP =
- Existing tree replaced / removed
- New tree planting
- Existing tree retained

Tree Schedule

- T1 Existing tree removed
- T2 Existing tree retained
- T3 Existing tree replaced by new tree
- T4 Existing tree replaced by new tree
- T5 Existing tree removed
- T6 New tree
- T7 New tree
- T8 New tree

Total trees removed: 2no.
Total trees replaced: 2no.
Total trees planted: 5no.

P01 20.01.22 JS Issued for client comment.
Rev Date By Remarks

Client:		Cornerstone Place					
Project No. / Project Name:		21-032 / Whitworth Road, Rochdale					
Drawing Name:		Proposed Site Plan					
Drawing Purpose:		PLANNING					
Project:	Origin:	Vol/Sys:	Level:	Type:	Role:	Drg No.:	Revision
WHI - TRI - ZZ - ZZ - DR - A - 3010							P01
Status	Scale @ A1	Drawn	Check	Date			
As indicated		JS	AJD	11/22/21			



Tel: 0161 272 3500
E-mail: studio@trianglearchitects.co.uk
Web: www.trianglearchitects.co.uk
Twitter: @TriangleArch

Raven House,
113 Fairfield Street,
Manchester,
M12 6EL

Appendix B – Groundsure Report


Derwent Street, Rochdale, OL12 0RP

Order Details

Date: 28/01/2022
Your ref: 62315
Our Ref: CMAPS-CM-1015727-62315-280122EDRGEO
Client: CENTREMAPS

Site Details

Location: 389749 414321
Area: 0.37 ha
Authority: [Rochdale Metropolitan Borough Council](#)



Summary of findings

p. 2

Aerial image

p. 8

OS MasterMap site plan

p.13

groundsure.com/insightuserguide

Contact us with any questions at:

info@groundsure.com

08444 159 000

Summary of findings

Page	Section	Past land use	On site	0-50m	50-250m	250-500m	500-2000m
14	1.1	<u>Historical industrial land uses</u>	0	0	71	66	-
20	1.2	<u>Historical tanks</u>	0	0	2	16	-
21	1.3	<u>Historical energy features</u>	1	0	4	14	-
22	1.4	Historical petrol stations	0	0	0	0	-
22	1.5	<u>Historical garages</u>	0	0	4	4	-
23	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped	On site	0-50m	50-250m	250-500m	500-2000m
24	2.1	<u>Historical industrial land uses</u>	0	0	89	89	-
31	2.2	<u>Historical tanks</u>	0	0	3	21	-
32	2.3	<u>Historical energy features</u>	3	0	10	35	-
34	2.4	Historical petrol stations	0	0	0	0	-
34	2.5	<u>Historical garages</u>	0	0	6	13	-
Page	Section	Waste and landfill	On site	0-50m	50-250m	250-500m	500-2000m
36	3.1	<u>Active or recent landfill</u>	0	0	0	1	-
37	3.2	Historical landfill (BGS records)	0	0	0	0	-
37	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
37	3.4	<u>Historical landfill (EA/NRW records)</u>	0	0	2	2	-
38	3.5	<u>Historical waste sites</u>	0	0	5	7	-
40	3.6	<u>Licensed waste sites</u>	0	0	8	15	-
48	3.7	<u>Waste exemptions</u>	0	0	9	31	-
Page	Section	Current industrial land use	On site	0-50m	50-250m	250-500m	500-2000m
52	4.1	<u>Recent industrial land uses</u>	1	3	22	-	-
54	4.2	<u>Current or recent petrol stations</u>	0	0	1	0	-
55	4.3	Electricity cables	0	0	0	0	-
55	4.4	Gas pipelines	0	0	0	0	-
55	4.5	Sites determined as Contaminated Land	0	0	0	0	-



55	4.6	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
55	4.7	Regulated explosive sites	0	0	0	0	-
56	4.8	Hazardous substance storage/usage	0	0	0	0	-
56	4.9	Historical licensed industrial activities (IPC)	0	0	0	0	-
56	4.10	Licensed industrial activities (Part A(1))	0	0	0	0	-
56	4.11	<u>Licensed pollutant release (Part A(2)/B)</u>	0	1	1	2	-
57	4.12	Radioactive Substance Authorisations	0	0	0	0	-
57	4.13	<u>Licensed Discharges to controlled waters</u>	0	0	0	5	-
58	4.14	Pollutant release to surface waters (Red List)	0	0	0	0	-
58	4.15	<u>Pollutant release to public sewer</u>	0	0	0	1	-
59	4.16	<u>List 1 Dangerous Substances</u>	0	0	0	1	-
59	4.17	List 2 Dangerous Substances	0	0	0	0	-
59	4.18	<u>Pollution Incidents (EA/NRW)</u>	0	0	1	0	-
60	4.19	Pollution inventory substances	0	0	0	0	-
60	4.20	Pollution inventory waste transfers	0	0	0	0	-
60	4.21	Pollution inventory radioactive waste	0	0	0	0	-
Page	Section	Hydrogeology	On site	0-50m	50-250m	250-500m	500-2000m
61	5.1	<u>Superficial aquifer</u>	Identified (within 500m)				
63	5.2	<u>Bedrock aquifer</u>	Identified (within 500m)				
65	5.3	<u>Groundwater vulnerability</u>	Identified (within 50m)				
66	5.4	Groundwater vulnerability- soluble rock risk	None (within 0m)				
66	5.5	Groundwater vulnerability- local information	None (within 0m)				
67	5.6	<u>Groundwater abstractions</u>	0	0	0	0	3
68	5.7	<u>Surface water abstractions</u>	0	0	0	2	17
73	5.8	<u>Potable abstractions</u>	0	0	0	0	9
76	5.9	Source Protection Zones	0	0	0	0	-
76	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-
Page	Section	Hydrology	On site	0-50m	50-250m	250-500m	500-2000m
77	6.1	Water Network (OS MasterMap)	0	0	0	-	-

77	6.2	Surface water features	0	0	0	-	-
78	6.3	<u>WFD Surface water body catchments</u>	1	-	-	-	-
78	6.4	<u>WFD Surface water bodies</u>	0	0	0	-	-
79	6.5	<u>WFD Groundwater bodies</u>	1	-	-	-	-
Page	Section	River and coastal flooding	On site	0-50m	50-250m	250-500m	500-2000m
80	7.1	Risk of flooding from rivers and the sea	None (within 50m)				
80	7.2	Historical Flood Events	0	0	0	-	-
80	7.3	Flood Defences	0	0	0	-	-
81	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
81	7.5	Flood Storage Areas	0	0	0	-	-
82	7.6	Flood Zone 2	None (within 50m)				
82	7.7	Flood Zone 3	None (within 50m)				
Page	Section	Surface water flooding					
83	8.1	<u>Surface water flooding</u>	1 in 30 year, 0.1m - 0.3m (within 50m)				
Page	Section	Groundwater flooding					
85	9.1	<u>Groundwater flooding</u>	Low (within 50m)				
Page	Section	Environmental designations	On site	0-50m	50-250m	250-500m	500-2000m
86	10.1	<u>Sites of Special Scientific Interest (SSSI)</u>	0	0	0	0	2
87	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
87	10.3	<u>Special Areas of Conservation (SAC)</u>	0	0	0	0	2
88	10.4	Special Protection Areas (SPA)	0	0	0	0	0
88	10.5	National Nature Reserves (NNR)	0	0	0	0	0
88	10.6	<u>Local Nature Reserves (LNR)</u>	0	0	0	0	1
88	10.7	<u>Designated Ancient Woodland</u>	0	0	0	0	3
89	10.8	Biosphere Reserves	0	0	0	0	0
89	10.9	Forest Parks	0	0	0	0	0
89	10.10	Marine Conservation Zones	0	0	0	0	0
89	10.11	<u>Green Belt</u>	0	0	0	0	4
90	10.12	Proposed Ramsar sites	0	0	0	0	0

90	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
90	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
91	10.15	Nitrate Sensitive Areas	0	0	0	0	0
91	10.16	Nitrate Vulnerable Zones	0	0	0	0	0
92	<u>10.17</u>	<u>SSSI Impact Risk Zones</u>	1	-	-	-	-
93	<u>10.18</u>	<u>SSSI Units</u>	0	0	0	0	2
Page	Section	Visual and cultural designations	On site	0-50m	50-250m	250-500m	500-2000m
95	11.1	World Heritage Sites	0	0	0	-	-
95	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
95	11.3	National Parks	0	0	0	-	-
95	11.4	Listed Buildings	0	0	0	-	-
96	11.5	Conservation Areas	0	0	0	-	-
96	11.6	Scheduled Ancient Monuments	0	0	0	-	-
96	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	Agricultural designations	On site	0-50m	50-250m	250-500m	500-2000m
97	<u>12.1</u>	<u>Agricultural Land Classification</u>	Urban (within 250m)				
98	12.2	Open Access Land	0	0	0	-	-
98	12.3	Tree Felling Licences	0	0	0	-	-
98	12.4	Environmental Stewardship Schemes	0	0	0	-	-
98	12.5	Countryside Stewardship Schemes	0	0	0	-	-
Page	Section	Habitat designations	On site	0-50m	50-250m	250-500m	500-2000m
99	<u>13.1</u>	<u>Priority Habitat Inventory</u>	0	0	1	-	-
100	13.2	Habitat Networks	0	0	0	-	-
100	13.3	Open Mosaic Habitat	0	0	0	-	-
100	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	Geology 1:10,000 scale	On site	0-50m	50-250m	250-500m	500-2000m
101	<u>14.1</u>	<u>10k Availability</u>	Identified (within 500m)				
102	<u>14.2</u>	<u>Artificial and made ground (10k)</u>	0	0	4	3	-
104	<u>14.3</u>	<u>Superficial geology (10k)</u>	1	0	1	0	-



105	14.4	Landslip (10k)	0	0	0	0	-
106	14.5	<u>Bedrock geology (10k)</u>	1	0	4	3	-
107	14.6	<u>Bedrock faults and other linear features (10k)</u>	0	0	0	2	-
Page	Section	Geology 1:50,000 scale	On site	0-50m	50-250m	250-500m	500-2000m
108	15.1	<u>50k Availability</u>	Identified (within 500m)				
109	15.2	<u>Artificial and made ground (50k)</u>	0	0	0	1	-
110	15.3	Artificial ground permeability (50k)	0	0	-	-	-
111	15.4	<u>Superficial geology (50k)</u>	1	0	0	0	-
112	15.5	<u>Superficial permeability (50k)</u>	Identified (within 50m)				
112	15.6	Landslip (50k)	0	0	0	0	-
112	15.7	Landslip permeability (50k)	None (within 50m)				
113	15.8	<u>Bedrock geology (50k)</u>	1	0	2	2	-
114	15.9	<u>Bedrock permeability (50k)</u>	Identified (within 50m)				
114	15.10	<u>Bedrock faults and other linear features (50k)</u>	0	0	0	1	-
Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
115	16.1	<u>BGS Boreholes</u>	0	0	4	-	-
Page	Section	Natural ground subsidence					
117	17.1	<u>Shrink swell clays</u>	Very low (within 50m)				
118	17.2	<u>Running sands</u>	Very low (within 50m)				
119	17.3	<u>Compressible deposits</u>	Negligible (within 50m)				
120	17.4	<u>Collapsible deposits</u>	Very low (within 50m)				
121	17.5	<u>Landslides</u>	Very low (within 50m)				
122	17.6	<u>Ground dissolution of soluble rocks</u>	Negligible (within 50m)				
Page	Section	Mining, ground workings and natural cavities	On site	0-50m	50-250m	250-500m	500-2000m
124	18.1	Natural cavities	0	0	0	0	-
125	18.2	<u>BritPits</u>	0	0	1	0	-
125	18.3	<u>Surface ground workings</u>	0	0	31	-	-
126	18.4	<u>Underground workings</u>	0	0	3	0	0
127	18.5	<u>Historical Mineral Planning Areas</u>	0	0	1	1	-



127	18.6	Non-coal mining	0	0	0	0	0
127	18.7	Mining cavities	0	0	0	0	0
128	18.8	JPB mining areas	None (within 0m)				
128	18.9	<u>Coal mining</u>	Identified (within 0m)				
128	18.10	Brine areas	None (within 0m)				
128	18.11	Gypsum areas	None (within 0m)				
128	18.12	Tin mining	None (within 0m)				
129	18.13	Clay mining	None (within 0m)				
Page	Section	Radon					
130	19.1	<u>Radon</u>	Less than 1% (within 0m)				
Page	Section	Soil chemistry	On site	0-50m	50-250m	250-500m	500-2000m
131	20.1	<u>BGS Estimated Background Soil Chemistry</u>	1	0	-	-	-
131	20.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
131	20.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m
132	21.1	Underground railways (London)	0	0	0	-	-
132	21.2	Underground railways (Non-London)	0	0	0	-	-
133	21.3	Railway tunnels	0	0	0	-	-
133	21.4	<u>Historical railway and tunnel features</u>	0	0	31	-	-
134	21.5	Royal Mail tunnels	0	0	0	-	-
134	21.6	<u>Historical railways</u>	0	0	1	-	-
135	21.7	Railways	0	0	0	-	-
135	21.8	Crossrail 1	0	0	0	0	-
135	21.9	Crossrail 2	0	0	0	0	-
135	21.10	HS2	0	0	0	0	-

Recent aerial photograph



Capture Date: 23/05/2019

Site Area: 0.37ha



Recent site history - 2018 aerial photograph



Capture Date: 01/07/2018

Site Area: 0.37ha



Recent site history - 2012 aerial photograph



Capture Date: 26/03/2012

Site Area: 0.37ha



Recent site history - 2000 aerial photograph



Capture Date: 19/06/2000

Site Area: 0.37ha



Recent site history - 1999 aerial photograph



Capture Date: 10/09/1999

Site Area: 0.37ha



OS MasterMap site plan



Site Area: 0.37ha




Contact us with any questions at:

info@groundsure.com

08444 159 000

Date: 28 January 2022

1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

1.1 Historical industrial land uses

Records within 500m

137

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
3	82m NE	Cotton Mill	1851	644265



ID	Location	Land use	Dates present	Group ID
A	99m S	Rope Walk	1851	641256
A	104m S	Unspecified Commercial/Industrial	1968	757307
A	104m S	Unspecified Mills	1949	789838
A	105m S	Shed	1851	659581
A	114m S	Unspecified Commercial/Industrial	1975 - 1987	706201
A	116m S	Unspecified Mills	1992	746909
A	120m S	Unspecified Mills	1938	706053
A	120m S	Unspecified Commercial/Industrial	1891 - 1928	753030
B	142m S	Clay Pit	1851	676030
C	151m SE	Corporation Depot	1891	685836
D	160m S	Ambulance Station	1992	676098
E	169m SW	Infirmery	1975	724787
E	171m SW	Infirmery And Dispensary	1908 - 1938	706331
F	173m E	Railway Sidings	1949 - 1954	778967
4	173m E	Railway Sidings	1891	693892
F	173m E	Railway Sidings	1938 - 1968	751485
E	173m SW	Infirmery	1987 - 1992	707060
E	174m SW	Infirmery	1949	701004
E	174m SW	Infirmery	1968	745287
G	177m E	Railway Sidings	1928	720342
G	177m E	Railway Sidings	1908	780765
5	182m NE	Unspecified Ground Workings	1890	648008
6	183m E	Unspecified Depot	1992	668799
H	184m E	Railway Building	1938	697081
H	185m E	Railway Building	1949	745574
I	187m E	Railway Sidings	1938	759617
I	187m E	Railway Sidings	1928	783719
I	187m E	Railway Sidings	1908	788701

ID	Location	Land use	Dates present	Group ID
H	188m E	Railway Building	1908	730672
H	188m E	Railway Building	1928	782360
H	190m E	Cuttings	1975 - 1992	777653
H	190m E	Cuttings	1949	769318
H	191m E	Cuttings	1968	781396
H	192m E	Cuttings	1908 - 1928	705232
H	192m E	Cuttings	1938	742252
H	192m E	Cuttings	1890	769145
E	192m SW	Infirmary And Dispensary	1891	709310
B	195m S	Woollen Mill	1851	670985
J	197m N	Railway Sidings	1938	780013
I	199m NE	Cuttings	1928	719883
I	199m NE	Cuttings	1908	723341
I	200m NE	Cuttings	1938	713738
J	202m N	Unspecified Mills	1908 - 1928	719844
J	202m N	Railway Sidings	1908 - 1928	779004
I	203m NE	Cuttings	1890	752861
J	205m NE	Cuttings	1949	729630
J	206m N	Unspecified Mills	1938	752841
J	210m N	Unspecified Mills	1949	703055
J	210m N	Railway Sidings	1949	768614
I	211m NE	Cuttings	1992	741704
I	211m NE	Cuttings	1987	751513
I	211m NE	Cuttings	1975	754989
J	212m N	Industrial Estate	1987 - 1992	772940
H	213m E	Unspecified Heap	1890	650726
J	214m N	Unspecified Mills	1968 - 1975	727995
J	220m N	Cotton Mill	1851	644268



ID	Location	Land use	Dates present	Group ID
J	221m N	Unspecified Mills	1890	763963
D	227m S	Pump	1851	675568
7	232m N	Refuse Heap	1890	677861
K	235m NW	Unspecified Heap	1968	739910
H	235m E	Unspecified Works	1967 - 1976	752956
K	235m NW	Unspecified Heap	1908 - 1928	777652
K	236m NW	Unspecified Old Shaft	1928	651797
H	240m E	Unspecified Ground Workings	1908	648009
K	240m NW	Unspecified Heaps	1938	679636
E	240m SW	Industrial House	1851	676228
H	241m E	Unspecified Pit	1890	690676
K	243m NW	Unspecified Ground Workings	1949	648012
K	245m NW	Unspecified Disused Shaft	1968	664287
K	247m NW	Unspecified Old Shaft	1890	651798
H	268m E	Unspecified Ground Workings	1908	648007
10	272m NW	Unspecified Heap	1968	650724
L	272m NE	Cuttings	1938	785694
L	272m NE	Cuttings	1908 - 1928	791147
M	277m SE	Unspecified Mill	1976	657138
H	279m E	Unspecified Pit	1928 - 1938	732181
11	289m N	Nursery	1968	679932
F	305m E	Unspecified Pit	1938	690673
L	309m NE	Cuttings	1890	720428
12	312m SE	Unspecified Works	1976	678975
J	316m N	Gasometer	1851	655098
P	339m S	Cotton Mills	1851	659337
P	342m SE	Unspecified Commercial/Industrial	1891	764450
P	342m SE	Unspecified Mills	1938	736780



ID	Location	Land use	Dates present	Group ID
P	343m SE	Unspecified Mills	1949	774364
L	344m NE	Cuttings	1908 - 1928	774562
P	345m SE	Unspecified Mills	1908 - 1928	783932
P	345m SE	Unspecified Mill	1975	657139
L	347m NE	Cuttings	1890	728765
L	348m NE	Cuttings	1938	733018
14	349m E	Cuttings	1908	642612
L	351m NE	Unspecified Pit	1975 - 1992	789169
P	353m S	Unspecified Commercial/Industrial	1968	764683
P	358m SE	Pump	1851	675569
15	360m E	Unspecified Holes	1890	641025
16	364m N	Pump	1851	675542
P	369m S	Unspecified Commercial/Industrial	1987 - 1992	716726
17	378m NW	Pump	1851	675571
R	380m S	Unspecified Works	1975 - 1987	695987
S	381m SE	Unspecified Works	1976	678976
P	398m S	Chimney	1968 - 1975	744807
S	408m SE	Railway Building	1954 - 1967	707061
S	408m SE	Railway Building	1938	738135
S	412m SE	Railway Building	1908 - 1928	772682
19	412m W	Pump	1851	675570
20	412m NE	Unspecified Pit	1928	690672
T	420m W	Unspecified Heap	1928	650725
T	421m W	Unspecified Heap	1968 - 1975	726248
T	423m W	Unspecified Pit	1949	690698
R	424m S	Unspecified Works	1992	724497
U	425m N	Refuse Heap	1908 - 1928	741081
21	444m N	Police Station	1890	680435

ID	Location	Land use	Dates present	Group ID
22	450m N	Cuttings	1908 - 1938	751838
V	453m N	Cuttings	1890	782893
T	454m W	Pump	1851	675576
W	459m N	Cuttings	1987 - 1992	746506
W	461m N	Cuttings	1975	766243
S	464m E	Unspecified Works	1967	678974
X	464m S	Chimney	1968	684526
S	465m E	Unspecified Depot	1976	668801
S	465m SE	Railway Building	1954 - 1967	735115
S	466m SE	Railway Building	1908 - 1938	694963
U	471m N	Unspecified Ground Workings	1975	648010
U	474m N	Refuse Heap	1938	742377
S	484m SE	Railway Buildings	1938	751928
23	485m W	Pump	1851	675575
S	486m SE	Railway Buildings	1908 - 1928	714019
S	486m SE	Railway Buildings	1954	744858
S	487m SE	Unspecified Depot	1976	668803
S	488m E	Unspecified Tank	1928 - 1938	700358
S	491m E	Unspecified Tank	1954	779309
S	494m E	Refuse Heap	1928 - 1938	730677
Y	495m NW	Brick Works	1909 - 1928	771809
Y	496m NW	Unspecified Works	1968 - 1975	773531
Y	497m NW	Brick Works	1938	716306
25	498m SE	Unspecified Works	1976	678972

This data is sourced from Ordnance Survey / Groundsure.



1.2 Historical tanks

Records within 500m

18

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
E	206m SW	Tanks	1996	92338
E	207m SW	Tanks	1982 - 1988	94504
N	320m E	Unspecified Tank	1910	94837
N	320m E	Unspecified Tank	1930	95792
N	320m E	Unspecified Tank	1939	99848
J	349m N	Unspecified Tank	1974	84196
L	351m NE	Filter Tanks	1910 - 1939	90105
L	361m NE	Filter Tanks	1930	88260
J	407m N	Unspecified Tank	1930 - 1939	99004
J	415m N	Unspecified Tank	1930	100369
J	416m N	Unspecified Tank	1939	91285
J	421m N	Unspecified Tank	1910	84184
J	432m N	Unspecified Tank	1930 - 1939	97578
X	472m S	Unspecified Tank	1972	84182
V	486m N	Unspecified Tank	1890	84194
24	487m N	Tanks	1930 - 1939	96459
V	494m N	Unspecified Tank	1939	84191
S	495m E	Unspecified Tank	1976	84181

This data is sourced from Ordnance Survey / Groundsure.



1.3 Historical energy features

Records within 500m

19

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
1	On site	Electricity Substation	1982 - 1996	56064
2	62m S	Electricity Substation	1982 - 1996	57572
C	231m SE	Electricity Substation	1982 - 1996	49316
E	233m SW	Electricity Substation	1982 - 1996	59270
8	246m SW	Electricity Substation	1982	45432
M	278m SE	Electricity Substation	1987	52256
M	279m SE	Electricity Substation	1996	50531
M	294m SE	Electricity Substation	1976	55298
O	328m S	Electricity Substation	1972 - 1995	47023
O	329m S	Electricity Substation	1988	58663
O	331m S	Electricity Substation	1985 - 1995	52063
Q	355m NW	Electricity Substation	1989	54235
Q	356m NW	Electricity Substation	1984 - 1998	56955
18	409m NE	Electricity Substation	1987 - 1998	54132
T	412m W	Electricity Substation	1968 - 1992	47552
R	452m S	Electricity Substation	1988 - 1995	49782
S	483m E	Electricity Substation	1987 - 1996	48646
Z	499m SE	Electricity Substation	1983 - 1996	58298
Z	499m SE	Electricity Substation	1975 - 1989	49947

This data is sourced from Ordnance Survey / Groundsure.



1.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.5 Historical garages

Records within 500m

8

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
A	98m S	Garage	1988 - 1996	18167
A	100m S	Garage	1982	14943
D	240m S	Garage	1958 - 1959	17343
D	240m S	Garage	1982 - 1995	18975
9	265m SE	Garage	1982 - 1985	19290
D	271m S	Garage	1959	17012
D	271m S	Garage	1959 - 1985	19479
13	337m SE	Garage	1985 - 1995	17319

This data is sourced from Ordnance Survey / Groundsure.



1.6 Historical military land

Records within 500m


0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.



2 Past land use - un-grouped



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

2.1 Historical industrial land uses

Records within 500m

178

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 24**

ID	Location	Land Use	Date	Group ID
1	82m NE	Cotton Mill	1851	644265
C	99m S	Rope Walk	1851	641256
C	104m S	Unspecified Mills	1949	789838

ID	Location	Land Use	Date	Group ID
C	104m S	Unspecified Commercial/Industrial	1968	757307
C	105m S	Shed	1851	659581
C	114m S	Unspecified Commercial/Industrial	1987	706201
C	114m S	Unspecified Commercial/Industrial	1975	706201
C	116m S	Unspecified Mills	1992	746909
C	120m S	Unspecified Mills	1938	706053
C	120m S	Unspecified Commercial/Industrial	1928	753030
C	120m S	Unspecified Commercial/Industrial	1908	753030
C	120m S	Unspecified Commercial/Industrial	1891	753030
D	142m S	Clay Pit	1851	676030
E	151m SE	Corporation Depot	1891	685836
F	160m S	Ambulance Station	1992	676098
G	169m SW	Infirmary	1975	724787
G	171m SW	Infirmary And Dispensary	1938	706331
G	171m SW	Infirmary And Dispensary	1928	706331
G	171m SW	Infirmary And Dispensary	1908	706331
H	173m E	Railway Sidings	1949	778967
2	173m E	Railway Sidings	1891	693892
I	173m E	Railway Sidings	1938	751485
G	173m SW	Infirmary	1992	707060
G	173m SW	Infirmary	1987	707060
G	174m SW	Infirmary	1949	701004
G	174m SW	Infirmary	1968	745287
I	177m E	Railway Sidings	1928	720342
I	177m E	Railway Sidings	1908	780765
H	177m E	Railway Sidings	1968	751485
3	182m NE	Unspecified Ground Workings	1890	648008
4	183m E	Unspecified Depot	1992	668799

ID	Location	Land Use	Date	Group ID
J	184m E	Railway Building	1938	697081
J	185m E	Railway Building	1949	745574
H	187m E	Railway Sidings	1938	759617
H	187m E	Railway Sidings	1928	783719
H	187m E	Railway Sidings	1908	788701
J	188m E	Railway Building	1928	782360
J	188m E	Railway Building	1908	730672
J	190m E	Cuttings	1992	777653
J	190m E	Cuttings	1987	777653
J	190m E	Cuttings	1975	777653
J	190m E	Cuttings	1949	769318
J	191m E	Cuttings	1968	781396
J	192m E	Cuttings	1928	705232
J	192m E	Cuttings	1908	705232
J	192m E	Cuttings	1938	742252
J	192m E	Cuttings	1890	769145
G	192m SW	Infirmery And Dispensary	1891	709310
D	195m S	Woollen Mill	1851	670985
K	197m N	Railway Sidings	1938	780013
H	199m NE	Cuttings	1928	719883
H	199m NE	Cuttings	1908	723341
H	200m NE	Cuttings	1938	713738
K	202m N	Unspecified Mills	1928	719844
K	202m N	Railway Sidings	1928	779004
K	202m N	Railway Sidings	1908	779004
K	202m N	Unspecified Mills	1908	719844
H	203m NE	Cuttings	1890	752861
K	205m NE	Cuttings	1949	729630



ID	Location	Land Use	Date	Group ID
K	206m N	Unspecified Mills	1938	752841
K	210m N	Unspecified Mills	1949	703055
K	210m N	Railway Sidings	1949	768614
H	211m NE	Cuttings	1992	741704
H	211m NE	Cuttings	1987	751513
H	211m NE	Cuttings	1975	754989
K	212m N	Industrial Estate	1992	772940
J	213m E	Unspecified Heap	1890	650726
K	214m N	Industrial Estate	1987	772940
K	214m N	Unspecified Mills	1975	727995
K	214m N	Unspecified Mills	1968	727995
K	220m N	Cotton Mill	1851	644268
K	221m N	Unspecified Mills	1890	763963
I	222m E	Railway Sidings	1967	751485
I	222m E	Railway Sidings	1954	778967
F	227m S	Pump	1851	675568
5	232m N	Refuse Heap	1890	677861
L	235m NW	Unspecified Heap	1968	739910
J	235m E	Unspecified Works	1976	752956
J	235m E	Unspecified Works	1967	752956
L	235m NW	Unspecified Heap	1928	777652
L	235m NW	Unspecified Heap	1908	777652
L	236m NW	Unspecified Old Shaft	1928	651797
J	240m E	Unspecified Ground Workings	1908	648009
L	240m NW	Unspecified Heaps	1938	679636
G	240m SW	Industrial House	1851	676228
J	241m E	Unspecified Pit	1890	690676
L	243m NW	Unspecified Ground Workings	1949	648012



ID	Location	Land Use	Date	Group ID
L	245m NW	Unspecified Disused Shaft	1968	664287
L	247m NW	Unspecified Old Shaft	1890	651798
J	268m E	Unspecified Ground Workings	1908	648007
7	272m NW	Unspecified Heap	1968	650724
N	272m NE	Cuttings	1938	785694
N	272m NE	Cuttings	1928	791147
N	272m NE	Cuttings	1908	791147
O	277m SE	Unspecified Mill	1976	657138
J	279m E	Unspecified Pit	1938	732181
J	280m E	Unspecified Pit	1928	732181
8	289m N	Nursery	1968	679932
9	305m E	Unspecified Pit	1938	690673
N	309m NE	Cuttings	1890	720428
I	312m SE	Unspecified Works	1976	678975
K	316m N	Gasometer	1851	655098
S	339m S	Cotton Mills	1851	659337
S	342m SE	Unspecified Mills	1938	736780
S	342m SE	Unspecified Commercial/Industrial	1891	764450
S	343m SE	Unspecified Mills	1949	774364
N	344m NE	Cuttings	1928	774562
N	344m NE	Cuttings	1908	774562
S	345m SE	Unspecified Mills	1928	783932
S	345m SE	Unspecified Mills	1908	783932
S	345m SE	Unspecified Mill	1975	657139
N	347m NE	Cuttings	1890	728765
N	348m NE	Cuttings	1938	733018
10	349m E	Cuttings	1908	642612
N	351m NE	Unspecified Pit	1992	789169



ID	Location	Land Use	Date	Group ID
N	351m NE	Unspecified Pit	1987	789169
N	351m NE	Unspecified Pit	1975	789169
S	353m S	Unspecified Commercial/Industrial	1968	764683
S	358m SE	Pump	1851	675569
11	360m E	Unspecified Holes	1890	641025
12	364m N	Pump	1851	675542
S	369m S	Unspecified Commercial/Industrial	1992	716726
S	369m S	Unspecified Commercial/Industrial	1987	716726
13	378m NW	Pump	1851	675571
U	380m S	Unspecified Works	1987	695987
U	380m S	Unspecified Works	1975	695987
V	381m SE	Unspecified Works	1976	678976
S	398m S	Chimney	1975	744807
S	398m S	Chimney	1968	744807
V	408m SE	Railway Building	1967	707061
V	408m SE	Railway Building	1954	707061
V	408m SE	Railway Building	1938	738135
V	412m SE	Railway Building	1928	772682
V	412m SE	Railway Building	1908	772682
14	412m W	Pump	1851	675570
15	412m NE	Unspecified Pit	1928	690672
X	420m W	Unspecified Heap	1928	650725
X	421m W	Unspecified Heap	1975	726248
X	421m W	Unspecified Heap	1968	726248
X	423m W	Unspecified Pit	1949	690698
U	424m S	Unspecified Works	1992	724497
Y	425m N	Refuse Heap	1928	741081
Y	444m N	Police Station	1890	680435



ID	Location	Land Use	Date	Group ID
Z	450m N	Cuttings	1928	751838
Z	450m N	Cuttings	1908	751838
AA	453m N	Cuttings	1890	782893
X	454m W	Pump	1851	675576
Z	455m N	Cuttings	1938	751838
Z	459m N	Cuttings	1992	746506
Z	461m N	Cuttings	1987	746506
Z	461m N	Cuttings	1975	766243
V	464m E	Unspecified Works	1967	678974
AB	464m S	Chimney	1968	684526
V	465m E	Unspecified Depot	1976	668801
V	465m SE	Railway Building	1967	735115
V	465m SE	Railway Building	1954	735115
V	466m SE	Railway Building	1938	694963
V	468m SE	Railway Building	1928	694963
V	468m SE	Railway Building	1908	694963
Y	471m N	Unspecified Ground Workings	1975	648010
Y	474m N	Refuse Heap	1938	742377
Y	476m N	Refuse Heap	1908	741081
V	484m SE	Railway Buildings	1938	751928
16	485m W	Pump	1851	675575
V	486m SE	Railway Buildings	1928	714019
V	486m SE	Railway Buildings	1908	714019
V	486m SE	Railway Buildings	1954	744858
V	487m SE	Unspecified Depot	1976	668803
V	488m E	Unspecified Tank	1938	700358
V	488m E	Unspecified Tank	1928	700358
V	491m E	Unspecified Tank	1954	779309



ID	Location	Land Use	Date	Group ID
V	494m E	Refuse Heap	1938	730677
V	494m E	Refuse Heap	1928	730677
AD	495m NW	Brick Works	1928	771809
AD	496m NW	Unspecified Works	1975	773531
AD	496m NW	Unspecified Works	1968	773531
AD	497m NW	Brick Works	1938	716306
17	498m SE	Unspecified Works	1976	678972

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m

24

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 24**

ID	Location	Land Use	Date	Group ID
G	206m SW	Tanks	1996	92338
G	207m SW	Tanks	1982	94504
G	207m SW	Tanks	1988	94504
P	320m E	Unspecified Tank	1910	94837
P	320m E	Unspecified Tank	1930	95792
P	320m E	Unspecified Tank	1939	99848
K	349m N	Unspecified Tank	1974	84196
N	351m NE	Filter Tanks	1910	90105
N	351m NE	Filter Tanks	1930	90105
N	351m NE	Filter Tanks	1939	90105
N	361m NE	Filter Tanks	1930	88260
K	407m N	Unspecified Tank	1930	99004
K	407m N	Unspecified Tank	1939	99004



ID	Location	Land Use	Date	Group ID
K	415m N	Unspecified Tank	1930	100369
K	416m N	Unspecified Tank	1939	91285
K	421m N	Unspecified Tank	1910	84184
K	432m N	Unspecified Tank	1930	97578
K	432m N	Unspecified Tank	1939	97578
AB	472m S	Unspecified Tank	1972	84182
AA	486m N	Unspecified Tank	1890	84194
AC	487m N	Tanks	1930	96459
AC	487m N	Tanks	1939	96459
AA	494m N	Unspecified Tank	1939	84191
V	495m E	Unspecified Tank	1976	84181

This data is sourced from Ordnance Survey / Groundsure.

2.3 Historical energy features

Records within 500m

48

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 24**

ID	Location	Land Use	Date	Group ID
A	On site	Electricity Substation	1996	56064
A	On site	Electricity Substation	1982	56064
A	On site	Electricity Substation	1988	56064
B	62m S	Electricity Substation	1996	57572
B	62m S	Electricity Substation	1988	57572
B	62m S	Electricity Substation	1982	57572
E	231m SE	Electricity Substation	1988	49316
E	232m SE	Electricity Substation	1996	49316
E	232m SE	Electricity Substation	1982	49316



ID	Location	Land Use	Date	Group ID
G	233m SW	Electricity Substation	1988	59270
G	233m SW	Electricity Substation	1996	59270
G	233m SW	Electricity Substation	1982	59270
6	246m SW	Electricity Substation	1982	45432
O	278m SE	Electricity Substation	1987	52256
O	279m SE	Electricity Substation	1996	50531
O	294m SE	Electricity Substation	1976	55298
Q	328m S	Electricity Substation	1985	47023
Q	328m S	Electricity Substation	1972	47023
Q	329m S	Electricity Substation	1988	58663
Q	329m S	Electricity Substation	1988	47023
Q	329m S	Electricity Substation	1995	47023
Q	329m S	Electricity Substation	1995	47023
Q	331m S	Electricity Substation	1985	52063
Q	332m S	Electricity Substation	1995	52063
Q	332m S	Electricity Substation	1995	52063
T	355m NW	Electricity Substation	1989	54235
T	356m NW	Electricity Substation	1998	56955
T	356m NW	Electricity Substation	1984	56955
T	356m NW	Electricity Substation	1988	56955
W	409m NE	Electricity Substation	1987	54132
W	409m NE	Electricity Substation	1988	54132
W	410m NE	Electricity Substation	1998	54132
X	412m W	Electricity Substation	1990	47552
X	412m W	Electricity Substation	1968	47552
X	413m W	Electricity Substation	1992	47552
X	413m W	Electricity Substation	1979	47552
X	413m W	Electricity Substation	1988	47552



ID	Location	Land Use	Date	Group ID
U	452m S	Electricity Substation	1995	49782
U	452m S	Electricity Substation	1995	49782
U	452m S	Electricity Substation	1988	49782
V	483m E	Electricity Substation	1987	48646
V	484m E	Electricity Substation	1996	48646
AE	499m SE	Electricity Substation	1996	58298
AE	499m SE	Electricity Substation	1993	58298
AE	499m SE	Electricity Substation	1975	49947
AE	499m SE	Electricity Substation	1989	49947
AE	499m SE	Electricity Substation	1984	58298
AE	499m SE	Electricity Substation	1983	58298

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

2.5 Historical garages

Records within 500m

19

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 24**

ID	Location	Land Use	Date	Group ID
C	98m S	Garage	1996	18167
C	99m S	Garage	1988	18167




ID	Location	Land Use	Date	Group ID
C	100m S	Garage	1982	14943
F	240m S	Garage	1982	18975
F	240m S	Garage	1958	17343
F	240m S	Garage	1959	17343
M	265m SE	Garage	1982	19290
F	271m S	Garage	1995	18975
F	271m S	Garage	1995	18975
F	271m S	Garage	1988	18975
F	271m S	Garage	1959	17012
F	271m S	Garage	1959	19479
F	271m S	Garage	1985	19479
F	271m S	Garage	1972	19479
M	279m S	Garage	1985	19290
R	337m SE	Garage	1995	17319
R	337m SE	Garage	1995	17319
R	338m SE	Garage	1988	17319
R	338m SE	Garage	1985	17319

This data is sourced from Ordnance Survey / Groundsure.



3 Waste and landfill



- Site Outline
- Search buffers in metres (m)
- Active or recent landfill
- Historical landfill (EA/NRW)
- Historical waste sites
- Licensed waste sites
- Waste exemptions

3.1 Active or recent landfill

Records within 500m

1

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

Features are displayed on the Waste and landfill map on **page 36**

ID	Location	Details	
5	342m NE	Operator: Rochdale M B C Site Address: Fieldhouse Road, Rochdale, Lancashire, OL12	WML Number: 53951 EPR Reference: RMB001 Landfill type: A05: Landfill taking Non-Biodegradable Wastes Status: Closure IPPC Reference: - EPR Number: EA/EPR/LP3791CR/A001

This data is sourced from the Environment Agency and Natural Resources Wales.



3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.

3.3 Historical landfill (LA/mapping records)

Records within 500m

0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m

4

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on **page 36**

ID	Location	Details		
2	178m E	Site Address: Carrex Metals Limited, Regent Street, Rochdale, Greater Manchester Licence Holder Address: -	Waste Licence: - Site Reference: D085 Waste Type: - Environmental Permitting Regulations (Waste) Reference: - Licence Issue: - Licence Surrender: -	Operator: - Licence Holder: - First Recorded - Last Recorded: -
3	187m E	Site Address: Disused Railway cutting between, Taylor Street and Greenbank Road, Rochdale Licence Holder Address: Rochdale MBC, Telegraph House, Baillie Street, Rochdale	Waste Licence: Yes Site Reference: D086, RD/LIC/504/88 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 20/04/1988 Licence Surrender: -	Operator: - Licence Holder: Rochdale Borough Planning and Estates Officer First Recorded 30/04/1988 Last Recorded: 31/10/1988

ID	Location	Details		
7	468m NW	Site Address: Land Opposite Oxford Mill, Bentley Street, Rochdale Licence Holder Address: Fieldhouse Industrial Estate, Fieldhouse Road, Rochdale	Waste Licence: Yes Site Reference: RD/LIC/343/84, D008 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 22/07/1984 Licence Surrender: 22/05/1990	Operator: - Licence Holder: J Bright and Brothers Limited First Recorded 01/08/1984 Last Recorded: 30/04/1990
8	483m N	Site Address: Fieldhouse Mills, Fieldhouse Road, Rochdale, Greater Manchester Licence Holder Address: PO Box 26, Rochdale	Waste Licence: Yes Site Reference: RD/LIC/144/78,D001 Waste Type: Industrial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 05/10/1978 Licence Surrender: -	Operator: - Licence Holder: J Bright and Brothers Limited First Recorded - Last Recorded: -

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m	12
----------------------------	-----------

Waste site records derived from Local Authority planning records and high detail historical mapping. Features are displayed on the Waste and landfill map on **page 36**

ID	Location	Address	Further Details	Date
A	172m E	Site Address: N/A	Type of Site: Scrap Yard Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1988
A	173m E	Site Address: N/A	Type of Site: Scrap Yard Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1996
A	173m E	Site Address: N/A	Type of Site: Scrap Yard Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1981



ID	Location	Address	Further Details	Date
C	221m E	Site Address: N/A	Type of Site: Scrap Yard Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1996
C	221m E	Site Address: N/A	Type of Site: Scrap Yard Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1987
F	278m NE	Site Address: Fieldhouse Industrial Estate, Units D13/14, Fieldhouse Road, ROCHDALE, Greater Manchester, OL12 0AD	Type of Site: Waste Transfer (COU) Planning application reference: D29405 Description: Comprises change of use from industrial into storage, sorting & transfer of waste chemicals. An application (ref: D29405) for Detailed Planning permission was submitted to Rochdale B.C. on 10th May 1993. Data source: Historic Planning Application Data Type: Point	-
C	284m E	Site Address: Taylor Street, ROCHDALE, Greater Manchester, OL12 0	Type of Site: Waste Transfer Station Planning application reference: D29276 Description: Scheme includes perimeter screen fencing & concrete hardstanding with reduction of level of part of site. Portable messroom included. An application (ref: D29276) for Detailed Planning permission was submitted to Rochdale B.C. on 15th January 1993. Data source: Historic Planning Application Data Type: Point	-
F	332m N	Site Address: Fieldhouse Ind Estate, Unit E1, Fieldhouse Road, ROCHDALE, Greater Manchester, OL12 0AA	Type of Site: Waste Transfer Station (Conversion) Planning application reference: 05/D45304 Description: Scheme comprises of conversion to waste transfer station. An application (ref: 05/D45304) for detailed planning permission was granted by Rochdale B.C. Planning decision obtained Data source: Historic Planning Application Data Type: Point	-



ID	Location	Address	Further Details	Date
F	333m N	Site Address: D12 & D15, Fieldhouse Industrial Estate, Fieldhouse Road, ROCHDALE, Greater Manchester, OL12 0AA	Type of Site: Waste Transfer Station Planning application reference: 08/D51369 Description: Scheme comprises change of use from storage/office to waste transfer station to extend operation. An application (ref: 08/D51369) for detailed planning permission was granted by Rochdale B.C. Planning decision obtained Data source: Historic Planning Application Data Type: Point	01/07/2009
I	461m E	Site Address: N/A	Type of Site: Scrap Yard Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1987
I	462m E	Site Address: N/A	Type of Site: Scrap Yard Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1996
I	468m E	Site Address: Topline House, 1, Lawton Street, ROCHDALE, Greater Manchester, OL12 0LQ	Type of Site: Recycling Unit (Conversion) Planning application reference: 11/D54898 Description: Scheme comprises change of use to non ferrous & ferrous metal reclaimers & processors, including construction of 1500mm high external storage area for waste tank. An application (ref: 11/D54898) for detailed planning permission was granted by Rochdale B. C. A detailed planning application has been granted. Data source: Historic Planning Application Data Type: Point	07/04/2012

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.

3.6 Licensed waste sites

Records within 500m	23
----------------------------	-----------

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

Features are displayed on the Waste and landfill map on **page 36**



ID	Location	Details		
1	136m E	Site Name: Regent Street Transfer Station Site Address: Regent Street, Rochdale, Lancashire, OL12 0HQ Correspondence Address: Lancashire House, 24, Winckley Square, Preston, Lancashire, PR1 3JJ	Type of Site: Household, Commercial & Industrial Waste T Stn Size: >= 25000 tonnes 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: LA001 EPR reference: - Operator: S I T A (Lancashire) Ltd Waste Management licence No: 53747 Annual Tonnage: 6250	Issue Date: 24/12/1991 Effective Date: 29/09/2001 Modified: 28/09/2001 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified
B	211m SE	Site Name: Princess Street Depot Site Address: Highways And Maintenance Unit, Princess Street, Rochdale, Lancashire, OL12 0HA Correspondence Address: Highways And Maintenance Unit, Princess Street Depot, Rochdale, Lancashire, OL12 0HA	Type of Site: Transfer Station taking Non-Biodegradable Wastes Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MC001 EPR reference: - Operator: Alfred Mc Alpine Construction Ltd Waste Management licence No: 50089 Annual Tonnage: 24999	Issue Date: 31/07/2002 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
B	211m SE	Site Name: Princess Street Depot Site Address: Princess Street Depot, Princess Street, Rochdale, Lancashire, OL12 0HA Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: BAL081 EPR reference: EA/EPR/FP3298VC/T001 Operator: Balfour Beatty Workplace Ltd Waste Management licence No: 50089 Annual Tonnage: 24999	Issue Date: 31/07/2002 Effective Date: 31/12/2009 Modified: 31/01/2008 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred

ID	Location	Details		
B	211m SE	Site Name: Princess Street Depot Site Address: Highways And Maintenance Unit, Princess Street, Rochdale, Lancashire, OL12 0HA Correspondence Address: Highways And Maintenance Unit, Princess Street Depot, Rochdale, Lancashire, OL12 0HA	Type of Site: Transfer Station taking Non-Biodegradable Wastes Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MC001 EPR reference: - Operator: Alfred Mc Alpine Government Services Ltd Waste Management licence No: 50089 Annual Tonnage: 24999	Issue Date: 31/07/2002 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
B	211m SE	Site Name: Rochdale Depot Site Address: Rochdale Depot, Princess Street, Rochdale, Lancashire, OL12 0HA Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: BAL161 EPR reference: EA/EPR/AB3006UT/T001 Operator: Balfour Beatty Living Places Limited Waste Management licence No: 50089 Annual Tonnage: 24999	Issue Date: 31/07/2002 Effective Date: 11/12/2013 Modified: 31/01/2008 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred
B	211m SE	Site Name: Princess Street Depot Site Address: Highways And Maintenance Unit, Princess Street, Rochdale, Lancashire, OL12 0HA Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MC001 EPR reference: - Operator: Alfred Mc Alpine Government Services Ltd Waste Management licence No: 50089 Annual Tonnage: 0	Issue Date: 31/07/2002 Effective Date: - Modified: 31/01/2008 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified



ID	Location	Details		
B	211m SE	Site Name: Princess Street Depot Site Address: Highways And Maintenance Unit, Princess Street, Rochdale, Lancashire, OL12 0HA Correspondence Address: Mr Nigel Dyer, Highways And Maintenance Unit, Princess Street Depot, Rochdale, Lancashire, OL12 0HA	Type of Site: Transfer Station taking Non-Biodegradable Wastes Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MC001 EPR reference: - Operator: Alfred Mc Alpine Construction Ltd Waste Management licence No: 50089 Annual Tonnage: 24999	Issue Date: 31/07/2002 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
B	211m SE	Site Name: Rochdale Depot Site Address: Rochdale Depot, Princess Street, Rochdale, Lancashire, OL12 0HA Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: BAL161 EPR reference: EA/EPR/AB3006UT/T001 Operator: Balfour Beatty Living Places Ltd Waste Management licence No: 50089 Annual Tonnage: 24999	Issue Date: 31/07/2002 Effective Date: 11/12/2013 Modified: 31/01/2008 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred
C	267m E	Site Name: Regent Street Transfer Station L Site Address: Land/premises At, Regent Street, Rochdale, Lancashire, OL12 0HQ Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: >= 25000 tonnes 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: CAS003 EPR reference: EA/EPR/TP3496CG/T003 Operator: P Casey Enviro Ltd Waste Management licence No: 53747 Annual Tonnage: 6250	Issue Date: 24/12/1991 Effective Date: 22/04/2004 Modified: 28/09/2001 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred



ID	Location	Details		
C	267m E	Site Name: Regent Street Transfer Station L Site Address: Land/premises At, Regent Street, Rochdale, Lancashire, OL12 0HQ Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: CAS003 EPR reference: EA/EPR/TP3496CG/T003 Operator: P Casey Enviro Ltd Waste Management licence No: 53747 Annual Tonnage: 6250	Issue Date: 24/12/1991 Effective Date: 22/04/2004 Modified: 28/09/2001 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred
F	292m NE	Site Name: Fieldhouse Industrial Estate Hazardous Waste Site Address: Units D13 & D14, Fieldhouse Industrial Estate, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: Bridge House, Ashley Road, Hale, Altrincham, Cheshire, WA14 2UT	Type of Site: Special Waste Transfer Station Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: AST003 EPR reference: - Operator: Astec Chemical Waste Services Limited Waste Management licence No: 50379 Annual Tonnage: 0	Issue Date: 14/07/2005 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
F	292m NE	Site Name: Fieldhouse Industrial Estate Hazardous Waste Site Address: Units D13 & D14, Fieldhouse Industrial Estate, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: Regency Chambers, 5, Jubilee Way, Bury, Lancashire, BL9 0JW	Type of Site: Special Waste Transfer Station Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: AST003 EPR reference: - Operator: Astec Chemical Waste Services Limited Waste Management licence No: 50379 Annual Tonnage: 50000	Issue Date: 14/07/2005 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
F	292m NE	Site Name: Fieldhouse Industrial Estate Site Address: Units 12d, 13d, 14d & 15d, Fieldhouse Industrial Estate, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: -	Type of Site: Special Waste Transfer Station Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: AUG007 EPR reference: EA/EPR/BP3694SU/S003 Operator: Augean Treatment Ltd Waste Management licence No: 50379 Annual Tonnage: 0	Issue Date: 14/07/2005 Effective Date: 26/09/2008 Modified: 19/06/2009 Surrendered Date: Jan 5 2016 12:00AM Expiry Date: - Cancelled Date: - Status: Surrendered



ID	Location	Details		
F	298m NE	Site Name: Astec Chemical Waste Services Ltd Site Address: Fieldhouse Ind Est, Unit D13/1, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: -	Type of Site: Special Waste Transfer Station Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ACW001 EPR reference: EA/EPR/GP3396CV/A001 Operator: Astec Chemical Waste Services Ltd Waste Management licence No: 53721 Annual Tonnage: 417	Issue Date: 20/07/1994 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Expired
F	349m N	Site Name: Astec Chemical Waste Services Ltd Site Address: Fieldhouse Ind Est, Unit D13, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: 5 Regency Chambers, Jubilee Way, Bury, Lancashire, BL9 0JW	Type of Site: Special Waste Transfer Station Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ACW001 EPR reference: - Operator: Associated Technology Ltd Waste Management licence No: 53721 Annual Tonnage: 417	Issue Date: 20/07/1994 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
F	349m N	Site Name: Roydon Polythene (Exports) Ltd Site Address: Fieldhouse Industrial Estate, Unit D7, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: -	Type of Site: Physical Treatment Facility Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: RPL001 EPR reference: EA/EPR/GP3592CC/V002 Operator: Roydon Polythene (Exports) Limited Waste Management licence No: 53462 Annual Tonnage: 24999	Issue Date: 10/03/1996 Effective Date: 13/03/2003 Modified: 12/03/2003 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified

ID	Location	Details		
F	349m N	Site Name: Roydon Polythene Ltd Site Address: Fieldhouse Industrial Estate, Unit D7, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: -	Type of Site: Physical Treatment Facility Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: RPL001 EPR reference: EA/EPR/GP3592CC/S004 Operator: Roydon Polythene Ltd Waste Management licence No: 53462 Annual Tonnage: 0	Issue Date: 10/03/1996 Effective Date: 13/03/2003 Modified: 12/03/2003 Surrendered Date: May 15 2018 12:00AM Expiry Date: - Cancelled Date: - Status: Surrendered
F	349m N	Site Name: Rainford H W R C Site Address: Land/premises At, Southern Lane, Rainford, St Helens, Merseyside, WA11 8EY Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: VEO084 EPR reference: EA/EPR/EP3692LY/S002 Operator: Veolia Environmental Services Merseyside & Halton Ltd Waste Management licence No: 53641 Annual Tonnage: 483256	Issue Date: 21/08/1995 Effective Date: 11/11/2009 Modified: - Surrendered Date: Oct 27 2014 12:00AM Expiry Date: - Cancelled Date: - Status: Surrendered
F	349m N	Site Name: Rainford H W R C Site Address: Land/premises At, Southern Lane, Rainford, St Helens, Merseyside, WA11 8EY Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: VEO084 EPR reference: EA/EPR/EP3692LY/S002 Operator: Veolia Environmental Services Merseyside & Halton Ltd Waste Management licence No: 53641 Annual Tonnage: 483256	Issue Date: 21/08/1995 Effective Date: 11/11/2009 Modified: - Surrendered Date: Oct 27 2014 12:00AM Expiry Date: - Cancelled Date: - Status: Surrendered



ID	Location	Details		
G	389m N	Site Name: Roydon Polythene Exports Ltd Site Address: E1 Fieldhouse Ind Estate, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: -	Type of Site: Material Recycling Treatment Facility Size: >= 25000 tonnes 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ROY006 EPR reference: EA/EPR/AP3494CK/A001 Operator: Mr Wilfred Sumner Waste Management licence No: 50433 Annual Tonnage: 74999	Issue Date: 26/01/2006 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
G	389m N	Site Name: Roydon Polythene Exports Ltd Site Address: E1 Fieldhouse Ind Estate, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: -	Type of Site: Material Recycling Treatment Facility Size: >= 25000 tonnes 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ROY006 EPR reference: EA/EPR/AP3494CK/A001 Operator: Roydon Polythene Exports Ltd Waste Management licence No: 50433 Annual Tonnage: 74999	Issue Date: 26/01/2006 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
G	389m N	Site Name: Roydon Polythene Ltd Site Address: E1 Fieldhouse Ind Estate, Fieldhouse Road, Rochdale, Lancashire, OL12 0AA Correspondence Address: -	Type of Site: Material Recycling Treatment Facility Size: >= 25000 tonnes 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: GRL003 EPR reference: EA/EPR/AP3494CK/A001 Operator: Grace Recycling Limited Waste Management licence No: 50433 Annual Tonnage: 74999	Issue Date: 26/01/2006 Effective Date: 07/10/2014 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Revoked



ID	Location	Details		
I	490m E	Site Name: D Howarth Vehicle Dismantlers Site Address: 80, Rugby Road, Rochdale, Lancashire, OL12 0DY Correspondence Address: -	Type of Site: Metal Recycling Site (Vehicle Dismantler) Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: DHO001 EPR reference: EA/EPR/HP3096CF/V002 Operator: Howarth Dennis Waste Management licence No: 53753 Annual Tonnage: 2100	Issue Date: 25/02/1994 Effective Date: - Modified: 31/03/2003 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m	40
----------------------------	-----------

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on **page 36**

ID	Location	Site	Reference	Category	Sub-Category	Description
D	241m SW	WHITEHALL STREET, ROCHDALE, OL12 0NB	WEX219682	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
D	241m SW	WHITEHALL STREET, ROCHDALE, OL12 0NB	WEX223016	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
D	241m SW	WHITEHALL STREET, ROCHDALE, OL12 0NB	WEX074492	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
D	241m SW	Rochdale Infirmary, WHITEHALL STREET, ROCHDALE, OL12 0NB	WEX076565	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
D	242m W	Rochdale Infirmary Whitehall Street Rochdale Lancashire OL12 0NB	EPR/TF0130NR /A001	Treating waste exemption	Non-Agricultural Waste Only	Sorting and de-naturing of controlled drugs for disposal
E	247m SE	BBLP Princess Street Depot Princess Street OL12 0HA	EPR/XF0006V N/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in secure containers
E	247m SE	BBLP Princess Street Depot Princess Street OL12 0HA	EPR/XF0006V N/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in a secure place



ID	Location	Site	Reference	Category	Sub-Category	Description
E	247m SE	BBLP Princess Street Depot Princess Street OL12 0HA	EPR/XF0006V N/A001	Using waste exemption	Non-Agricultural Waste Only	Use of waste in construction
E	247m SE	BBLP Princess Street Depot Princess Street OL12 0HA	EPR/XF0006V N/A001	Using waste exemption	Non-Agricultural Waste Only	Use of waste for a specified purpose
4	259m S	48, WHITWORTH ROAD, ROCHDALE, OL12 0EZ	WEX227128	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
E	273m SE	Balfour Beatty Living Places Ltd, Princess Street Depot, Princess Street, Rochdale, OL12 0HA	WEX159308	Using waste exemption	Not on a Farm	Use of waste for a specified purpose
E	273m SE	Balfour Beatty Living Places Ltd, Princess Street Depot, Princess Street, Rochdale, OL12 0HA	WEX159308	Using waste exemption	Not on a Farm	Use of waste in construction
E	273m SE	Balfour Beatty Living Places Ltd, Princess Street Depot, Princess Street, Rochdale, OL12 0HA	WEX159308	Storing waste exemption	Not on a Farm	Storage of waste in secure containers
E	273m SE	Balfour Beatty Living Places Ltd, Princess Street Depot, Princess Street, Rochdale, OL12 0HA	WEX159308	Storing waste exemption	Not on a Farm	Storage of waste in a secure place
F	290m NE	UNIT D13, FIELDHOUSE INDUSTRIAL ESTATE, FIELDHOUSE ROAD, ROCHDALE, OL12 0AA	WEX235924	Storing waste exemption	Not on a farm	Storage of waste in a secure place
F	290m NE	UNIT D13, FIELDHOUSE INDUSTRIAL ESTATE, FIELDHOUSE ROAD, ROCHDALE, OL12 0AA	WEX235924	Storing waste exemption	Not on a farm	Storage of waste in secure containers
F	290m NE	UNIT D13, FIELDHOUSE INDUSTRIAL ESTATE, FIELDHOUSE ROAD, ROCHDALE, OL12 0AA	WEX090380	Storing waste exemption	Not on a farm	Storage of waste in secure containers
F	290m NE	UNIT D13, FIELDHOUSE INDUSTRIAL ESTATE, FIELDHOUSE ROAD, ROCHDALE, OL12 0AA	WEX090380	Storing waste exemption	Not on a farm	Storage of waste in a secure place
F	311m N	Unit D13 Fieldhouse Ind Est Fieldhouse Road Rochdale OL12 0AA	EPR/VF0936W H/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in secure containers



ID	Location	Site	Reference	Category	Sub-Category	Description
F	311m N	Unit D13 Fieldhouse Ind Est Fieldhouse Road Rochdale OL12 0AA	EPR/VF0936W H/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in a secure place
F	311m N	Unit D13 Fieldhouse Ind Est Rochdale Lancs OL12 0AA	EPR/YF0335AB /A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in secure containers
F	311m N	Unit D13 Fieldhouse Ind Est Rochdale Lancs OL12 0AA	EPR/YF0335AB /A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in a secure place
F	328m N	Unit D7 Fieldhouse Industrial Estate Rochdale Lancashire OL12 0AA	EPR/AF0435N V/A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste for a specified purpose
F	328m N	B1 Rochdale lancashire OL12 0AA	EPR/SF0836YG /A001	Storing waste exemption	Both agricultural and non-agricultural waste	Storage of waste in a secure place
F	328m N	B1 Rochdale lancashire OL12 0AA	EPR/SF0836YG /A001	Treating waste exemption	Both agricultural and non-agricultural waste	Sorting mixed waste
F	328m N	B1 Rochdale lancashire OL12 0AA	EPR/SF0836YG /A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste for a specified purpose
F	328m N	B1 Rochdale lancashire OL12 0AA	EPR/SF0836YG /A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste to manufacture finished goods
F	328m N	Fieldhouse Industrial Estate Unit D5-D6 Fieldhouse Road ROCHDALE Lancashire OL12 0AA	EPR/EF0305P W/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in a secure place
F	328m N	Fieldhouse Industrial Estate Unit D5-D6 Fieldhouse Road ROCHDALE Lancashire OL12 0AA	EPR/EF0305P W/A001	Treating waste exemption	Non-Agricultural Waste Only	Preparatory treatments (baling, sorting, shredding etc)




ID	Location	Site	Reference	Category	Sub-Category	Description
F	349m N	CHD MANUFACTURING LTD, UNIT B1 FIELDHOUSE INDUSTRIAL ESTATE, FIELDHOUSE ROAD, ROCHDALE, OL120AA	WEX057917	Using waste exemption	Not on a farm	Burning of waste as a fuel in a small appliance
G	379m N	Grace Recycling Ltd Unit E 1 Fieldhouse Road OL120AA	EPR/HE5149LL /A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in secure containers
G	379m N	Grace Recycling Ltd Unit E 1 Fieldhouse Road OL120AA	EPR/HE5149LL /A001	Treating waste exemption	Non-Agricultural Waste Only	Cleaning, washing, spraying or coating relevant waste
H	418m SE	PIONEER HOUSE, REGENT STREET, ROCHDALE, OL12 0HQ	WEX254255	Storing waste exemption	Not on a farm	Storage of waste in a secure place
H	418m SE	PIONEER HOUSE, REGENT STREET, ROCHDALE, OL12 0HQ	WEX254255	Treating waste exemption	Not on a farm	Treatment of waste toner cartridges by sorting, dismantling, cleaning or refilling
H	418m SE	PIONEER HOUSE, REGENT STREET, ROCHDALE, OL12 0HQ	WEX194890	Treating waste exemption	Not on a farm	Treatment of waste toner cartridges by sorting, dismantling, cleaning or refilling
H	418m SE	PIONEER HOUSE, REGENT STREET, ROCHDALE, OL12 0HQ	WEX113338	Storing waste exemption	Not on a farm	Storage of waste in a secure place
H	418m SE	PIONEER HOUSE, REGENT STREET, ROCHDALE, OL12 0HQ	WEX113338	Treating waste exemption	Not on a farm	Treatment of waste toner cartridges by sorting, dismantling, cleaning or refilling
H	418m SE	PIONEER HOUSE, REGENT STREET, ROCHDALE, OL12 0HQ	WEX031551	Treating waste exemption	Not on a farm	Treatment of waste toner cartridges by sorting, dismantling, cleaning or refilling
H	422m SE	Pioneer House Regent Street ROCHDALE Lancashire OL12 0HQ	EPR/EH0276CE /A001	Treating waste exemption	Non-Agricultural Waste Only	Treatment of waste toner cartridges by sorting, dismantling, cleaning or refilling
6	466m N	Fieldhouse Industrial Estate Unit C15 Fieldhouse Road ROCHDALE Lancashire OL12 0AA	EPR/BE5383N R/A001	Using waste exemption	Non-Agricultural Waste Only	Burning of waste as a fuel in a small appliance

This data is sourced from the Environment Agency and Natural Resources Wales.



4 Current industrial land use



- Site Outline
- Search buffers in metres (m)
- Recent industrial land uses
- ▲ Current or recent petrol stations
- Licensed pollutant release (Part A(2)/B)
- Licensed Discharges to controlled waters
- Pollutant release to public sewer
- List 1 Dangerous Substances
- Pollution Incidents (EA/NRW)

4.1 Recent industrial land uses

Records within 250m

26

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on **page 52**

ID	Location	Company	Address	Activity	Category
A	On site	Electricity Sub Station	Greater Manchester, OL12	Electrical Features	Infrastructure and Facilities
B	19m E	Parkhills Hire Ltd	128-130, Whitworth Road, Rochdale, Greater Manchester, OL12 0JG	Vehicle Hire and Rental	Hire Services



ID	Location	Company	Address	Activity	Category
B	35m SE	Car Body Supplies Rochdale	114, Whitworth Road, Rochdale, Greater Manchester, OL12 OJG	Paints, Varnishes and Lacquers	Industrial Products
A	37m E	Sweet Things - Cakes by Rebecca	21, David Street, Rochdale, Greater Manchester, OL12 OJF	Baking and Confectionery	Foodstuffs
1	64m S	Electricity Sub Station	Greater Manchester, OL12	Electrical Features	Infrastructure and Facilities
C	110m S	Anwar & Co Failsworth Service Station	111, Whitworth Road, Rochdale, Greater Manchester, OL12 ORA	Petrol and Fuel Stations	Road and Rail
C	163m S	Saw Mills	Greater Manchester, OL12	Wood Products Including Charcoal, Paper, Card and Board	Industrial Products
D	187m E	Works	Greater Manchester, OL12	Unspecified Works Or Factories	Industrial Features
C	189m S	Kwik-Fit (GB) Limited	Whitworth Road, Rochdale, Greater Manchester, OL12 OQX	Vehicle Repair, Testing and Servicing	Repair and Servicing
2	192m S	Rochdale Ambulance Station	Whitehall Street, Rochdale, Greater Manchester, OL12 OLE	Ambulance and Medical Transportation Services	Health Support Services
3	198m N	Timeware UK	3, Fieldhouse Road, Rochdale, Greater Manchester, OL12 OAD	Office and Shop Equipment	Industrial Products
4	210m SW	Electricity Sub Station	Greater Manchester, OL12	Electrical Features	Infrastructure and Facilities
D	213m E	Pure Filters	Unit 1-2 Alma Industrial Estate, Regent Street, Rochdale, Greater Manchester, OL12 OHQ	Air and Water Filtration	Industrial Products
C	222m S	Spring Court Auto Centre & Motorcycle Centre	Spring Court Autocare, Howard Street, Rochdale, Greater Manchester, OL12 OLU	Vehicle Repair, Testing and Servicing	Repair and Servicing
C	226m S	M O T Test & Repair Centre	70, Whitworth Road, Rochdale, Greater Manchester, OL12 OEZ	Vehicle Repair, Testing and Servicing	Repair and Servicing
C	226m S	The M O T & Repair Centre	70, Whitworth Road, Rochdale, Greater Manchester, OL12 OEZ	Vehicle Repair, Testing and Servicing	Repair and Servicing



ID	Location	Company	Address	Activity	Category
5	229m SE	Works	Greater Manchester, OL12	Unspecified Works Or Factories	Industrial Features
E	235m N	Cleansing Service Group Ltd	Unit F1-F4 Fieldhouse Industrial Estate, Fieldhouse Road, Rochdale, Greater Manchester, OL12 0AA	Recycling, Reclamation and Disposal	Recycling Services
F	237m SE	Electricity Sub Station	Greater Manchester, OL12	Electrical Features	Infrastructure and Facilities
C	237m S	N R G Telecom Ltd	33, Princess Street, Rochdale, Greater Manchester, OL12 0HA	Radar and Telecommunications Equipment	Industrial Products
6	238m SW	Electricity Sub Station	Greater Manchester, OL12	Electrical Features	Infrastructure and Facilities
E	238m N	Astra Alarm Systems Ltd	Unit F5 Fieldhouse Industrial Estate, Fieldhouse Road, Rochdale, Greater Manchester, OL12 0AA	Electronic Equipment	Industrial Products
G	241m SW	Rochdale M R I Centre	Whitehall Street, Rochdale, Greater Manchester, OL12 0NB	Medical Equipment, Supplies and Pharmaceuticals	Industrial Products
G	241m SW	Rochdale Infirmary	Whitehall Street, Rochdale, Greater Manchester, OL12 0NB	Hospitals	Health Practitioners and Establishments
C	244m S	Discount Clearance Centre	80, Howard Street, Rochdale, Greater Manchester, OL12 0LU	Distribution and Haulage	Transport, Storage and Delivery
F	245m SE	Nexus Drink Systems Ltd	Unit 6 Alma Industrial Estate, Regent Street, Rochdale, Greater Manchester, OL12 0HQ	Food and Beverage Industry Machinery	Industrial Products

This data is sourced from Ordnance Survey.

4.2 Current or recent petrol stations

Records within 500m

1

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on **page 52**

ID	Location	Company	Address	LPG	Status
C	135m S	TEXACO	111, Whitworth Road, Rochdale, Greater Manchester, OL12 0RA	No	Open

This data is sourced from Experian.



4.3 Electricity cables

Records within 500m**0**

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.4 Gas pipelines

Records within 500m**0**

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.5 Sites determined as Contaminated Land

Records within 500m**0**

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.6 Control of Major Accident Hazards (COMAH)

Records within 500m**0**

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.

4.7 Regulated explosive sites

Records within 500m**0**

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.



4.8 Hazardous substance storage/usage

Records within 500m

0

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.9 Historical licensed industrial activities (IPC)

Records within 500m

0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.10 Licensed industrial activities (Part A(1))

Records within 500m

0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m

4

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on **page 52**

ID	Location	Address	Details	
A	15m E	Imperial Dry Cleaners, 160 Whitworth Road, Rochdale, Lancashire, OL12 0JG	Process: Dry Cleaning Status: Current Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

ID	Location	Address	Details	
C	153m S	Manson Timber, Whitworth Road, Rochdale	Process: Timber Manufacture Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified
7	317m S	Anwar and Co Ltd, Whitworth Road Service Station, 111 Whitworth Road, Rochdale, Lancashire, OL12 ORA	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified
I	349m N	Goreforce Ltd T/A Rochdale Wood Products, Unit D6, Fieldhouse Industrial Estate, Fieldhouse Road, Rochdale, Lancashire, OL12 OAA	Process: Coating Processes Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

This data is sourced from Local Authority records.

4.12 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Licensed Discharges to controlled waters

Records within 500m

5

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on **page 52**

ID	Location	Address	Details	
H	264m NE	GREENBANK ROAD/ROSSALL ROAD CSO, 55 GREENBANK ROAD, ROCHDALE, GREATER MANCHESTER, OL12 OEN	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: EPRQB3593VE Permit Version: 1 Receiving Water: FOXHOLES BROOK	Status: VARIED UNDER EPR 2010 Issue date: 05/03/2020 Effective Date: 05/03/2020 Revocation Date: -



ID	Location	Address	Details	
H	284m NE	GREENBANK ROAD/ROSSALL ROAD CSO, 55 GREENBANK ROAD, ROCHDALE, GREATER MANCHESTER, OL12 OEN	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01ROC0127 Permit Version: 1 Receiving Water: -	Status: REVOKED - UNSPECIFIED Issue date: - Effective Date: 01/04/1991 Revocation Date: 31/12/1994
H	284m NE	GREENBANK ROAD/ROSSALL ROAD CSO, 55 GREENBANK ROAD, ROCHDALE, GREATER MANCHESTER, OL12 OEN	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01ROC0127 Permit Version: 2 Receiving Water: .	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: - Effective Date: 01/01/1995 Revocation Date: 04/03/2020
9	432m N	RIVERSIDE TRADING, UNITS B3/B4, FIELDHOUSE INDUSTRIAL ESTATE, ROCHDALE, GREATER MANCHESTER, OL12 OAA	Effluent Type: TRADE DISCHARGES - COOLING WATER Permit Number: 016993343 Permit Version: 1 Receiving Water: FOXHOLES BK, TRIB OF HEY BK	Status: REVOKED - UNSPECIFIED Issue date: 18/06/1999 Effective Date: 18/06/1999 Revocation Date: 10/03/2003
10	497m N	FIELDHOUSE MILL PS, ROCHDALE, GREATER MANCHESTER	Effluent Type: SEWAGE DISCHARGES - PUMPING STATION - WATER COMPANY Permit Number: 016982946 Permit Version: 1 Receiving Water: FOXHOLES BROOK	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: - Effective Date: 17/11/1995 Revocation Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m

0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to public sewer

Records within 500m

1

Discharges of Special Category Effluents to the public sewer.

Features are displayed on the Current industrial land use map on **page 52**



ID	Location	Address	Details	
8	329m N	TOWNHEAD ELECTROPLATING SERVICES, UNITS E3 AND E4, FIELDHOUSE MILL, FIELDHOUSE IND EST, ROCHDALE, LANCASHIRE, OL12 0AA	Permission reference: BK4669 Local Authority: ROCHDALE METROPOLITAN BOROUGH COUNCIL First received date: 01/06/2001	Last received date: 01/01/2015 Status: RECEIVED

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 1 Dangerous Substances

Records within 500m

1

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

Features are displayed on the Current industrial land use map on **page 52**

ID	Location	Name	Status	Receiving Water	Authorised Substances
I	341m N	Townhead Electroplating	Active	River Roch, Manchester Ship Canal	Cadmium

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 2 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m

1

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on **page 52**

ID	Location	Details	
B	71m SE	Incident Date: 06/07/2001 Incident Identification: 14171 Pollutant: Inert Materials and Wastes Pollutant Description: Construction and Demolition Materials and Wastes	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution inventory substances

Records within 500m	0
----------------------------	----------

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m	0
----------------------------	----------

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.


4.21 Pollution inventory radioactive waste

Records within 500m	0
----------------------------	----------

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

5 Hydrogeology - Superficial aquifer



— Site Outline

Search buffers in metres (m)

- Principal
- Secondary A
- Secondary B
- Secondary Undifferentiated
- Unproductive
- Unknown

© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

5.1 Superficial aquifer

Records within 500m

2

Aquifer status of groundwater held within superficial geology.


Features are displayed on the Hydrogeology map on **page 61**

ID	Location	Designation	Description
1	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
2	222m E	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive

© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

5.2 Bedrock aquifer

Records within 500m

2

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on **page 63**


ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	222m E	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers



This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



— Site Outline

Search buffers in metres (m)

Superficial vulnerability

- Principal superficial aquifer, high vulnerability
- Secondary superficial aquifer, high vulnerability
- Principal superficial aquifer, medium vulnerability
- Secondary superficial aquifer, medium vulnerability
- Principal superficial aquifer, low vulnerability
- Secondary superficial aquifer, low vulnerability

Bedrock vulnerability

- Principal bedrock aquifer, high vulnerability
- Secondary bedrock aquifer, high vulnerability
- Principal bedrock aquifer, medium vulnerability
- Secondary bedrock aquifer, medium vulnerability
- Principal bedrock aquifer, low vulnerability
- Secondary bedrock aquifer, low vulnerability

Other information

- Unproductive aquifer
- Soluble rock risk
- Local information

5.3 Groundwater vulnerability

Records within 50m

1

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 65**

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary bedrock aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: >550mm/year	Vulnerability: Low Aquifer type: Secondary Thickness: <3m Patchiness value: <90% Recharge potential: Low	Vulnerability: Medium Aquifer type: Secondary Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site	0
------------------------	----------

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.


5.5 Groundwater vulnerability- local information

Records on site	0
------------------------	----------

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk.

This data is sourced from the British Geological Survey and the Environment Agency.

Abstractions and Source Protection Zones



- Site Outline
- Search buffers in metres (m)**
- Source Protection Zone 1
Inner catchment
- Source Protection Zone 2
Outer catchment
- Source Protection Zone 3
Total catchment
- Source Protection Zone 4
Zone of Special Interest
- Source Protection Zone 1c
Inner catchment - confined aquifer
- Source Protection Zone 2c
Outer catchment - confined aquifer
- Source Protection Zone 3c
Total catchment - confined aquifer
- Drinking water abstraction licences
Point features
- Drinking water abstraction licences
Polygon features
- Drinking water abstraction licences
Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m

3

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 67**

ID	Location	Details	
-	1294m SW	Status: Historical Licence No: 2569002050 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PREMISES, SPOTLAND, ROCHDALE" Data Type: Point Name: ALEXANDER DREW & SONS LTD Easting: 388700 Northing: 413500	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 10/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 02/05/2000 Version End Date: -
-	1294m SW	Status: Historical Licence No: 2569002050 Details: Process water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES, SPOTLAND, ROCHDALE Data Type: Point Name: ALEXANDER DREW LTD. Easting: 388700 Northing: 413500	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 10/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/04/2003 Version End Date: -
-	1294m SW	Status: Historical Licence No: 2569002050 Details: Process water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES SPOTLAND ROCHDALE Data Type: Point Name: ALEXANDER DREW LTD Easting: 388700 Northing: 413500	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2100 Original Application No: - Original Start Date: 10/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/04/2003 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

19

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 67**



ID	Location	Details	
A	432m N	Status: Historical Licence No: 2569002268 Details: Non-Evaporative Cooling Direct Source: "Surface, Non-Tidal - North West Region" Point: "FOXHOLES BROOK AT FIELDHOUSE INDUSTRIAL ESTATE, ROCHDALE" Data Type: Point Name: RIVERSIDE TRADING LTD Easting: 389700 Northing: 414800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 10/11/1998 Version End Date: -
A	432m N	Status: Historical Licence No: 2569002268 Details: Non-Evaporative Cooling Direct Source: Surface, Non-Tidal - North West Region Point: FOXHOLES BROOK AT FIELDHOUSE INDUSTRIAL ESTATE, ROCHDALE Data Type: Point Name: RIVERSIDE TRADING LTD Easting: 389700 Northing: 414800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 10/11/1998 Version End Date: -
-	958m S	Status: Active Licence No: NW/069/0002/003 Details: Transfer Between Sources (Post Water Act 2003) Direct Source: Surface, Non-Tidal - North West Region Point: RIVER ROCH AT ROCHDALE WEIR Data Type: Point Name: Transport for Greater Manchester Easting: 389916 Northing: 413325	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/06/2010 Expiry Date: 31/03/2026 Issue No: 2 Version Start Date: 23/06/2011 Version End Date: -
-	958m S	Status: Active Licence No: NW/069/0002/001 Details: Hydroelectric Power Generation Direct Source: Surface, Non-Tidal - North West Region Point: RIVER ROCH AT ROCHDALE WEIR Data Type: Point Name: Transport for Greater Manchester Easting: 389917 Northing: 413325	Annual Volume (m ³): 36,100,000 Max Daily Volume (m ³): 164,160 Original Application No: - Original Start Date: 15/06/2010 Expiry Date: 31/03/2026 Issue No: 2 Version Start Date: 01/04/2015 Version End Date: -

ID	Location	Details	
-	1115m NE	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY[12]" Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 390200 Northing: 415400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1115m NE	Status: Active Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY[12] Data Type: Point Name: United Utilities Water Ltd Easting: 390200 Northing: 415400	Annual Volume (m ³): 5,909,800 Max Daily Volume (m ³): 5,909,800 Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1126m SE	Status: Historical Licence No: 2569002249 Details: Process water Direct Source: "Surface, Non-Tidal - North West Region" Point: "RIVER ROCH AT MELLOROID WORKS, BELFIELD ROAD" Data Type: Point Name: BRITISH MILLERAIN 1922 CO LTD Easting: 390800 Northing: 413800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 04/11/1991 Expiry Date: - Issue No: 100 Version Start Date: 04/11/1991 Version End Date: -
-	1126m SE	Status: Historical Licence No: 2569002249 Details: Process water Direct Source: Surface, Non-Tidal - North West Region Point: RIVER ROCH AT MELLOROID WORKS, BELFIELD ROAD Data Type: Point Name: BRITISH MILLERAIN 1922 CO LTD Easting: 390800 Northing: 413800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 04/11/1991 Expiry Date: - Issue No: 100 Version Start Date: 04/11/1991 Version End Date: -

ID	Location	Details	
-	1126m SE	Status: Historical Licence No: 2569002249 Details: Process Water Direct Source: Surface, Non-Tidal - North West Region Point: RIVER ROCH AT MELLOROID WORKS BELFIELD ROAD Data Type: Point Name: BRITISH MILLERAIN 1922 CO LTD Easting: 390800 Northing: 413800	Annual Volume (m ³): 213662 Max Daily Volume (m ³): 1136.49 Original Application No: - Original Start Date: 04/11/1991 Expiry Date: - Issue No: 100 Version Start Date: 04/11/1991 Version End Date: -
-	1527m W	Status: Historical Licence No: 2569002018 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Surface, Non-Tidal - North West Region Point: LODGE FED BY R SPODDEN AT ROCHDALE Data Type: Point Name: FLEXITALLIC LTD Easting: 388200 Northing: 414500	Annual Volume (m ³): 1500211.393 Max Daily Volume (m ³): 4546.095 Original Application No: - Original Start Date: 14/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 11/04/1997 Version End Date: -
-	1527m W	Status: Historical Licence No: 2569002018 Details: Boiler Feed Direct Source: Surface, Non-Tidal - North West Region Point: LODGE FED BY R SPODDEN AT ROCHDALE Data Type: Point Name: FLEXITALLIC LTD Easting: 388200 Northing: 414500	Annual Volume (m ³): 1500211.393 Max Daily Volume (m ³): 4546.095 Original Application No: - Original Start Date: 14/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 11/04/1997 Version End Date: -
-	1527m W	Status: Historical Licence No: 2569002018 Details: Process Water Direct Source: Surface, Non-Tidal - North West Region Point: LODGE FED BY R SPODDEN AT ROCHDALE Data Type: Point Name: FLEXITALLIC LTD Easting: 388200 Northing: 414500	Annual Volume (m ³): 1500211.393 Max Daily Volume (m ³): 4546.095 Original Application No: - Original Start Date: 14/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 11/04/1997 Version End Date: -

ID	Location	Details	
-	1835m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY*30" Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416200	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1835m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY*30 Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416200	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1835m N	Status: Active Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY Data Type: Point Name: United Utilities Water Ltd Easting: 389600 Northing: 416200	Annual Volume (m ³): 5,909,800 Max Daily Volume (m ³): 5,909,800 Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1934m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY107 Data Type: Point Name: NORTH WEST WATER LTD Easting: 389600 Northing: 416300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -



ID	Location	Details	
-	1934m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY\$107" Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1934m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY\$107 Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1934m N	Status: Active Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY Data Type: Point Name: United Utilities Water Ltd Easting: 389600 Northing: 416300	Annual Volume (m ³): 5,909,800 Max Daily Volume (m ³): 5,909,800 Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m

9

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 67**



ID	Location	Details	
-	1115m NE	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY[12" Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 390200 Northing: 415400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1115m NE	Status: Active Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY[12 Data Type: Point Name: United Utilities Water Ltd Easting: 390200 Northing: 415400	Annual Volume (m ³): 5,909,800 Max Daily Volume (m ³): 5,909,800 Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1835m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY*30" Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416200	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1835m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY*30 Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416200	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -



ID	Location	Details	
-	1835m N	Status: Active Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY Data Type: Point Name: United Utilities Water Ltd Easting: 389600 Northing: 416200	Annual Volume (m ³): 5,909,800 Max Daily Volume (m ³): 5,909,800 Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1934m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY107 Data Type: Point Name: NORTH WEST WATER LTD Easting: 389600 Northing: 416300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1934m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY\$107" Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -
-	1934m N	Status: Historical Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY\$107 Data Type: Point Name: UNITED UTILITIES WATER PLC Easting: 389600 Northing: 416300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -

ID	Location	Details	
-	1934m N	Status: Active Licence No: 2569002193 Details: Potable Water Supply - Direct Direct Source: Surface, Non-Tidal - North West Region Point: WATERGROVE, BROWN HOUSE WHAM, HAMER PASTURE AND BUCKLEY Data Type: Point Name: United Utilities Water Ltd Easting: 389600 Northing: 416300	Annual Volume (m ³): 5,909,800 Max Daily Volume (m ³): 5,909,800 Original Application No: - Original Start Date: 22/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 22/03/1966 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m	0
----------------------------	----------

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m	0
----------------------------	----------

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.

6 Hydrology



© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

- Site Outline
- Search buffers in metres (m)
- Water Network (OS MasterMap)
- Surface water features (wider than 5m)
- Surface water features (narrower than 5m)
- ⋯ WFD River, canal and surface water transfer water bodies
- WFD Lake water bodies
- WFD Transitional and coastal water bodies
- WFD Surface water body catchments boundaries
- WFD Groundwater body boundaries

6.1 Water Network (OS MasterMap)

Records within 250m

0

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

This data is sourced from the Ordnance Survey.

6.2 Surface water features

Records within 250m

0

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on **page 77**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
2	On site	River	Roch (Source to Spodden)	GB112069064720	Roch Irk Medlock	Irwell

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified

1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 77**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	664m E	River	Roch (Source to Spodden)	GB112069064720	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.



6.5 WFD Groundwater bodies

Records on site

1

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on **page 77**

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
1	On site	Northern Manchester Carboniferous Aquifers	<u>GB41202G101800</u>	Poor	Poor	Good	2019

This data is sourced from the Environment Agency and Natural Resources Wales.



7 River and coastal flooding

7.1 Risk of flooding from rivers and the sea

Records within 50m**0**

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m**0**

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m**0**

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.



7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.



River and coastal flooding - Flood Zones

7.6 Flood Zone 2

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

8 Surface water flooding



— Site Outline

Search buffers in metres (m)

1 in 1000 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 250 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 100 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 30 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

8.1 Surface water flooding

Highest risk on site

Negligible

Highest risk within 50m

1 in 30 year, 0.1m - 0.3m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on **page 83**

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.

The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Negligible
1 in 250 year	Negligible
1 in 100 year	Negligible
1 in 30 year	Negligible

This data is sourced from Ambiental Risk Analytics.



9 Groundwater flooding



— Site Outline
Search buffers in metres (m)

- High
- Moderate - High
- Moderate
- Low
- Negligible

9.1 Groundwater flooding

Highest risk on site

Low

Highest risk within 50m


Low

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on **page 85**

This data is sourced from Ambiental Risk Analytics.

10 Environmental designations



- Site Outline
- Search buffers in metres (m)
- Sites of Special Scientific Interest (SSSI)
- + Special Areas of Conservation (SAC)
- + Local Nature Reserves (LNR)
- X Designated Ancient Woodland
- Green Belt

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

2

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

Features are displayed on the Environmental designations map on **page 86**

ID	Location	Name	Data source
-	1924m E	Rochdale Canal	Natural England



ID	Location	Name	Data source
-	1936m S	Rochdale Canal	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m	0
-----------------------------	----------

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m	2
-----------------------------	----------

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

Features are displayed on the Environmental designations map on **page 86**

ID	Location	Name	Features of interest	Habitat description	Data source
-	1924m E	Rochdale Canal	Floating water-plantain.	Other land (including Towns, Villages, Roads, Waste places, Mines, Industrial sites); Inland water bodies (Standing water, Running water)	Natural England
-	1936m S	Rochdale Canal	Floating water-plantain.	Other land (including Towns, Villages, Roads, Waste places, Mines, Industrial sites); Inland water bodies (Standing water, Running water)	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m**0**

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m**0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m**1**

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

Features are displayed on the Environmental designations map on **page 86**

ID	Location	Name	Data source
-	1579m W	Healey Dell	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m**3**

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on **page 86**

ID	Location	Name	Woodland Type
A	1334m NE	Buckley Wood	Ancient & Semi-Natural Woodland
A	1361m NE	Buckley Wood	Ancient Replanted Woodland
-	1913m NW	Unknown	Ancient & Semi-Natural Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

4

Areas designated to prevent urban sprawl by keeping land permanently open.

Features are displayed on the Environmental designations map on **page 86**

ID	Location	Name	Local Authority name
1	656m NE	Merseyside and Greater Manchester	Rochdale
-	1514m W	Merseyside and Greater Manchester	Rochdale
-	1763m N	Merseyside and Greater Manchester	Rossendale
-	1836m NW	Merseyside and Greater Manchester	Rochdale

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m **0**

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m **0**

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m **0**

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones

Records within 2000m


0

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

This data is sourced from Natural England and Natural Resources Wales.



SSSI Impact Zones and Units



- Site Outline
- Search buffers in metres (m)
- SSSI Impact Risk Zones
- SSSI Units
- Not recorded
- Favourable
- Unfavourable - Recovering
- Unfavourable - No change
- Unfavourable - Declining
- Partially destroyed
- Destroyed

10.17 SSSI Impact Risk Zones

Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on **page 92**

ID	Location	Type of developments requiring consultation
1	On site	Infrastructure - Pipelines, pylons and overhead cables. any transport proposal including road, rail and by water (excluding routine maintenance). airports, helipads and other aviation proposals. Minerals, Oil and Gas - Planning applications for quarries, including: new proposals, review of minerals permissions (romp), extensions, variations to conditions etc. oil & gas exploration/extraction. Air pollution - Any industrial/agricultural development that could cause air pollution (incl: industrial processes, livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 200m², manure stores > 250t). Combustion - General combustion processes >20mw energy input. incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion. Waste - Landfill. incl: inert landfill, non-hazardous landfill, hazardous landfill. Composting - Any composting proposal with more than 75000 tonnes maximum annual operational throughput. incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management. Water supply - Large infrastructure such as warehousing / industry where total net additional gross internal floorspace following development is 1,000m² or more.

This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m	2
-----------------------------	----------

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

Features are displayed on the SSSI Impact Zones and Units map on **page 92**

ID: -
 Location: 1924m E
 SSSI name: Rochdale Canal
 Unit name: Failsworth
 Broad habitat: Standing Open Water And Canals
 Condition: Unfavourable - Recovering
 Reportable features:

Feature name	Feature condition	Date of assessment
Population of Schedule 8 plant - Luronium natans, Floating Water-plantain	Unfavourable - Recovering	25/11/2010

ID: -
Location: 1936m S
SSSI name: Rochdale Canal
Unit name: Failsworth
Broad habitat: Standing Open Water And Canals
Condition: Unfavourable - Recovering
Reportable features:

Feature name	Feature condition	Date of assessment
Population of Schedule 8 plant - Luronium natans, Floating Water-plantain	Unfavourable - Recovering	25/11/2010

This data is sourced from Natural England and Natural Resources Wales.



11 Visual and cultural designations

11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m

0

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.



This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m

0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m

0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m


0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.



12 Agricultural designations



- Site Outline
- Search buffers in metres (m)
- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

12.1 Agricultural Land Classification

Records within 250m

1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on **page 97**

ID	Location	Classification	Description
1	On site	Urban	-

This data is sourced from Natural England.



12.2 Open Access Land

Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m

0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m

0

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.

13 Habitat designations



- Site Outline
- Search buffers in metres (m)
- Priority Habitat Inventory
- Open Mosaic Habitat
- Limestone Pavement Orders
- Habitat Networks
- Primary Habitat
- Restorable Habitat
- Associated Habitats
- Habitat Restoration-Creation
- Network Enhancement Zone 1
- Network Enhancement Zone 2

13.1 Priority Habitat Inventory

Records within 250m

1

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on **page 99**

ID	Location	Main Habitat	Other habitats
1	227m E	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.



13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m


0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



— Site Outline
Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

14.1 10k Availability

Records within 500m

2

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on **page 101**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	SD81SE
2	222m E	Full	Full	Full	Full	SD91SW

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Artificial and made ground



- Site Outline**
- Search buffers in metres (m)**
- Reclaimed ground
 - Made ground
 - Worked ground
 - Infilled ground
 - Disturbed ground
 - Landscaped ground

14.2 Artificial and made ground (10k)

Records within 500m

7

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on **page 102**

ID	Location	LEX Code	Description	Rock description
A	179m E	WMGR-ARTDP	Infilled Ground	Artificial Deposit
A	187m E	WGR-VOID	Worked Ground (Undivided)	Void
1	222m E	WMGR-ARTDP	Infilled Ground	Artificial Deposit
A	230m E	WGR-VOID	Worked Ground (Undivided)	Void




ID	Location	LEX Code	Description	Rock description
2	262m NE	WMGR-ARTDP	Infilled Ground	Artificial Deposit
3	345m NE	WGR-VOID	Worked Ground (Undivided)	Void
4	475m NW	WMGR-ARTDP	Infilled Ground	Artificial Deposit

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial



— Site Outline

Search buffers in metres (m)

 Landslip (10k)

Superficial geology (10k)
Please see table for more details.

14.3 Superficial geology (10k)

Records within 500m

2

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on **page 104**

ID	Location	LEX Code	Description	Rock description
1	On site	TILLD-DMTN	Till, Devensian - Diamicton	Diamicton
2	222m E	TILLD-DMTN	Till, Devensian - Diamicton	Diamicton

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m


0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock



Site Outline

Search buffers in metres (m)

..... Bedrock faults and other linear features (10k)

Bedrock geology (10k)
Please see table for more details.

14.5 Bedrock geology (10k)

Records within 500m

8

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 106**

ID	Location	LEX Code	Description	Rock age
1	On site	OL-SDST	Old Lawrence Rock - Sandstone	Langsettian Sub-age
2	163m NE	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age
3	174m SW	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age

ID	Location	LEX Code	Description	Rock age
4	222m E	OL-SDST	Old Lawrence Rock - Sandstone	Langsettian Sub-age
5	229m E	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age
6	376m SW	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age
7	438m NE	MLRS-SDST	Milnrow Sandstone - Sandstone	Langsettian Sub-age
9	457m NE	MLRS-SDST	Milnrow Sandstone - Sandstone	Langsettian Sub-age

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m

2

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.


Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 106**

ID	Location	Category	Description
8	438m NE	FAULT	Normal fault, inferred; crossmarks on downthrow side
10	457m NE	FAULT	Normal fault, inferred; crossmarks on downthrow side

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



— Site Outline
Search buffers in metres (m)

□ Geological map tile

© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on **page 108**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	Full	EW076_rochdale_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground



— Site Outline
Search buffers in metres (m)

- Made ground
- Worked ground
- Infilled ground
- Disturbed ground
- Landscaped ground

15.2 Artificial and made ground (50k)

Records within 500m

1

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on **page 109**

ID	Location	LEX Code	Description	Rock description
1	474m NW	WMGR-ARTDP	INFILLED GROUND	ARTIFICIAL DEPOSIT

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m

0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

Superficial geology (50k)
Please see table for more details.

111

15.5 Superficial permeability (50k)

Records within 50m**1**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Mixed	High	Low

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m**0**

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.


15.7 Landslip permeability (50k)

Records within 50m**0**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

.... Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

5

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 113**

ID	Location	LEX Code	Description	Rock age
1	On site	OL-SDST	OLD LAWRENCE ROCK - SANDSTONE	WESTPHALIAN
2	163m NE	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
3	174m SW	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN



ID	Location	LEX Code	Description	Rock age
4	376m SW	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
5	438m NE	MLRS-SDST	MILNROW SANDSTONE - SANDSTONE	WESTPHALIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m

1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	High	Moderate

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m

1


Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 113**

ID	Location	Category	Description
6	438m NE	FAULT	Fault, inferred

This data is sourced from the British Geological Survey.

16 Boreholes



— Site Outline
Search buffers in metres (m)

- Confidential
- 0 - 10m
- 10 - 30m
- 30m+
- Unknown

16.1 BGS Boreholes

Records within 250m

4

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on **page 115**

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	207m SW	389610 414110	ROCHDALE INFIRMARY BH10	4.25	N	30220
2	211m SW	389560 414160	ROCHDALE INFIRMARY BH13	6.15	N	30223
A	227m SW	389570 414120	ROCHDALE INFIRMARY BH12	4.2	N	30222





ID	Location	Grid reference	Name	Length	Confidential	Web link
A	234m SW	389580 414100	ROCHDALE INFIRMARY BH9	5.0	N	30219

This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

17.1 Shrink swell clays

Records within 50m

1

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).



Features are displayed on the Natural ground subsidence - Shrink swell clays map on **page 117**

Location	Hazard rating	Details
On site	Very low	Ground conditions predominantly low plasticity.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Running sands



© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

17.2 Running sands

Records within 50m

1

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.


Features are displayed on the Natural ground subsidence - Running sands map on **page 118**

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m

1

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.


Features are displayed on the Natural ground subsidence - Compressible deposits map on **page 119**

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Collapsible deposits



— Site Outline
Search buffers in metres (m)

- ☐ No data
- ☐ Negligible
- ☒ Very low
- ☐ Low
- ☐ Moderate
- ☐ High

© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

17.4 Collapsible deposits

Records within 50m

1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.



Features are displayed on the Natural ground subsidence - Collapsible deposits map on **page 120**

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on **page 121**

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.


Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on **page 122**

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

This data is sourced from the British Geological Survey.



18 Mining, ground workings and natural cavities



- Site Outline
- Search buffers in metres (m)
- Natural cavities (Area)
- Natural cavities (Point)
- BritPits
- Surface ground workings
- Underground workings
- Historical Mineral Planning Areas
- Mining Cavities
- Non Coal Mining
- Sporadic underground mining of restricted extent possible
- Localised small scale underground mining possible
- Small scale mining possible
- Underground mining known or likely within or in close proximity
- Underground mining known within or in very close proximity

18.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

18.2 BritPits

Records within 500m

1

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining, ground workings and natural cavities map on **page 124**

ID	Location	Details	Description
A	182m S	Name: Green Hayes Clay Pit Address: Town Head, ROCHDALE, Lancashire Commodity: Clay & Shale Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m

31

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining, ground workings and natural cavities map on **page 124**

ID	Location	Land Use	Year of mapping	Mapping scale
A	142m S	Clay Pit	1851	1:10560
A	156m S	Pond	1851	1:10560
1	182m NE	Unspecified Ground Workings	1890	1:10560
B	190m E	Cuttings	1992	1:10000
B	190m E	Cuttings	1987	1:10000
B	190m E	Cuttings	1975	1:10000
B	190m E	Cuttings	1949	1:10560
B	191m E	Cuttings	1968	1:10560
B	192m E	Cuttings	1928	1:10560
B	192m E	Cuttings	1908	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
B	192m E	Cuttings	1938	1:10560
B	192m E	Cuttings	1890	1:10560
C	199m NE	Cuttings	1928	1:10560
C	199m NE	Cuttings	1908	1:10560
C	200m NE	Cuttings	1938	1:10560
C	203m NE	Cuttings	1890	1:10560
D	205m NE	Cuttings	1949	1:10560
C	211m NE	Cuttings	1992	1:10000
C	211m NE	Cuttings	1987	1:10000
C	211m NE	Cuttings	1975	1:10000
B	213m E	Unspecified Heap	1890	1:10560
B	226m E	Pond	1851	1:10560
B	231m E	Pond	1890	1:10560
3	232m N	Refuse Heap	1890	1:10560
E	235m NW	Unspecified Heap	1968	1:10560
E	235m NW	Unspecified Heap	1928	1:10560
E	235m NW	Unspecified Heap	1908	1:10560
B	240m E	Unspecified Ground Workings	1908	1:10560
E	240m NW	Unspecified Heaps	1938	1:10560
B	241m E	Unspecified Pit	1890	1:10560
E	243m NW	Unspecified Ground Workings	1949	1:10560

This data is sourced from Ordnance Survey/Groundsure.

18.4 Underground workings

Records within 1000m

3

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

Features are displayed on the Mining, ground workings and natural cavities map on **page 124**



ID	Location	Land Use	Year of mapping	Mapping scale
E	236m NW	Unspecified Old Shaft	1928	1:10560
E	245m NW	Unspecified Disused Shaft	1968	1:10560
E	247m NW	Unspecified Old Shaft	1890	1:10560

This data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

2

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

Features are displayed on the Mining, ground workings and natural cavities map on **page 124**

ID	Location	Site Name	Mineral	Type	Planning Status	Planning Status Date
2	209m NW	Rochdale Brick	Shale, clay	Surface mineral working	Refused	2/3/77
J	412m NW	Rochdale Brick	Shale, clay	Surface mineral working	Valid	22/6/48

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m

0

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

This data is sourced from the British Geological Survey.

18.7 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.



18.8 JPB mining areas

Records on site	0
-----------------	---

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.9 Coal mining

Records on site	1
-----------------	---

Areas which could be affected by past, current or future coal mining.

Location	Details
On site	The site is located within a coal mining area as defined by the Coal Authority. A Consultants Coal Mining Report is recommended to further assess coal mining issues at the site. This can be ordered directly through Groundsure or your preferred search provider.

This data is sourced from the Coal Authority.

18.10 Brine areas

Records on site	0
-----------------	---

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.11 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.



18.13 Clay mining


Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).



19 Radon



— Site Outline
Search buffers in metres (m)

- Greater than 30%
- Between 10% and 30%
- Between 5% and 10%
- Between 3% and 5%
- Between 1% and 3%
- Less than 1%

19.1 Radon

Records on site

1

Estimated percentage of dwellings exceeding the Radon Action Level. This data is the highest resolution radon dataset available for the UK and is produced to a 75m level of accuracy to allow for geological data accuracy and a 'residential property' buffer. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain. The data was derived from both geological assessments and long term measurements of radon in more than 479,000 households.

Features are displayed on the Radon map on **page 130**

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None**

This data is sourced from the British Geological Survey and Public Health England.



20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m

1

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	600 - 1200 mg/kg	360 - 720 mg/kg	2.2 - 3.0 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.

20.3 BGS Measured Urban Soil Chemistry

Records within 50m

0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



21 Railway infrastructure and projects



- Site Outline
- Search buffers in metres (m)
- C1 Crossrail 1 Stations
- Crossrail 1 Route
- Crossrail 1 Worksites
- C2 Crossrail 2 Stations
- Crossrail 2 Route
- Crossrail 2 Worksites
- Crossrail 2 Safeguarding
- Crossrail 2 Headhouses
- Railway stations
- Active railways
- Active tunnels
- Abandoned railways
- Historic railways
- Historic tunnels
- Underground stations
- Underground Lines
- Royal Mail tunnels
- HS2 optimised route
- HS2 Stations
- HS2 Depots
- HS2 Surface Safeguarding
- HS2 Subsurface Safeguarding

21.1 Underground railways (London)

Records within 250m

0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m

0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.



This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m

0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m

31

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

Features are displayed on the Railway infrastructure and projects map on **page 132**

Location	Land Use	Year of mapping	Mapping scale
173m E	Railway	1893	-
173m E	Railway	1908	-
173m E	Railway Sidings	1949	10560
173m E	Railway Sidings	1938	10560
173m E	Railway Sidings	1891	10560
177m E	Railway Sidings	1928	10560
177m E	Railway Sidings	1908	10560
177m E	Railway Sidings	1968	10560
187m E	Railway Sidings	1938	10560
187m E	Railway Sidings	1928	10560
187m E	Railway Sidings	1908	10560
197m N	Railway Sidings	1938	10560
199m E	Railway Sidings	1910	2500
199m E	Railway Sidings	1930	2500
199m E	Railway Sidings	1939	2500
199m E	Railway Sidings	1959	2500
201m E	Railway Sidings	1958	1250



Location	Land Use	Year of mapping	Mapping scale
202m N	Railway Sidings	1928	10560
202m N	Railway Sidings	1908	10560
203m E	Railway Sidings	1890	2500
210m N	Railway Sidings	1949	10560
215m N	Railway Sidings	1910	2500
215m N	Railway Sidings	1930	2500
215m N	Railway Sidings	1939	2500
218m E	Railway Sidings	1890	2500
221m E	Railway Sidings	1958	2500
222m E	Railway Sidings	1967	10560
222m E	Railway Sidings	1954	10560
226m NE	Railway Sidings	1968	1250
227m NE	Railway Sidings	1958	1250
227m E	Railway Sidings	1959	1250

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m

0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m

1

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

Features are displayed on the Railway infrastructure and projects map on **page 132**



Location	Description
217m E	Abandoned

This data is sourced from OpenStreetMap.

21.7 Railways

Records within 250m	0
----------------------------	----------

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m	0
----------------------------	----------

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m	0
----------------------------	----------

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

21.10 HS2

Records within 500m	0
----------------------------	----------

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference>.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <https://www.groundsure.com/terms-and-conditions-jan-2020/>.





Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: 1056 Scale Town Plan


Map date: 1851

Scale: 1:1,056

Printed at: 1:1,056



Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com



Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf

Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: County Series

Map date: 1890-1891

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1890
Revised 1890
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1891
Revised 1891
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com



Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: County Series Town Plan


Map date: 1892

Scale: 1:500

Printed at: 1:1,000



Surveyed 1892
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1892
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com




Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Derwent Street, Rochdale, OL12
ORP


Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: County Series Town Plan

Map date: 1892

Scale: 1:500

Printed at: 1:1,000



Surveyed 1892
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com



Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: County Series

Map date: 1910

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1910
Revised 1910
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1910
Revised 1910
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com



Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: County Series

Map date: 1930

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1930
Revised 1930
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1930
Revised 1930
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com




Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: County Series

Map date: 1939

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1939
Revised 1939
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com




Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: National Grid

Map date: 1958

Scale: 1:1,250

Printed at: 1:2,000



Surveyed 1958
Revised 1958
Edition N/A
Copyright 1959
Levelled 1956

Surveyed 1958
Revised 1958
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com



Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: National Grid

Map date: 1959

Scale: 1:1,250

Printed at: 1:2,000



Surveyed 1958
Revised N/A
Edition N/A
Copyright 1959
Levelled 1956

Surveyed 1958
Revised N/A
Edition N/A
Copyright 1959
Levelled 1956



Produced by
Groundsure Insights
www.groundsure.com



Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Derwent Street, Rochdale, OL12
ORP

Client Ref: 62315
Report Ref: CMAPS-CM-1015727-62315-280122HIS
Grid Ref: 389750, 414321

Map Name: National Grid

Map date: 1958-1959

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1959
Revised 1959
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1958
Revised 1958
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
www.groundsure.com



Supplied by:
www.centremapslive.com
groundsure@centremaps.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 28 January 2022

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf

