



APPENDIX A: TREE SURVEY SCHEDULE

KEY:

Measurements	Life Stage	Physiological Condition	Category Grading	Symbols
Height - Metres Stem Diameter - Millimetres at 1.5m above ground level Branch Spread - Metres (North, South, East and West) Crown Clearance - Metres RPA Radius - Metres Estimated Remaining Contribution - Years FSB - First Significant Branch - Metres	Y - Young SM - Semi-Mature EM - Early Mature M - Mature OM - Over-Mature V - Veteran	G - Good F - Fair P - Poor D - Dead	A - High (green) B - Moderate (blue) C - Low (grey) U - Poor/Trees for removal (red) Sub-Categories: 1 - Mainly Arboricultural value 2 - Mainly Landscape value 3 - Mainly Cultural value	< - Less than ~ - Approximately > - Greater than
RPA - Root protection area (equivalent to a circle with a radius 12x the stem diameter measured at 1.5m above ground level)				

Site: CRP, Todmorden Road, Littleborough
 Surveyed by: Ben Williams BSc (Hons) Arb. M.Arbor.A
 Date: 24/07/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP
 T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T1	Aesculus hippocastanum (Horse Chestnut)	12	720	5	6	6	5	1	2.5(SE)	M	Good	Presence of Horse Chestnut Leaf Miner.	No work required.	20+	B1	8.64
T2	Sorbus aucuparia (Rowan)	4	90	2	2	2	2	1	1(N)	EM	Good		No work required.	10+	C1	1.08
T3	Chamaecyparis lawsoniana (Lawson Cypress)	6	200,250, 200	2.5	2.5	2.5	2.5	0.5	0.5(E)	EM	Fair	Poor shape/form.	No work required.	10+	C1	4.52
T4	Acer pseudoplatanus (Sycamore)	5	150	2	2	2	2	2	2(N)	SM	Fair		No work required.	10+	C1	1.8
T5	Acer pseudoplatanus (Sycamore)	5	180	2	2	2	2	2	2(N)	SM	Fair		No work required.	10+	C1	2.16
T6	Carpinus betulus (Hornbeam)	12	440	6	6	6	7	1.5	1.5(E)	M	Good		No work required.	40+	A1	5.28
T7	Ulmus glabra (Wych Elm)	14	650	7	6	6	7	1.5	2.5(W)	M	Good		No work required.	40+	A1	7.8
T8	Sorbus aucuparia (Rowan)	4	120	2.5	2	2	2	2	1.5(NE)	EM	Fair	Low vitality.	No work required.	10+	C1	1.44
T9	Betula pendula (Silver Birch)	13	480	4.5	5.5	4.5	4	2	3(W)	M	Good		No work required.	20+	B1	5.76
T10	Chamaecyparis lawsoniana (Lawson Cypress)	8	280	2	2	2	2	1	1.5(W)	EM	Fair		No work required.	10+	C1	3.36
T11	Chamaecyparis lawsoniana (Lawson Cypress)	8	460	3	3	3	3	0.5	0.5(N)	EM	Fair		No work required.	10+	C1	5.52
T12	Populus serotina (Hybrid Black Poplar)	14	410	4.5	4.5	4.5	4.5	2	2(N)	EM	Good	Ivy on stem.	Sever Ivy.	10+	C1	4.92
T13	Populus serotina (Hybrid Black Poplar)	14	480	4.5	4.5	4.5	4.5	2	2(N)	EM	Good	Ivy on stem.	Sever Ivy.	10+	C1	5.76
T14	Populus serotina (Hybrid Black Poplar)	14	440	4.5	4.5	4.5	4.5	2	2(N)	EM	Good	Ivy on stem.	Sever Ivy.	10+	C1	5.28

Site: CRP, Todmorden Road, Littleborough
 Surveyed by: Ben Williams BSc (Hons) Arb. M.Arbor.A
 Date: 24/07/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP
 T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T15	Tilia X europaea (Common Lime)	15	520	6	6	6	7	2	3(W)	M	Good	Major deadwood in crown.	Remove major deadwood.	40+	A1	6.24
T16	Tilia X europaea (Common Lime)	14	490	6	6	6.5	7	2	3(W)	M	Good	Major deadwood in crown.	Remove major deadwood.	40+	A1	5.88
T17	Tilia X europaea (Common Lime)	14	490	7	6	6.5	7	2	3(W)	M	Good	Major deadwood in crown.	Remove major deadwood.	40+	A1	5.88
T18	Ilex x altaclarensis 'Golden King' (Golden Highclere Holly)	5	150	2.5	2.5	2.5	2.5	0.5	0.5(N)	EM	Good		No work required.	10+	C1	1.8
T19	Ilex x altaclarensis 'Golden King' (Golden Highclere Holly)	5	150	2.5	2.5	2.5	2.5	0.5	0.5(N)	EM	Good		No work required.	10+	C1	1.8
T20	Acer pseudoplatanus (Sycamore)	8	320	5	5	4	4.5	2	3(N)	EM	Fair		No work required.	10+	C1	3.84
T21	Salix X chrysocoma (Weeping Willow)	8	250	3	3	3	3	0.5	0.5(N)	EM	Fair	Low vitality. Low bud/leaf density. Presence of Anthracnose of Willow.	No work required.	10+	C1	3
T22	Acer platanoides (Norway Maple)	12	510	7	6	6	7	2	3(S)	M	Good		No work required.	40+	A1	6.12
T23	Acer pseudoplatanus (Sycamore)	12	530	7	6	6	7	2	3(S)	M	Good		No work required.	40+	A1	6.36
T24	Populus serotina (Hybrid Black Poplar)	5	100	1.5	1.5	1.5	1.5	1	1(N)	SM	Fair	Coppice. Decay present at base. Cavity at base.	Fell tree on the grounds of safety.	<10	U	1.2
T25	Betula pendula (Silver Birch)	7	140	1	3	4	0	0.5	1(E)	EM	Fair	Suppressed. Crown distorted due to group pressure.	No work required.	10+	C1	1.68

Site: CRP, Todmorden Road, Littleborough
 Surveyed by: Ben Williams BSc (Hons) Arb. M.Arbor.A
 Date: 24/07/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP
 T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T26	Betula pendula (Silver Birch)	7	220	2.5	2.5	2.5	2.5	1.5	2(E)	EM	Good	Ivy on stem.	No work required.	10+	C1	2.64
T27	Acer pseudoplatanus (Sycamore)	9	280	4	4	5	4	1	2.5(E)	EM	Good		No work required.	10+	C1	3.36
T28	Acer pseudoplatanus (Sycamore)	12	260,240, 300	7	6	6	6	2	2(SE)	M	Good	Multiple stems below 1.5m.	No work required.	20+	B2	5.57
T29	Acer pseudoplatanus (Sycamore)	8	300	3.5	3	3	4	1	2(W)	EM	Good		No work required.	20+	B1	3.6
T30	Prunus serrulata (Flowering Cherry)	3	150,100, 150	2	3.5	3	3	0.5	0.5(S)	M	Fair	Decay present at base. Decay present in stem. Multiple stems at ground level.	No work required.	<10	U	2.82
T31	Acer pseudoplatanus (Sycamore)	13	460,210	5	6.5	6	5	1	2(N)	M	Good	Decay present at base. Decay present in stem. Major bark wounding on stem. Major bark wounding at base. Stem divides at ground level.	Remove secondary stem.	10+	C1	6.07
T32	Salix caprea (Goat Willow)	9	450	5	5	5	5	1	2(S)	M	Fair	Decay present in stem.	No work required.	10+	C1	5.4
T33	Acer pseudoplatanus (Sycamore)	7	150	2	2	2	2	1.5	2(E)	SM	Fair		No work required.	10+	C1	1.8
T34	Fraxinus excelsior (Ash)	7	110	1.5	1.5	1.5	1.5	1.5	2(E)	SM	Poor	Poor shape/form. Major deadwood in crown.	Remove tree.	<10	U	1.32
T35	Acer pseudoplatanus (Sycamore)	9	290	4	3.5	3.5	3.5	1.5	2(E)	EM	Good		No work required.	10+	C1	3.48

Site: CRP, Todmorden Road, Littleborough
 Surveyed by: Ben Williams BSc (Hons) Arb. M.Arbor.A
 Date: 24/07/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP
 T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T36	Salix fragilis (Crack Willow)	9	350	5	3	4	4	1	1(N)	EM	Fair		No work required.	10+	C1	4.2
T37	Salix fragilis (Crack Willow)	9	330	4	3	4	4	1	1(N)	EM	Fair		No work required.	10+	C1	3.96
T38	Salix fragilis (Crack Willow)	9	260	3	3	3	3	1	1(N)	EM	Fair	Minor deadwood in crown. Major deadwood in crown.	No work required.	10+	C1	3.12
T39	Fraxinus excelsior (Ash)	7	130	2.5	2	2.5	2	1.5	2(E)	SM	Fair		No work required.	10+	C1	1.56
T40	Betula pendula (Silver Birch)	8	210	2.5	2.5	2.5	2.5	1.5	2(S)	EM	Good		No work required.	10+	C1	2.52
T41	Sorbus aucuparia (Rowan)	5	80	2.5	2.5	2.5	2.5	2	2(N)	SM	Poor	Lifting root plate.	Fell tree on the grounds of safety.	<10	U	0.96
T42	Fraxinus excelsior (Ash)	7	130	2.5	2	2.5	2	1.5	2(E)	SM	Fair		No work required.	10+	C1	1.56
T43	Salix caprea (Goat Willow)	7	140,150	3	3	3	3	1	2(S)	EM	Fair	Included bark present in fork. Decay present in stem. Cavity on stem. Split/cracked bark.	Fell tree on the grounds of safety.	<10	U	2.46
T44	Salix caprea (Goat Willow)	9	280,300	5	5	5	5	1	2(S)	M	Fair	Decay present in stem.	No work required.	10+	C1	4.92
T45	Betula pendula (Silver Birch)	8	140	2.5	2.5	2.5	2.5	1.5	2(S)	EM	Good		No work required.	10+	C1	1.68
T46	Salix caprea (Goat Willow)	11	950	7	7	7	7	1	1(S)	M	Fair	Decay present in stem.	No work required.	10+	C1	11.4
T47	Fraxinus excelsior (Ash)	7	160	2.5	2	2.5	2	1.5	2(E)	SM	Fair		No work required.	10+	C1	1.92
T48	Corylus avellana (Hazel)	4	100,100, 100	3	3	3	3	0.5	0.5(N)	EM	Good		No work required.	20+	C1	2.08
T49	Fraxinus excelsior (Ash)	7	150	1	1	1	1	2	2(N)	SM	Dead		Fell tree on the grounds of safety.	<10	U	1.8

Site: CRP, Todmorden Road, Littleborough
 Surveyed by: Ben Williams BSc (Hons) Arb. M.Arbor.A
 Date: 24/07/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP
 T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T50	Salix caprea (Goat Willow)	9	450	5	5	5	5	1	2(S)	M	Fair	Tree growing on far side of stream/ditch. Decay present in stem.	No work required.	10+	C1	5.4
T51	Corylus avellana (Hazel)	4	100,100, 100	3	3	3	3	0.5	0.5(N)	EM	Good		No work required.	20+	C1	2.08
T52	Corylus avellana (Hazel)	4	100,100, 100	3	3	3	3	0.5	0.5(N)	EM	Good		No work required.	20+	C1	2.08
T53	Crataegus monogyna (Hawthorn)	4	150	2	2	2	2	0.5	0.5(N)	EM	Good		No work required.	10+	C1	1.8
T54	Populus serotina (Hybrid Black Poplar)	16	710	5	5	5	5	0.5	1(S)	M	Fair		No work required.	10+	C1	8.52
T55	Populus serotina (Hybrid Black Poplar)	16	760	5	5	5	5	0.5	1(S)	M	Fair		No work required.	10+	C1	9.12
T56	Populus serotina (Hybrid Black Poplar)	16	640	5	5	5	5	0.5	1(S)	M	Fair		No work required.	10+	C1	7.68
T57	Populus serotina (Hybrid Black Poplar)	16	650	5	5	5	5	0.5	1(S)	M	Fair		No work required.	10+	C1	7.8
T58	Populus serotina (Hybrid Black Poplar)	16	710	5	5	5	5	0.5	1(S)	M	Fair		No work required.	10+	C1	8.52
T59	Acer pseudoplatanus (Sycamore)	10	450	5	5	5	5	3	3(N)	M	Good	Tree growing on far side of stream/ditch.	No work required.	40+	A1	5.4
T60	Populus serotina (Hybrid Black Poplar)	10	500	5	5	5	5	4	4(N)	OM	Dead	Tree growing on far side of stream/ditch. Ivy on stem.	Fell tree on the grounds of safety.	<10	U	6
T61	Populus serotina (Hybrid Black Poplar)	10	500	5	5	5	5	4	4(N)	OM	Dead	Tree growing on far side of stream/ditch. Ivy on stem.	Fell tree on the grounds of safety.	<10	U	6

Site: CRP, Todmorden Road, Littleborough
 Surveyed by: Ben Williams BSc (Hons) Arb. M.Arbor.A
 Date: 24/07/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP
 T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T62	Populus serotina (Hybrid Black Poplar)	10	500	5	5	5	5	4	4(N)	OM	Poor	Poor shape/form. Tree growing on far side of stream/ditch. Ivy on stem.	Fell tree on the grounds of safety.	<10	U	6
T63	Aesculus hippocastanum (Horse Chestnut)	9	400	5	5	5	5	2	2(N)	EM	Good	Tree growing on far side of stream/ditch.	No work required.	20+	B1	4.8
T64	Salix caprea (Goat Willow)	7	280,260	5	5	5	5	0.5	0.5(N)	M	Fair	Multiple stems at ground level. Branches encroaching upon building.	No work required.	10+	C1	4.58
T65	Fraxinus excelsior (Ash)	7	190,180	2	2	2	2	2	2(S)	EM	Fair	Low bud/leaf density. Sparse. Presence of Chalara Dieback of Ash.	Fell tree on the grounds of safety.	<10	U	3.14
T66	Acer pseudoplatanus (Sycamore)	4	100	2	2	2	2	0.5	0.5(N)	SM	Fair	Branches encroaching upon building.	Remove tree.	<10	U	1.2
G1	Acer pseudoplatanus (Sycamore), Fraxinus excelsior (Ash)	7	150	2	2	2	2	2	2(NW)	SM	Good	Part of linear group.	No work required.	10+	C1	1.8
G2	Fraxinus excelsior (Ash), Acer pseudoplatanus (Sycamore), Salix caprea (Goat Willow)	8	200	3	3	3	3	1	1(N)	EM	Fair	Tree located within neighbouring land. Low bud/leaf density.	No work required.	10+	C1	2.4
H1	Prunus laurocerasus (Cherry Laurel)	3	150	2	2	2	2	0.5	0.5(N)	M	Fair		No work required.	10+	C1	1.8