




The Portchester-Hood 15W is a classic and stylish IP65 rated vandal resistant circular LED bulkhead.

Manufactured from die-cast aluminium and fitted with a strong UV stabilised polycarbonate lens, the Portchester remains robust whilst offering a subtle diffused light.

Options include Dali, Microwave Sensor and Emergency.

Portchester Hood 15W - LED Bulkhead

Bulkhead Lighting



Features

- LED rating 1,782lm (4000K & 6000K).
- LED rating 1,508lm (3000K).
- Luminaire flux 1,301lm (4000K & 6000K).
- Luminaire flux 1,101lm (3000K).
- 3000K (WW), 4000K (NW) and 6000K (CW) colour temperature options.
- -20 to +40°C operating temperature (Emergency 0 to +40°C).
- Long life span > 65,000hrs.
- Osram LED and Osram Driver.
- Hood eyelid cover allows additional impact resistance and reduces upwards light.
- Standard weight: 3.7Kg
- Tamper proof fixings for increased vandal resistance.
- Die-cast aluminium body and strong UV stabilised polycarbonate lens.

Applications

- Hospitals
- Car Parks
- Schools
- Hotels
- Walkways
- Stairwells



Specifications

Portchester Hood 15W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT (K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Face
Standard - Black														
PH15-A3C-00B	Portchester-Hood-15W-LED-AC-6K-Std-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3N-00B	Portchester-Hood-15W-LED-AC-4K-Std-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3W-00B	Portchester-Hood-15W-LED-AC-3K-Std-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Black	Hood
Standard- Grey														
PH15-A3C-00G	Portchester-Hood-15W-LED-AC-6K-Std-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3N-00G	Portchester-Hood-15W-LED-AC-4K-Std-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3W-00G	Portchester-Hood-15W-LED-AC-3K-Std-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Grey	Hood
Standard- Black - Emergency														
PH15-A3C-01B	Portchester-Hood-15W-LED-AC-6K-Std-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3N-01B	Portchester-Hood-15W-LED-AC-4K-Std-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3W-01B	Portchester-Hood-15W-LED-AC-3K-Std-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Black	Hood
Standard- Grey - Emergency														
PH15-A3C-01G	Portchester-Hood-15W-LED-AC-6K-Std-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3N-01G	Portchester-Hood-15W-LED-AC-4K-Std-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3W-01G	Portchester-Hood-15W-LED-AC-3K-Std-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Grey	Hood
Standard- Black - Microwave														
PH15-A3C-02B	Portchester-Hood-15W-LED-AC-6K-Std-MW-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3N-02B	Portchester-Hood-15W-LED-AC-4K-Std-MW-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3W-02B	Portchester-Hood-15W-LED-AC-3K-Std-MW-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Black	Hood

www.gemmalighting.com

0800 999 5201



Specifications

Portchester Hood 15W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT (K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Face
Standard- Grey- Microwave														
PH15-A3C-02G	Portchester-Hood-15W-LED-AC-6K-Std-MW-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3N-02G	Portchester-Hood-15W-LED-AC-4K-Std-MW-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3W-02G	Portchester-Hood-15W-LED-AC-3K-Std-MW-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Grey	Hood
Standard - Black- Microwave- Emergency														
PH15-A3C-03B	Portchester-Hood-15W-LED-AC-6K-Std-MW-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3N-03B	Portchester-Hood-15W-LED-AC-4K-Std-MW-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3W-03B	Portchester-Hood-15W-LED-AC-3K-Std-MW-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Black	Hood
Standard - Grey - Microwave - Emergency														
PH15-A3C-03G	Portchester-Hood-15W-LED-AC-6K-Std-MW-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3N-03G	Portchester-Hood-15W-LED-AC-4K-Std-MW-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3W-03G	Portchester-Hood-15W-LED-AC-3K-Std-MW-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Grey	Hood
Dali - Black														
PH15-A3C-20B	Portchester-Hood-15W-LED-AC-6K-Dali-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3N-20B	Portchester-Hood-15W-LED-AC-4K-Dali-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3W-20B	Portchester-Hood-15W-LED-AC-3K-Dali-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Black	Hood
Dali - Grey														
PH15-A3C-20G	Portchester-Hood-15W-LED-AC-6K-Dali-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3N-20G	Portchester-Hood-15W-LED-AC-4K-Dali-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3W-20G	Portchester-Hood-15W-LED-AC-3K-Dali-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Grey	Hood
Dali - Black - Emergency														
PH15-A3C-21B	Portchester-Hood-15W-LED-AC-6K-Dali-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3N-21B	Portchester-Hood-15W-LED-AC-4K-Dali-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3W-21B	Portchester-Hood-15W-LED-AC-3K-Dali-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Black	Hood
Dali - Grey- Emergency														
PH15-A3C-21G	Portchester-Hood-15W-LED-AC-6K-Dali-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3N-21G	Portchester-Hood-15W-LED-AC-4K-Dali-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3W-21G	Portchester-Hood-15W-LED-AC-3K-Dali-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Grey	Hood
Dali - Black - Microwave														
PH15-A3C-22B	Portchester-Hood-15W-LED-AC-6K-Dali-MW-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3N-22B	Portchester-Hood-15W-LED-AC-4K-Dali-MW-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3W-22B	Portchester-Hood-15W-LED-AC-3K-Dali-MW-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Black	Hood
Dali - Grey - Microwave														
PH15-A3C-22G	Portchester-Hood-15W-LED-AC-6K-Dali-MW-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3N-22G	Portchester-Hood-15W-LED-AC-4K-Dali-MW-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3W-22G	Portchester-Hood-15W-LED-AC-3K-Dali-MW-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Grey	Hood

www.gemmalighting.com

0800 999 5201



Specifications

Portchester Hood 15W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT (K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Face
Dali - Black - Microwave - Emergency														
PH15-A3C-23B	Portchester-Hood-15W-LED-AC-6K-Dali-MW-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3N-23B	Portchester-Hood-15W-LED-AC-4K-Dali-MW-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3W-23B	Portchester-Hood-15W-LED-AC-3K-Dali-MW-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Black	Hood
Dali - Grey- Microwave - Emergency														
PH15-A3C-23G	Portchester-Hood-15W-LED-AC-6K-Dali-MW-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3N-23G	Portchester-Hood-15W-LED-AC-4K-Dali-MW-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3W-23G	Portchester-Hood-15W-LED-AC-3K-Dali-MW-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Grey	Hood

Legend: **Std** = Standard. **3K** = Warm White (3000K). **4K** = Neutral White (4000K). **6K** = Cool White (6000K). **WW** = Warm White. **NW** = Neutral White. **CW** = Cool White.