









				Trial Pit Log				TrialPit No TP109 Sheet 1 of 1	
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:		Date 15/04/2024	
Location: Rochdale						Dimensions (m): 2.50		Scale 1:30	
Client: MCI Developments						Depth 2.00		Logged J.Beer	
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description		
	Depth	Type	Results						
	0.30	ES		0.20			MADE GROUND: Dark brown sandy clay with rootlets. (Topsoil).		
							MADE GROUND: Greyish brown slightly clayey gravelly fine to medium sand (reworked). Gravel is fine to coarse subangular to rounded of mudstone, sandstone and rare brick.		
				0.70			Brown pseudo fibrous PEAT.		
				1.20			Grey gravelly very clayey fine to medium SAND. Gravel is fine to coarse subrounded to rounded of mudstone.		
				1.80			Stiff brown mottled grey gravelly CLAY. Gravel is fine to medium subrounded to rounded of mudstone.		
				2.00					
						End of Pit at 2.00m			
Trial Pit Photographs									
									
Trial Pit 109					Trial Pit 109 Spoil				
Remarks: 1. Complete.									
Stability: Stable									
									

				Trial Pit Log				TrialPit No TP110 Sheet 1 of 1			
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:			Date 15/04/2024		
Location: Rochdale						Dimensions (m): 2.50 0.60 			Scale 1:30		
Client: MCI Developments						Depth 1.60			Logged J.Beer		
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description				
	Depth	Type	Results								
	0.10	ES		0.30			MADE GROUND: Dark brown sandy clay with rootlets. (Topsoil).				1
				0.80			MADE GROUND: Brownish grey gravelly sandy clay (reworked). Gravel is fine to coarse subangular to subrounded of mudstone, sandstone and brick.				
				1.60			Light brown slightly gravelly slightly clayey fine to medium SAND. Gravel is fine to medium subrounded to rounded.				
	1.50	B					End of Pit at 1.60m				2
											3
											4
Trial Pit Photographs											
											
Trial Pit 110						Trial Pit 110 Spoil					
Remarks: 1. Complete.											
Stability: Unstable in sand											
											

				Trial Pit Log			TrialPit No TP111 Sheet 1 of 1	
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:		Date 15/04/2024
Location: Rochdale						Dimensions (m): 2.50		Scale 1:30
Client: MCI Developments						Depth 2.10		Logged J.Beer
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.10	ES		0.40			Dark brown clayey fine to medium SAND with rootlets. (TOPSOIL).	
				1.00			Brown pseudo fibrous PEAT.	
				1.60			Grey gravelly clayey fine to medium SAND. Gravel is fine to coarse subrounded to rounded of mudstone.	
	1.70	ES		2.10			Brownish grey slightly gravelly silty sandy CLAY.	
							End of Pit at 2.10m	
Trial Pit Photographs								
								
Trial Pit 111				Trial Pit 111 Spoil				
Remarks: 1. Complete.								
Stability: Unstable in sand								
								

				Trial Pit Log				TrialPit No TP112 Sheet 1 of 1			
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:			Date 15/04/2024		
Location: Rochdale						Dimensions (m): 2.50			Scale 1:30		
Client: MCI Developments						Depth 2.20			Logged J.Beer		
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description				
	Depth	Type	Results								
	0.10	ES		0.30			Dark brown sandy CLAY with rootlets (TOPSOIL).				
				0.50			Soft brown sandy CLAY.				
							Brown pseudo fibrous PEAT.				
	1.20	D		1.70			Grey gravelly clayey fine to medium SAND. Gravel is fine to coarse subrounded to rounded of mudstone.				
				2.20			End of Pit at 2.20m				
Trial Pit Photographs											
											
Trial Pit 112						Trial Pit 112 Spoil					
Remarks: 1. Complete.											
Stability: Stable											
											

Date
15/04/2024

Scale
1:30



Logged
J.Beer


Trial Pit Photographs




Trial Pit 113 Spoil





				Trial Pit Log				TrialPit No TP114 Sheet 1 of 1			
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:			Date 15/04/2024		
Location: Rochdale						Dimensions (m): 2.50 0.60 			Scale 1:30		
Client: MCI Developments						Depth 2.40			Logged J.Beer		
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description				
	Depth	Type	Results								
	0.10	ES	158	0.20			MADE GROUND: Dark brown clayey fine to medium sand with rootlets. (Topsoil).				
						MADE GROUND: Brown gravelly clayey fine to medium sand (reworked). Gravel is fine to coarse subangular to rounded of mudstone and brick.					
						Orangish brown very gravelly fine to medium SAND with cobbles. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles are subrounded to rounded of mudstone.					
	1.20	B				Very stiff brown slightly gravelly sandy CLAY. Gravel is fine to medium subrounded to rounded of mudstone.					
	2.00 2.00	ES HVP				End of Pit at 2.40m					
			2.40								
Trial Pit Photographs											
											
Trial Pit 114						Trial Pit 114 Spoil					
Remarks: 1. Complete.											
Stability: Unstable in sand											
											




				Trial Pit Log				TrialPit No TP115/ SA103 Sheet 1 of 1	
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:		Date 16/04/2024	
Location: Rochdale						Dimensions (m): 2.40		Scale 1:30	
Client: MCI Developments						Depth 2.00		Logged J.Beer	
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description		
	Depth	Type	Results						
	1.50 1.50	ES HVP	29	0.30			Dark brown clayey fine to medium SAND with rootlets. (TOPSOIL).		
				1.10			Dark brown pseudo fibrous PEAT (saturated).		
						2.00		Soft grey slightly gravelly silty CLAY.	
Trial Pit Photographs									
									
Trial Pit 115/ Soakaway 103				Trial Pit 115/ Soakaway 103 Spoil					
Remarks: 1. Complete. 2. BRE365 Soakaway test completed. 3. Water at 0.50 m bgl in saturated PEAT.									
Stability: Stable									

				Trial Pit Log			TrialPit No TP116 Sheet 1 of 1		
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:		Date 16/04/2024	
Location: Rochdale						Dimensions (m): 2.50		Scale 1:30	
Client: MCI Developments						Depth 2.50		Logged J.Beer	
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description		
	Depth	Type	Results						
 1.00	0.10	ES		0.30			Dark brown clayey fine to medium SAND with rootlets. (TOPSOIL).		
							Dark brown pseudo fibrous PEAT (saturated).		
	2.00	B		1.90			Grey slightly clayey silty fine to medium SAND with rare plant debris.		
				2.50			End of Pit at 2.50m		
							4		
Trial Pit Photographs									
									
Trial Pit 116					Trial Pit 116 Spoil				
Remarks: 1. Complete. 2. Water at 1.00 m bgl in saturated PEAT.									
Stability: Slightly unstable									
									

				Trial Pit Log			TrialPit No TP117 Sheet 1 of 1		
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:		Date 16/04/2024	
Location: Rochdale						Dimensions (m): 2.50		Scale 1:30	
Client: MCI Developments						Depth 2.60		Logged J.Beer	
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description		
	Depth	Type	Results						
 2.00	0.70 0.80	ES HVP	13	0.30			Dark brown clayey fine to medium SAND with rootlets. (TOPSOIL).		
				0.40			Brown clayey fine to medium SAND with plant debris. Very soft brown silty CLAY with plant debris.		
				1.10			Grey slightly clayey silty fine to medium SAND with rare plant debris.		
				1.60			Brown pseudo fibrous PEAT.		
				2.10			Grey slightly clayey silty fine to medium SAND with rare plant debris.		
				2.60			End of Pit at 2.60m		
Trial Pit Photographs									
									
Trial Pit 117				Trial Pit 117 Spoil					
Remarks: 1. Complete. 2. Water at 1.00 m bgl in saturated PEAT.									
Stability: Stable									
									

				Trial Pit Log				TrialPit No TP118 Sheet 1 of 1	
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:		Date 16/04/2024	
Location: Rochdale						Dimensions (m): 2.50		Scale 1:30	
Client: MCI Developments						Depth 2.10		Logged J.Beer	
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description		
	Depth	Type	Results						
▼ 1.50	1.00 1.00	ES HVP	41	0.30			Dark brown clayey fine to medium SAND with rootlets. (TOPSOIL).		
				0.50			Brown slightly clayey fine to medium SAND with plant debris.		
				0.75			Dark brown pseudo fibrous PEAT.		
							Firm to stiff grey mottled brown slightly gravelly sandy silty CLAY. Gravel is fine to medium subrounded to rounded of mudstone. Light brown sand lens at 1.30 to 1.60 m bgl.		
	2.00	HVP	78	2.10			End of Pit at 2.10m		
Trial Pit Photographs									
									
Trial Pit 118					Trial Pit 118 Spoil				
Remarks: 1. Complete. 2. Water strike encountered at 1.50 m bgl.									
Stability: Unstable in sand									

				Trial Pit Log				TrialPit No TP119 Sheet 1 of 1			
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:			Date 16/04/2024		
Location: Rochdale						Dimensions (m): 2.50			Scale 1:30		
Client: MCI Developments						Depth 2.00			Logged J.Beer		
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description				
	Depth	Type	Results								
 1.80	0.10	ES		0.30			MADE GROUND: Dark brown slightly gravelly clayey fine to medium sand with rootlets. Gravel is fine to medium subangular of brick. (Topsoil).				
	0.40	ES		0.50			MADE GROUND: Dark brown gravelly clayey fine to medium sand with rare cobbles. Gravel is fine to coarse angular to subrounded of mudstone and brick. Cobbles are subangular of brick. Orangish light brown clayey fine to medium SAND.				
	1.00	B									
				1.50			Grey mottled light brown very sandy CLAY.				
				1.80			Orangish light brown slightly silty fine to medium SAND.				
				2.00			End of Pit at 2.00m				
Trial Pit Photographs											
											
Trial Pit 119						Trial Pit 119 Spoil					
Remarks: 1. Complete. 2. Water strike encountered at 1.80 m bgl.											
Stability: Very unstable in sand											
											

				Trial Pit Log				TrialPit No TP120 Sheet 1 of 1		
Project Name: Trubs Farm				Project No. 17524		Co-ords: - Level:			Date 16/04/2024	
Location: Rochdale						Dimensions (m): 2.50			Scale 1:30	
Client: MCI Developments						Depth 2.10			Logged J.Beer	
Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description			
	Depth	Type	Results							
 0.40	0.10	ES	20	0.30			Dark brown clayey fine to medium SAND with rootlets. (TOPSOIL).			
	0.80	HVP		0.70			Dark brown slightly clayey fine to medium SAND with plant debris.			
				1.00			Soft greyish brown sandy CLAY.			
				1.70			Grey silty clayey fine to medium SAND.			
				2.10			Brownish grey gravelly fine to medium SAND. Gravel is fine to medium subrounded to rounded of mudstone.			
	End of Pit at 2.10m									
Trial Pit Photographs										
										
Trial Pit 120										
Trial Pit 120 Spoil										
Remarks: 1. Complete. 2. Perched water at 0.40 m bgl.										
Stability: Slightly unstable										
										