

Window Details

Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854

Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:


Quote No: COQ49474
Ref: Holly (Det)

Date Printed: 17 September 2024 13:08

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Uplift

Location: Living Front




1 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	516x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1010h (Basic Frame Size)
1 - 1007w x 1040h, 30mm Cill
Viewed Outside
Style No: 16

Location: Kitchen Rear

Cill:

150mm Sill - Anthracite Grey/White (1007mm)


Qty	Size	Description
1	346x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	441x 920	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	French Door Open Out - Foil/Wh SBD/DOC
Door Sash	(41) 110mm T Door - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	180mm Sill - Foil/White
Reinforcement	Full Steel Reinf (SBD)
Door Handles	Balmoral Lever/Lever Chrome x2
Door Hinges	SFS 2D Dynamic Hinge Chrome 3
Door Lock	Fullex 3 Hook 4 Roller S/Bolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	Glass Lock 28mm Clip Pack
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Dining Door Rear


Cill:
180mm Sill - Anthracite Grey/White (1795mm)

Qty	Size	Description
1	659x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up
1	660x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up



1 - 1795w x 2060h (Basic Frame Size)
1 - 1795w x 2090h, 30mm Cill
Viewed Outside
Style No: 350

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4

Location: WC Side

Cill:
150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 826	4/20/4 Planitherm Total+/Pattern Cotswold Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 670w x 1490h, 30mm Cill
Viewed Outside
Style No: 20

Location: Bath Front

Cill:
150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 893	4/20/4 Optitherm S1 Plus/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No
1	580x 347	28mm Unglazed (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



Location: Bed2 Front


Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U
1	516x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U

1 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1345w x 1160h (Basic Frame Size)
1 - 1345w x 1190h, 30mm Cill

Location: Bed1 Rear


Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	516x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Location: Bed3 Rear

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Style No: 18

Window Details

Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854

Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:

Quote No: COQ49500
Ref: Holly


Date Printed: 17 September 2024 13:08

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed
	Uplift

Location: Living Front


Cill:
150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	516x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)



1 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1010h (Basic Frame Size)
1 - 1007w x 1040h, 30mm Cill
Viewed Outside
Style No: 16

Location: Kitchen Rear


Cill:
150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	346x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	441x 920	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	French Door Open Out - Foil/Wh SBD/DOC
Door Sash	(41) 110mm T Door - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	180mm Sill - Foil/White
Reinforcement	Full Steel Reinf (SBD)
Door Handles	Balmoral Lever/Lever Chrome x2
Door Hinges	SFS 2D Dynamic Hinge Chrome 3
Door Lock	Fullex 3 Hook 4 Roller S/Bolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	Glass Lock 28mm Clip Pack
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Dining Door Rear

Cill:
180mm Sill - Anthracite Grey/White (1795mm)



1 - 1795w x 2060h (Basic Frame Size)
1 - 1795w x 2090h, 30mm Cill
Viewed Outside
Style No: 350


Qty	Size	Description
1	659x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up
1	660x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: WC Side

Cill:
150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 826	4/20/4 Planitherm Total+/Pattern Cotswold Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift




1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Bath Front


Cill:
150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 893	4/20/4 Optitherm S1 Plus/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No
1	580x 347	(G/Bar) 28mm Unglazed (G/Bar)



1 - 670w x 1490h, 30mm Cill
Viewed Outside
Style No: 20

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



Location: Bed2 Front


Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U
1	516x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U

1 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1345w x 1160h (Basic Frame Size)
1 - 1345w x 1190h, 30mm Cill

Location: Bed1 Rear


Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	516x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Location: Bed3 Rear

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Style No: 18

Window Details

Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854

Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:

Quote No: COQ49501
Ref: Holly (Mid)


Date Printed: 17 September 2024 13:08

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed
	Uplift

Location: Living Front


Cill:
150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	516x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)



11 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1010h (Basic Frame Size)
1 - 1007w x 1040h, 30mm Cill
Viewed Outside
Style No: 16

Location: Kitchen Rear

Cill:
150mm Sill - Anthracite Grey/White (1007mm)


Qty	Size	Description
1	346x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	441x 920	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	French Door Open Out - Foil/Wh SBD/DOC
Door Sash	(41) 110mm T Door - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	180mm Sill - Foil/White
Reinforcement	Full Steel Reinf (SBD)
Door Handles	Balmoral Lever/Lever Chrome x2
Door Hinges	SFS 2D Dynamic Hinge Chrome 3
Door Lock	Fullex 3 Hook 4 Roller S/Bolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	Glass Lock 28mm Clip Pack
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Dining Door Rear

Cill:
180mm Sill - Anthracite Grey/White (1795mm)

Qty	Size	Description
1	659x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up
1	660x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up




1 - 1795w x 2060h (Basic Frame Size)
1 - 1795w x 2090h, 30mm Cill
Viewed Outside
Style No: 350

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Bath Front

Cill:
150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 893	4/20/4 Optitherm S1 Plus/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No U
1	580x 347	(G/Bar) 28mm Unglazed (G/Bar)




1 - 670w x 1490h, 30mm Cill
Viewed Outside
Style No: 20

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Bed2 Front


Cill:
150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U
		(G/Bar)



1 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1345w x 1160h (Basic Frame Size)
1 - 1345w x 1190h, 30mm Cill

Style No: 18


Location: Bed1 Rear

Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	516x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Style No: 18

Location: Bed3 Rear

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Window Details

Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854

Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:

Quote No: COQ49513
Ref: Yew

Date Printed: 17 September 2024 13:08

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed


Uplift

Location: Living Front

Cill:


150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	516x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)



1 - 1345w x 1490h, 30mm Cill Viewed
Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1010h (Basic Frame Size)
1 - 1007w x 1040h, 30mm Cill
Viewed Outside
Style No: 18


Location: Kitchen Side

Cill:

150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	346x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	347x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4

Location: WC Rear

Cill:		
150mm Sill - Anthracite Grey/White (670mm)		
Qty	Size	Description
1	486x 826	4/20/4 Optitherm S1 Plus/Pattern Cotswold Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 670w x 1310h (Basic Frame Size) 30mm Cill
Viewed Outside
Style No: 4

Location A: Kit/Dining Rear
Location B: **To Survey**

Cill:		
150mm Sill - Anthracite Grey/White (670mm)		
Qty	Size	Description
1	486x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

Location: Bed2 Front

Cill:		
150mm Sill - Anthracite Grey/White (1007mm)		
Qty	Size	Description
1	346x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	347x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)


System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed
	6ft

Location: Bed2 Front

Cill:


150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U
1	516x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U



1 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4


Location: Bath Side

Cill:

150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 826	4/20/4 Optitherm S1 Plus/Pattern Cotswold Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1345w x 1160h (Basic Frame Size)
1 - 1345w x 1190h, 30mm Cill

Style No: 18


Location: Bed1 Rear

Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	516x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4

Location: Bed1 Rear

Cill:		
150mm Sill - Anthracite Grey/White (670mm)		
Qty	Size	Description
1	486x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Window Details

Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854

Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:

Quote No: COQ49514
Ref: Yew (Mid)

Date Printed: 17 September 2024 13:08


System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Uplift

Location: Living Front


Cill:
150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	516x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)



1 - 1345w x 1490h, 30mm Cill Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4

Location: WC Rear

Cill:
150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 826	4/20/4 Optitherm S1 Plus/Pattern Cotswold Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 670w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside
Style No: 4

Location A: Kit/Dining Rear
Location B: **To Survey**

Cill:		
150mm Sill - Anthracite Grey/White (670mm)		
Qty	Size	Description
1	486x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 1007w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

Location: Bed2 Front

Cill:		
150mm Sill - Anthracite Grey/White (1007mm)		
Qty	Size	Description
1	346x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	347x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed




1 - 1345w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

Location: Bed2 Front

Cill:		
150mm Sill - Anthracite Grey/White (1345mm)		
Qty	Size	Description
1	515x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	516x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1345w x 1160h (Basic Frame Size)
1 - 1345w x 1190h, 30mm Cill

Style No: 18


Location: Bed1 Rear

Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	516x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4

Location: Bed1 Rear

Cill:

150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Window Details


Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854

Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:

Quote No: COQ49502
Ref: Oak

Date Printed: 17 September 2024 13:08

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed
	Uplift



1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

Location: Living Front


Cill:		
150mm Sill - Anthracite Grey/White (895mm)		
Qty	Size	Description
1	290x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	291x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)

System	P22 Optima
Group	French Door Open Out - Foil/Wh SBD/DOC
Door Sash	(41) 110mm T Door - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	180mm Sill - Foil/White
Reinforcement	Full Steel Reinf (SBD)
Door Handles	Balmoral Lever/Lever Chrome x2
Door Hinges	SFS 2D Dynamic Hinge Chrome 3
Door Lock	Fullex 3 Hook 4 Roller S/Bolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	Glass Lock 28mm Clip Pack
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Dining Door Side

Cill:
180mm Sill - Anthracite Grey/White (1795mm)

Qty	Size	Description
1	659x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up
1	660x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up




1 - 1795w x 2060h (Basic Frame Size)
1 - 1795w x 2090h, 30mm Cill
Viewed Outside
Style No: 350

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: WC Front

Cill:
150mm Sill - Anthracite Grey/White (445mm)

Qty	Size	Description
1	261x 826	4/20/4 Planitherm Total+/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No U (G/Bar)



1 - 445w x 1010h (Basic Frame Size)
1 - 445w x 1040h, 30mm Cill
Viewed Outside
Style No: 4


System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Uplift

Location: Living Side

Cill:
150mm Sill - Anthracite Grey/White (895mm)


Qty	Size	Description
1	290x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) Uplift (G/Bar)
1	291x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg)



1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Uplift



1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: 18


Location: Living Side

Cill:

150mm Sill - Anthracite Grey/White (895mm)

Qty	Size	Description
1	290x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	291x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: (Custom)


Location: Kitchen Front

Cill:

150mm Sill - Anthracite Grey/White (895mm)

Qty	Size	Description
1	290x 743	4/20/4 Optitherm S1 Plus/Optifloat 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift (G/Bar)
1	291x 743	4/20/4 Optitherm S1 Plus/Optifloat 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift (G/Bar)
1	805x 497	28mm Unglazed (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: (Custom)


Location: Ensuite Front

Cill:

150mm Sill - Anthracite Grey/White (895mm)

Qty	Size	Description
1	290x 743	4/20/4 Optitherm S1 Plus/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No U (G/Bar)
1	291x 743	4/20/4 Optitherm S1 Plus/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No U (G/Bar)
1	805x 497	28mm Unglazed (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: (Custom)


Location: Bath Front

Cill:

150mm Sill - Anthracite Grey/White (895mm)

Qty	Size	Description
1	290x 743	4/20/4 Optitherm S1 Plus/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No U (G/Bar)
1	291x 743	4/20/4 Optitherm S1 Plus/Pattern Cotswold 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg) No U (G/Bar)
1	805x 497	28mm Unglazed (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



Location: Bed3 Front


Cill:

150mm Sill - Anthracite Grey/White (895mm)

Qty	Size	Description
1	291x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U (G/Bar)
1	292x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U (G/Bar)

1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



Location: Bed1 Side


Cill:

150mm Sill - Anthracite Grey/White (895mm)

Qty	Size	Description
1	291x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U (G/Bar)
1	292x 1276	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U (G/Bar)

1 - 895w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1345w x 1160h (Basic Frame Size)
1 - 1345w x 1190h, 30mm Cill

Style No: 18

Location: Bed2 Side

Cill:

150mm Sill - Anthracite Grey/White (1345mm)

Qty	Size	Description
1	515x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	516x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Window Details

Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854


Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:

Quote No: COQ49509
Ref: Willow

Date Printed: 17 September 2024 13:08

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Uplift



1 - 1007w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

Location: Living Front

Cill:
150mm Sill - Anthracite Grey/White (1007mm)


Qty	Size	Description
1	346x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	347x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)

System	P22 Optima
Group	French Door Open Out - Foil/Wh SBD/DOC
Door Sash	(41) 110mm T Door - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	180mm Sill - Foil/White
Reinforcement	Full Steel Reinf (SBD)
Door Handles	Balmoral Lever/Lever Chrome x2
Door Hinges	SFS 2D Dynamic Hinge Chrome 3
Door Lock	Fullex 3 Hook 4 Roller S/Bolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	Glass Lock 28mm Clip Pack
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Dining Door Rear

Cill:

180mm Sill - Anthracite Grey/White (1795mm)



1 - 1795w x 2060h (Basic Frame Size)

1 - 1795w x 2090h, 30mm Cill

Viewed Outside

Style No: 350


Qty	Size	Description
1	659x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up
1	660x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Kitchen Rear

Cill:

150mm Sill - Anthracite Grey/White (1007mm)



1 - 1007w x 1010h (Basic Frame Size)

1 - 1007w x 1040h, 30mm Cill

Viewed Outside

Style No: 18


Qty	Size	Description
1	346x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	347x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Bed4 Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)




1 - 1007w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside

Style No: 18

Qty	Size	Description
1	347x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	348x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1310h (Basic Frame Size) 30mm Cill

Viewed Outside
Style No: 18


Location: Bed4 Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	346x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U
1	347x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 670w x 1010h (Basic Frame Size)

1 - 670w x 1040h, 30mm Cill

Viewed Outside
Style No: 4


Location: Ensuite Side

Cill:

150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 826	4/20/4 Optitherm S1 Plus/Pattern Cotswold Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)

1 - 1002w x 1190h, 30mm Cill

Style No: 18


Location: Bed1 Side

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Style No: 18


Location: Bed1 Side

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside
Style No: 18


Location: Bed3 Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	347x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	348x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside
Style No: 18

Location: Bed3 Front


Cill:

150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	346x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift

1	347x 1126	(G/Bar) 6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U (G/Bar)
---	-----------	---

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 670w x 1010h (Basic Frame Size)
1 - 670w x 1040h, 30mm Cill
Viewed Outside
Style No: 4


Location: Bath Side

Cill:

150mm Sill - Anthracite Grey/White (670mm)

Qty	Size	Description
1	486x 826	4/20/4 Optitherm S1 Plus/Pattern Cotswold Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Style No: 18


Location: Bed2 Rear

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Style No: 18

Location: Bed2 Rear

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

Window Details

Conservatory Outlet Ltd
Thornes Lane Wharf
Thornes
Wakefield, WF1 5RL
Tel No: 01924 239813
Fax No: 01924 239854


Customer Details
Stonebond Properties
Manchester
Unit 5 First Floor
Egerton House
Towers Business Park
M20 2DX
Tel:
Fax:

Quote No: COQ49515
Ref: Willow (Mid)

Date Printed: 17 September 2024 13:08

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Uplift



1 - 1007w x 1490h, 30mm Cill
Viewed Outside
Style No: 18

Location: Living Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)


Qty	Size	Description
1	346x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)
1	347x 1276	4/20/4 Optitherm S1 Plus Tough/Optifloat Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (20Kg Uplift (G/Bar)

System	P22 Optima
Group	French Door Open Out - Foil/Wh SBD/DOC
Door Sash	(41) 110mm T Door - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	180mm Sill - Foil/White
Reinforcement	Full Steel Reinf (SBD)
Door Handles	Balmoral Lever/Lever Chrome x2
Door Hinges	SFS 2D Dynamic Hinge Chrome 3
Door Lock	Fullex 3 Hook 4 Roller S/Bolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	Glass Lock 28mm Clip Pack
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Dining Door Rear

Cill:

180mm Sill - Anthracite Grey/White (1795mm)



1 - 1795w x 2060h (Basic Frame Size)

1 - 1795w x 2090h, 30mm Cill

Viewed Outside

Style No: 350


Qty	Size	Description
1	659x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up
1	660x 1805	6.8/18/4 Optilam/ Optitherm S1 Plus Tough Black Warm Edge Spacer Argon Surcharge (25Kg) Deduction for Glass Clips No Up

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Standard Casement Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Kitchen Rear

Cill:

150mm Sill - Anthracite Grey/White (1007mm)



1 - 1007w x 1010h (Basic Frame Size)

1 - 1007w x 1040h, 30mm Cill

Viewed Outside

Style No: 18


Qty	Size	Description
1	346x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	347x 826	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed

Location: Bed4 Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)




1 - 1007w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside

Style No: 18

Qty	Size	Description
1	347x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	348x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside
Style No: 18


Location: Bed4 Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	346x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U (G/Bar)
1	347x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No U (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Style No: 18


Location: Bed1 Side

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Style No: 18


Location: Bed1 Side

Cill:

150mm Sill - Anthracite Grey/White (1002mm)

Qty	Size	Description
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside
Style No: 18


Location: Bed3 Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	347x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	348x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1007w x 1310h (Basic Frame Size) 30 mm Cill

Viewed Outside
Style No: 18


Location: Bed3 Front

Cill:

150mm Sill - Anthracite Grey/White (1007mm)

Qty	Size	Description
1	346x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)
1	347x 1126	6.8/18/4 Optilam/ Optitherm S1 Plus Tough 18mm Grey/White Geo Bar Black Warm Edge Spacer Argon Surcharge (25Kg) No Uplift (G/Bar)

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Espag Rail
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill


Style No: 18

Location: Bed2 Rear

Cill:

150mm Sill - Anthracite Grey/White (1002mm)		
Qty	Size	Description
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	344x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift

System	P22 Optima
Group	Int Glazed - Foil/White
Outer Frame	(02) 60mm Outer Foil/White SF
Casement Sash	(30) 75mm T Sash - Foil/White
Transom/Mullion	Std T/M Foil/White
Cill	150mm Sill - Foil/White
Reinforcement	Full RCM Reinf
Main Handles	Connoisseur Handle White
Main Hinges	Easyclean/Egress Hinge
Main Lock	Maco Shootbolt
Drainage	Concealed
Finish1	Anthracite Grey/White
Finish2	Sculptured
Bead	28mm Dummy Bead
Bead	28mm Sculptured Bead White
Gasket	Pre Gasketed



1 - 1002w x 1160h (Basic Frame Size)
1 - 1002w x 1190h, 30mm Cill

Style No: 18

Location: Bed2 Rear

Cill:		
150mm Sill - Anthracite Grey/White (1002mm)		
Qty	Size	Description
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift
1	345x 976	4/20/4 Optitherm S1 Plus/Optifloat Black Warm Edge Spacer Argon Surcharge (20Kg) No Uplift