

PRICE BOOKLET

MAY 2024



Garage, Shed & Workshops Price List


All prices include VAT, Delivery, Installation and 10 Years Structural Guarantee



White Finish

2-3

From
£3,760



Anthracite Finish

4-5

From
£4,130



Stone Finish

6-7

From
£4,340



Woodgrain Finish

8-9

From
£4,130



Timber Finish

10-11

From
£2,660



Clad Finish

12-13

Why Choose a Hanson Garage?

- ✓ We offer a free no obligation site survey
- ✓ Offer expert advice and guidance
- ✓ Unrivalled choice of building options
- ✓ Garage dismantle service available
- ✓ Can provide full concrete base works
- ✓ Market leading garage doors
- ✓ Quick installation
- ✓ Unique interlocking concrete panels
- ✓ Pressure treated timber
- ✓ 10 year Structural Guarantee
- ✓ All buildings installed by Hanson installers
- ✓ UK leading supplier for over 40 years



Interlocking Panels

All of our concrete panels feature an interlocking system with bolted joints along with an internal mastic seal which forms outstanding weather resistance and security.

www.hansongarages.co.uk

APEX ROYALE

OUR BEST SELLING GARAGE (APEX ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- ‘True’ Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Spanish Red Cement Fibre Roof Sheets with close fitting ridge tile
- Hormann White 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu double glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX ROYALE (Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	4000	4490	4730	5440	6390	6940	7760	8300	9370	11640
	16'1" (4.90m)	4160	4710	4950	5650	6630	7190	8160	8630	9670	12060
	18'1" (5.51m)	4380	4930	5220	5950	6850	7560	8470	8990	10040	12470
	20'1" (6.12m)	4610	5160	5400	6140	7080	7810	8790	9280	10410	12860
	22'1" (6.73m)	4860	5390	5650	6320	7340	8250	9170	9600	10760	13280
	24'1" (7.34m)	5040	5580	5860	6550	7590	8630	9490	9920	11050	13690
	26'1" (7.95m)	5270	5860	6170	6790	7830	8960	9920	10250	11410	14100
Additional 2'		225	245	265	285	300	355	365	375	385	455

KNIGHT ROYALE

OUR BEST SELLING GARAGE (PENT ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- ‘True’ Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20’ long)
- Hormann White 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised ‘C’ Section steel trusses (up to 18’ wide)
- Internal Cement Fillet



KNIGHT ROYALE (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	3760	4360	4700	5210	6310	6450	7190	7860	n/a	n/a
	16'1" (4.90m)	3920	4520	4860	5410	6490	6500	7390	8080	n/a	n/a
	18'1" (5.51m)	4090	4710	5060	5570	6750	6910	7610	8270	n/a	n/a
	20'1" (6.12m)	4270	4900	5240	5760	6920	7100	7850	8480	n/a	n/a
	22'1" (6.73m)	4470	5080	5410	5950	7150	7280	8080	8700	n/a	n/a
	24'1" (7.34m)	4620	5260	5590	6110	7360	7510	8270	8930	n/a	n/a
	26'1" (7.95m)	4780	5450	5800	6340	7630	7820	8600	9290	n/a	n/a
Additional 2'*		190	215	225	235	275	310	325	350	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE ROYALE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- ‘True’ Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20’ long)*
- Hormann White 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS ROYALE (For Duke just add 5%)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4750	5250	5390	6070	6700	7350	7510	7900	n/a	n/a
	16'1" (4.90m)	4900	5440	5590	6310	6990	7730	7930	8310	n/a	n/a
	18'1" (5.51m)	5060	5630	5790	6580	7270	8120	8330	8720	n/a	n/a
	20'1" (6.12m)	5200	5820	5990	6830	7550	8510	8750	9140	n/a	n/a
	22'1" (6.73m)	5450	6080	6300	7150	7900	8930	9210	9600	n/a	n/a
	24'1" (7.34m)	5690	6360	6610	7490	8270	9340	9650	10060	n/a	n/a
	26'1" (7.95m)	5950	6640	6910	7820	8620	9760	10110	10510	n/a	n/a
Additional 2'*		260	275	300	325	340	390	420	425	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH ROYALE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS


- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- ‘True’ Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Hormann White 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH ROYALE (Higher Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	5200	5860	6170	7080	8320	9040	10100	10810	12210	15150
	16'1" (4.90m)	5430	6140	6450	7350	8630	9360	10620	11240	12590	15710
	18'1" (5.51m)	5710	6420	6800	7740	8930	9840	11030	11700	13090	16240
	20'1" (6.12m)	6000	6720	7030	8000	9220	10170	11460	12080	13550	16750
	22'1" (6.73m)	6330	7020	7350	8230	9550	10740	11940	12500	14000	17290
	24'1" (7.34m)	6570	7270	7630	8540	9880	11240	12350	12910	14390	17830
	26'1" (7.95m)	6870	7630	8020	8850	10210	11670	12900	13340	14850	18350
Additional 2'		270	295	315	340	365	435	440	450	465	555

SHEDS / WORKSHOPS ROYALE

- White PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Spanish Red Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Hormann White 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



	Type ▶	KNIGHT ROYALE CONCRETE SHEDS & WORKSHOPS							APEX ROYALE CONCRETE SHEDS & WORKSHOPS						
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	2770	2810	2850	3120	3290	3590	4280	3010	3080	3140	3560	3750	4100	4630
	6'1" (1.85m)	2960	3000	3040	3230	3390	3720	4400	3090	3140	3260	3700	3880	4180	4810
	8'1" (2.46m)	3060	3110	3140	3390	3510	3800	4520	3210	3260	3330	3880	4010	4320	4960
	10'1" (3.07m)	3120	3160	3200	3510	3660	3980	4740	3320	3360	3430	4010	4180	4540	5130
	12'1" (3.68m)	3200	3240	3270	3660	3890	4260	5050	3430	3480	3520	4180	4430	4800	5400
	14'1" (4.29m)	3270	3310	3350	3950	4210	4630	5550	3520	3560	3590	4420	4650	5070	5830
	16'1" (4.90m)	3450	3490	3530	4030	4580	4980	6020	3710	3750	3790	4610	5050	5400	6220
	Additional 2'	155	165	175	185	195	235	270	165	175	185	225	245	260	315

APEX GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (APEX ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

APEX GRAPHITE (Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	4400	4940	5210	5990	7030	7630	8530	9140	10320	12800
	16'1" (4.90m)	4590	5180	5440	6210	7290	7910	8990	9500	10640	13260
	18'1" (5.51m)	4820	5430	5740	6540	7550	8310	9310	9880	11050	13720
	20'1" (6.12m)	5080	5680	5930	6760	7790	8580	9680	10210	11440	14160
	22'1" (6.73m)	5340	5920	6210	6950	8070	9070	10080	10560	11830	14610
	24'1" (7.34m)	5550	6140	6440	7200	8340	9500	10430	10910	12160	15060
	26'1" (7.95m)	5790	6440	6790	7470	8620	9860	10900	11270	12550	15510
Additional 2'		225	245	265	285	300	355	365	375	385	455

KNIGHT GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (PENT ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking concrete panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

KNIGHT GRAPHITE (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4130	4810	5160	5740	6950	7100	7900	8640	n/a	n/a
	16'1" (4.90m)	4310	4980	5340	5970	7140	7150	8120	8890	n/a	n/a
	18'1" (5.51m)	4510	5180	5560	6140	7420	7590	8380	9100	n/a	n/a
	20'1" (6.12m)	4700	5390	5760	6340	7620	7810	8630	9340	n/a	n/a
	22'1" (6.73m)	4910	5570	5970	6540	7880	8020	8890	9570	n/a	n/a
	24'1" (7.34m)	5080	5780	6150	6730	8110	8270	9100	9820	n/a	n/a
	26'1" (7.95m)	5260	5990	6380	6970	8400	8620	9470	10220	n/a	n/a
Additional 2'*		190	215	225	235	275	310	325	350	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE GRAPHITE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

DUCHESS GRAPHITE (For Duke just add 5%)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5240	5780	5920	6680	7380	8090	8270	8680	n/a	n/a
	16'1" (4.90m)	5390	5980	6140	6950	7690	8510	8720	9140	n/a	n/a
	18'1" (5.51m)	5560	6190	6370	7240	8000	8940	9170	9600	n/a	n/a
	20'1" (6.12m)	5720	6400	6600	7500	8310	9360	9630	10040	n/a	n/a
	22'1" (6.73m)	5990	6690	6920	7880	8700	9820	10140	10560	n/a	n/a
	24'1" (7.34m)	6270	7000	7260	8240	9090	10290	10640	11070	n/a	n/a
	26'1" (7.95m)	6560	7300	7590	8580	9480	10740	11140	11580	n/a	n/a
Additional 2'*		260	275	300	325	340	390	420	425	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH GRAPHITE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with felt underlay (Choice of Colours)
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

MONARCH GRAPHITE (Higher Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)			10' (3.05m)	2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	5720	6440	6790	7790	9150	9940	11110	11900	13420	16670
	16'1" (4.90m)	5970	6750	7100	8090	9490	10300	11690	12360	13840	17280
	18'1" (5.51m)	6290	7070	7470	8520	9820	10830	12130	12870	14390	17870
	20'1" (6.12m)	6610	7390	7730	8800	10150	11180	12600	13290	14890	18430
	22'1" (6.73m)	6960	7710	8090	9060	10500	11820	13130	13750	15400	19010
	24'1" (7.34m)	7230	8000	8390	9380	10860	12360	13580	14210	15830	19600
	26'1" (7.95m)	7550	8390	8830	9720	11230	12830	14190	14680	16330	20200
Additional 2'		270	295	315	340	365	435	440	450	465	555

SHEDS / WORKSHOPS GRAPHITE

- Interlocking Concrete Panels with multispar finish
- Anthracite PVCu Fascias
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Black Hormann 3' (915mm) wide 3 Point Locking Steel Personnel Door
- Black PVCu guttering
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Foam Filler to eaves
- Internal Cement Fillet



	Type ▶	KNIGHT GRAPHITE CONCRETE SHEDS & WORKSHOPS							APEX GRAPHITE CONCRETE SHEDS & WORKSHOPS						
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
◀ Length ▶	4'1" (1.24m)	3060	3100	3140	3430	3610	3960	4620	3310	3370	3470	3900	4050	4420	5000
	6'1" (1.85m)	3260	3310	3350	3550	3730	4080	4750	3400	3470	3580	3980	4180	4510	5090
	8'1" (2.46m)	3370	3420	3450	3730	3870	4190	4890	3530	3580	3670	4180	4330	4670	5260
	10'1" (3.07m)	3430	3470	3530	3870	4040	4310	5120	3640	3700	3760	4330	4500	4890	5440
	12'1" (3.68m)	3530	3570	3610	4040	4200	4600	5340	3780	3810	3870	4500	4800	5080	5730
	14'1" (4.29m)	3590	3650	3690	4260	4550	5010	5880	3880	3920	3960	4780	4940	5360	6170
	16'1" (4.90m)	3780	3840	3880	4350	4940	5280	6370	4000	4050	4090	4990	5350	5730	6590
	Additional 2'	155	165	175	185	195	235	270	165	175	185	225	245	260	315

APEX EARL

OUR LATEST LUXURY GARAGE
(APEX ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- ‘True’ Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile
- Agate Grey 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX EARL (Pitched Roof)											
Width ▶	8’3” (2.51m)	9’3” (2.82m)	10’3” (3.12m)	12’3” (3.73m)	14’3” (4.34m)	16’3” (4.95m)	18’3” (5.56m)	20’3” (6.17m)	22’3” (6.78m)	24’3” (7.39m)	26’3” (8.00m)
Door Width ▶	7’ (2.13m)	8’ Door (2.44m)			10’ (3.05m)	2 x 7’ (2.13m)	2 x 8’ Doors (2.44m)		2 x 9’ (2.74m)		2 x 10’ (3.05m)
Length ▶ ◀	14’1” (4.29m)	4620	5190	5470	6290	7390	8010	8960	9600	10830	13440
	16’1” (4.90m)	4820	5440	5710	6520	7660	8310	9430	9980	11170	13930
	18’1” (5.51m)	5060	5700	6030	6870	7930	8730	9770	10370	11610	14400
	20’1” (6.12m)	5330	5960	6230	7100	8180	9010	10170	10720	12010	14860
	22’1” (6.73m)	5610	6220	6520	7300	8470	9530	10590	11090	12420	15340
	24’1” (7.34m)	5820	6450	6760	7560	8760	9980	10950	11460	12770	15810
	26’1” (7.95m)	6080	6760	7130	7850	9050	10360	11440	11840	13180	16290
Additional 2’		235	256	277	298	314	372	382	393	403	477

KNIGHT EARL

OUR LATEST LUXURY GARAGE
(PENT ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True’ Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20’ long)
- Agate Grey 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised ‘C’ Section steel trusses (up to 18’ wide)
- Internal Cement Fillet



KNIGHT EARL (Rearward Sloping Roof)											
Width ▶	8’3” (2.51m)	9’3” (2.82m)	10’3” (3.12m)	12’3” (3.73m)	14’3” (4.34m)	16’3” (4.95m)	18’3” (5.56m)	20’3” (6.17m)	22’3” (6.78m)	24’3” (7.39m)	26’3” (8.00m)
Door Width ▶	7’ (2.13m)	8’ Door (2.44m)			10’ (3.05m)	2 x 7’ (2.13m)	2 x 8’ Doors (2.44m)				
Length ▶ ◀	14’1” (4.29m)	4340	5050	5410	6020	7290	7450	8300	9070	n/a	n/a
	16’1” (4.90m)	4520	5230	5610	6260	7490	7510	8530	9330	n/a	n/a
	18’1” (5.51m)	4740	5440	5840	6450	7790	7970	8790	9560	n/a	n/a
	20’1” (6.12m)	4930	5660	6050	6660	8000	8200	9060	9810	n/a	n/a
	22’1” (6.73m)	5160	5850	6260	6870	8270	8430	9330	10050	n/a	n/a
	24’1” (7.34m)	5330	6070	6460	7070	8510	8680	9560	10310	n/a	n/a
	26’1” (7.95m)	5530	6290	6700	7320	8820	9050	9940	10730	n/a	n/a
Additional 2’*		199	225	235	246	288	325	340	367	n/a	n/a

*Maximum Length of 30’1” (9.17m)

DUCHESS/DUKE EARL

REARWARD SLOPING GARAGE
WITH TILE EFFECT ROOF

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True’ Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20’ long)*
- Agate Grey 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS EARL (For Duke just add 5%)											
Width ▶	8’3” (2.51m)	9’3” (2.82m)	10’3” (3.12m)	12’3” (3.73m)	14’3” (4.34m)	16’3” (4.95m)	18’3” (5.56m)	20’3” (6.17m)	22’3” (6.78m)	24’3” (7.39m)	26’3” (8.00m)
Door Width ▶	7’ (2.13m)	8’ Door (2.44m)			10’ (3.05m)	2 x 7’ (2.13m)	2 x 8’ Doors (2.44m)				
Length ▶ ◀	14’1” (4.29m)	5500	6070	6220	7010	7750	8500	8680	9120	n/a	n/a
	16’1” (4.90m)	5660	6280	6450	7290	8070	8930	9160	9600	n/a	n/a
	18’1” (5.51m)	5840	6500	6690	7610	8400	9390	9630	10080	n/a	n/a
	20’1” (6.12m)	6010	6720	6930	7870	8720	9830	10110	10550	n/a	n/a
	22’1” (6.73m)	6290	7030	7270	8270	9130	10310	10650	11080	n/a	n/a
	24’1” (7.34m)	6590	7350	7620	8650	9540	10800	11170	11620	n/a	n/a
	26’1” (7.95m)	6890	7660	7970	9000	9950	11280	11690	12160	n/a	n/a
Additional 2’*		272	288	314	340	356	409	440	445	n/a	n/a

*Maximum Length of 30’1” (9.17m)

MONARCH EARL

HIGHER PITCHED ROOF WITH
TILE EFFECT ROOF SHEETS

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True’ Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Agate Grey 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH EARL (Higher Pitched Roof)											
Width ▶	8’3” (2.51m)	9’3” (2.82m)	10’3” (3.12m)	12’3” (3.73m)	14’3” (4.34m)	16’3” (4.95m)	18’3” (5.56m)	20’3” (6.17m)	22’3” (6.78m)	24’3” (7.39m)	26’3” (8.00m)
Door Width ▶	7’ (2.13m)	8’ Door (2.44m)			10’ (3.05m)	2 x 7’ (2.13m)	2 x 8’ Doors (2.44m)		2 x 9’ (2.74m)		2 x 10’ (3.05m)
Length ▶ ◀	14’1” (4.29m)	6010	6760	7120	8180	9610	10430	11660	12500	14090	17500
	16’1” (4.90m)	6260	7080	7450	8500	9970	10820	12270	12980	14530	18140
	18’1” (5.51m)	6600	7420	7850	8950	10310	11370	12740	13520	15110	18760
	20’1” (6.12m)	6940	7760	8110	9240	10660	11730	13230	13950	15640	19350
	22’1” (6.73m)	7310	8100	8500	9510	11030	12410	13780	14430	16170	19960
	24’1” (7.34m)	7590	8400	8810	9850	11410	12980	14260	14920	16630	20590
	26’1” (7.95m)	7930	8810	9270	10210	11790	13470	14900	15410	17150	21210
Additional 2’		283	309	330	356	382	456	461	472	487	582

SHEDS / WORKSHOPS EARL

- Agate Grey PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Agate Grey 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



	Type ▶	KNIGHT EARL CONCRETE SHEDS & WORKSHOPS							APEX EARL CONCRETE SHEDS & WORKSHOPS						
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
◀ Length ▶	4'1" (1.24m)	3210	3250	3290	3610	3790	4160	4850	3470	3540	3640	4100	4250	4640	5250
	6'1" (1.85m)	3420	3480	3520	3730	3920	4280	4990	3570	3640	3760	4180	4390	4740	5350
	8'1" (2.46m)	3530	3590	3620	3920	4060	4400	5130	3710	3760	3850	4390	4550	4900	5530
	10'1" (3.07m)	3610	3650	3700	4060	4240	4520	5370	3830	3880	3950	4550	4720	5130	5710
	12'1" (3.68m)	3700	3750	3790	4240	4410	4830	5610	3960	4000	4060	4720	5040	5330	6010
	14'1" (4.29m)	3770	3830	3870	4470	4780	5260	6180	4070	4110	4160	5020	5190	5630	6480
	16'1" (4.90m)	3970	4030	4070	4570	5190	5540	6690	4200	4250	4290	5240	5620	6010	6920
	Additional 2'	155	165	175	185	195	235	270	165	175	185	225	245	260	315

APEX WOODTHORPE


STYLISH GREAT LOOKING GARAGE WITH A WOODGRAIN FINISH

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Mocha Brown Cement Fibre Roof Sheets with close fitting ridge tile
- Hormann 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK

ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

APEX WOODTHORPE (Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" ** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" ** (7.39m)	26'3" ** (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4400	4940	5210	5990	7030	7630	8530	9140	10320	12800
	16'1" (4.90m)	4590	5180	5440	6210	7290	7910	8990	9500	10640	13260
	18'1" (5.51m)	4820	5430	5740	6540	7550	8310	9310	9880	11050	13720
	20'1" (6.12m)	5080	5680	5930	6760	7790	8580	9680	10210	11440	14160
	22'1" (6.73m)	5340	5920	6210	6950	8070	9070	10080	10560	11830	14610
	24'1" (7.34m)	5550	6140	6440	7200	8340	9500	10430	10910	12160	15060
	26'1" (7.95m)	5790	6440	6790	7470	8620	9860	10900	11270	12550	15510
Additional 2'		225	245	265	285	300	355	365	375	385	455

**Brick Fronts will be Cladded for this size Building

KNIGHT WOODTHORPE

SLOPING REARWARD GARAGE WITH A STYLISH WOODGRAIN FINISH

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Hormann Woodgrain 33' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK

ROSEWOOD



Pictured in Golden Oak

** Alternative Door Manufacturer used for Doors 9' and above

KNIGHT WOODTHORPE (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" ** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4130	4810	5160	5740	6950	7100	7900	8640	n/a	n/a
	16'1" (4.90m)	4310	4980	5340	5970	7140	7150	8120	8890	n/a	n/a
	18'1" (5.51m)	4510	5180	5560	6140	7420	7590	8380	9100	n/a	n/a
	20'1" (6.12m)	4700	5390	5760	6340	7620	7810	8630	9340	n/a	n/a
	22'1" (6.73m)	4910	5570	5970	6540	7880	8020	8890	9570	n/a	n/a
	24'1" (7.34m)	5080	5780	6150	6730	8110	8270	9100	9820	n/a	n/a
	26'1" (7.95m)	5260	5990	6380	6970	8400	8620	9470	10220	n/a	n/a
Additional 2'		190	215	225	235	275	310	325	350	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE WOODTHORPE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Hormann Woodgrain 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK

ROSEWOOD



Pictured in Golden Oak

DUKE

* Duke includes a Slate Effect Roof

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

DUCHESS WOODTHORPE (For Duke just add 5%)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" ** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5240	5780	5920	6680	7380	8090	8270	8680	n/a	n/a
	16'1" (4.90m)	5390	5980	6140	6950	7690	8510	8720	9140	n/a	n/a
	18'1" (5.51m)	5560	6190	6370	7240	8000	8940	9170	9600	n/a	n/a
	20'1" (6.12m)	5720	6400	6600	7500	8310	9360	9630	10040	n/a	n/a
	22'1" (6.73m)	5990	6690	6920	7880	8700	9820	10140	10560	n/a	n/a
	24'1" (7.34m)	6270	7000	7260	8240	9090	10290	10640	11070	n/a	n/a
	26'1" (7.95m)	6560	7300	7590	8580	9480	10740	11140	11580	n/a	n/a
Additional 2'		260	275	300	325	340	390	420	425	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH WOODTHORPE


HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile effect, plastisol coated roof sheets with felt underlay (Choice of Colours)
- Hormann Woodgrain 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK

ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

MONARCH WOODTHORPE (Higher Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" ** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" *** (7.39m)	26'3" *** (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5720	6440	6790	7790	9150	9940	11110	11900	13420	16670
	16'1" (4.90m)	5970	6750	7100	8090	9490	10300	11690	12360	13840	17280
	18'1" (5.51m)	6290	7070	7470	8520	9820	10830	12130	12870	14390	17870
	20'1" (6.12m)	6610	7390	7730	8800	10150	11180	12600	13290	14890	18430
	22'1" (6.73m)	6960	7710	8090	9060	10500	11820	13130	13750	15400	19010
	24'1" (7.34m)	7230	8000	8390	9380	10860	12360	13580	14210	15830	19600
	26'1" (7.95m)	7550	8390	8830	9720	11230	12830	14190	14680	16330	20200
Additional 2'		270	295	315	340	365	435	440	450	465	555

**Brick Fronts will be Cladded for this size Building

SHEDS / WORKSHOPS WOODTHORPE

- Interlocking Concrete Panels with multispar finish
- Woodgrain PVCu Fascias
- Mocha Brown Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Hormann Woodgrain 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK

ROSEWOOD



KNIGHT SHED

APEX SHED

	Type ▶	KNIGHT WOODTHORPE CONCRETE SHEDS & WORKSHOPS							APEX WOODTHORPE CONCRETE SHEDS & WORKSHOPS						
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
◀ Length ▶	4'1" (1.24m)	3060	3100	3140	3430	3610	3960	4620	3310	3370	3470	3900	4050	4420	5000
	6'1" (1.85m)	3260	3310	3350	3550	3730	4080	4750	3400	3470	3580	3980	4180	4510	5090
	8'1" (2.46m)	3370	3420	3450	3730	3870	4190	4890	3530	3580	3670	4180	4330	4670	5260
	10'1" (3.07m)	3430	3470	3530	3870	4040	4310	5120	3640	3700	3760	4330	4500	4890	5440
	12'1" (3.68m)	3530	3570	3610	4040	4200	4600	5340	3780	3810	3870	4500	4800	5080	5730
	14'1" (4.29m)	3590	3650	3690	4260	4550	5010	5880	3880	3920	3960	4780	4940	5360	6170
	16'1" (4.90m)	3780	3840	3880	4350	4940	5280	6370	4000	4050	4090	4990	5350	5730	6590
	Additional 2'	155	165	175	185	195	235	270	165	175	185	225	245	260	315

APEX

PRESSURE TREATED TIMBER

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- ‘Pressure Treated’ timber fascias
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile
- 4’ (1.22m) wide timber Window (1 on a single, 2 on a double)
- Foam Filler to eaves
- Unlimited Length
- Wide Range of Optional Extras (See Page 14-15) and Special Offer Packages below



TIMBER APEX (Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)	2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	2700	3210	3350	3920	4090	5210	5690	6170	6930	9090
	16'1" (4.90m)	2900	3370	3540	4100	4320	5530	6040	6490	7260	9460
	18'1" (5.51m)	3060	3540	3720	4270	4550	5830	6390	6830	7600	9850
	20'1" (6.12m)	3240	3710	3920	4450	4780	6140	6740	7160	7940	10250
	22'1" (6.73m)	3410	3880	4110	4630	5000	6440	7080	7500	8270	10630
	24'1" (7.34m)	3590	4030	4290	4810	5240	6750	7420	7830	8610	11010
	26'1" (7.95m)	3790	4210	4490	4980	5470	7060	7780	8160	8930	11400
Additional 2'		200	225	230	265	285	310	330	365	370	385

KNIGHT

PRESSURE TREATED TIMBER

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- ‘Pressure Treated’ timber fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20’ long)
- Galvanised ‘C’ Section steel trusses (up to 18’ wide)
- 4’ (1.22m) wide timber Window (1 on a single, 2 on a double)
- Foam Filler to eaves
- Maximum Length of 30’ (9.15m)
- Wide Range of Optional Extras (See Page 14-15) and Special Offer Packages below




TIMBER KNIGHT (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	2660	3140	3310	3740	3980	5170	5710	6160	n/a	n/a
	16'1" (4.90m)	2840	3310	3480	3910	4210	5430	5990	6440	n/a	n/a
	18'1" (5.51m)	3010	3480	3640	4080	4440	5680	6290	6700	n/a	n/a
	20'1" (6.12m)	3180	3640	3830	4240	4670	5940	6600	6970	n/a	n/a
	22'1" (6.73m)	3340	3800	4000	4420	4890	6190	6870	7230	n/a	n/a
	24'1" (7.34m)	3500	3970	4170	4580	5130	6440	7180	7490	n/a	n/a
	26'1" (7.95m)	3660	4150	4370	4790	5360	6750	7500	7830	n/a	n/a
Additional 2'*		175	195	200	210	255	285	300	300	n/a	n/a

*Maximum Length of 30'1" (9.17m)

SHEDS / WORKSHOPS

- ‘Pressure Treated’ timber fascias
- Interlocking Concrete Panels with multispar finish
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Hormann 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’ (1.22m) wide timber Window
- Foam Filler to eaves
- Wide Range of Optional Extras (See Page 14-15)



	Type ▶	KNIGHT CONCRETE SHEDS & WORKSHOPS							APEX CONCRETE SHEDS & WORKSHOPS						
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
◀ Length ▶	4'1" (1.24m)	2060	2100	2130	2300	2490	2810	3220	2150	2220	2290	2510	2710	3060	3420
	6'1" (1.85m)	2260	2300	2330	2430	2590	2920	3360	2230	2290	2390	2650	2840	3150	3600
	8'1" (2.46m)	2360	2400	2430	2590	2730	3020	3490	2350	2390	2480	2840	2970	3300	3740
	10'1" (3.07m)	2420	2470	2510	2730	2880	3210	3720	2470	2510	2580	2970	3140	3510	3930
	12'1" (3.68m)	2500	2540	2590	2880	3120	3500	4040	2580	2610	2670	3140	3420	3780	4200
	14'1" (4.29m)	2570	2610	2660	3170	3460	3900	4560	2670	2710	2750	3400	3640	4050	4620
	16'1" (4.90m)	2750	2800	2840	3260	3830	4250	5040	2860	2900	2940	3600	4030	4400	5030
	Additional 2'	115	125	135	160	170	215	245	140	150	160	190	225	245	270

UPGRADE YOUR BUILDING

UPGRADE OPTIONS

Why not upgrade your timber garage or shed? See our available options on pages 14-15. From maintenance free PVC fascias, brick fronts, additional doors and windows there will be an option to suit you. These include:

- Maintenance Free PVCu Fascias
- Brick fronts posts
- Hormann White 3’ (915mm) wide 3 Point Locking Steel Personnel Door
- 4’0” (1.22m) wide PVCu double glazed Window
- PVCu Guttering and downpipes
- Brick, stone or plank cladding
- Internal Cement Fillet
- Plus many more options

MAINTENANCE FREE PVC FASCIAS

FROM £435

BRICK FRONT POSTS

FROM £275

3 POINT LOCKING STEEL PERSONNEL DOOR

FROM £460

BRICK, STONE OR PLANK CLADDING


£80 PER FOOT

BRICK / STONE CLADDING

BRICK CLAD FINISHES - £80 PER FOOT



STONE CLAD FINISHES - £80 PER FOOT



HOW TO PRICE THE BUILDING


Step 1 - Decide which sides are to be cladded

Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1') x £80
For a 16'1"long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
= 16 + 16 + 8 + 1 = 41 x £80 = **£3,280**

* **Please note:** Hanson's require a 1m area to work around the building in order to clad



PLANK CLADDING

PLANK CLADDING - £80 PER FOOT



HOW TO PRICE THE BUILDING


Step 1 - Decide which sides are to be cladded

Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1') x £80
For a 16'1"long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
= 16 + 16 + 8 + 1 = 41 x £80 = **£3,280**

* **Please note:** Hanson's require a 1m area to work around the building in order to clad



Hanson Buildings Limited

Warren Road, Green Lane Industrial Park,
Featherstone, WF7 6EL

Tel: 01977 695111

Email: sales@hansonbuildings.co.uk

