



Energy Rating: Windows (WER)

WINDOW SYSTEM DETAIL

SYSTEM: SUITE: Sculptured
PROFILE: 4 Chamber
TYPE: Casement

BEAD: OUTER FRAME: LSW041
SASH: LSW041

OUTER FRAME: LSW011

SASH: LSW031

TRANSOM: LSW022

GLAZING FLIPPER: N

THERMAL DAM: N

NOTES:

THERMAL PERFORMANCE

LINIAR SIMULATION REF: W2147
rev. a

ENERGY INDEX: 9.45
(kWh/m²/year)

THERMAL TRANSMITTANCE: 1.33
(u window)

SOLAR FACTOR: 0.73
(g window)

AIR LEAKAGE: 0.00
(L factor)

GLAZING DETAIL

GLAZING: 4-20-4

EXTERNAL PANE: Planiclear

MIDDLE PANE: n/a


INTERNAL PANE: Planitherm T +

SPACER BAR: Swisspacer Ultimate

SPACER BAR SEALANT: Hot Melt

GAS FILL: Argon

Energy Window



A RATING

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.

NOTE: All simulations are based on windows with only Liniar approved components. Calculations will be invalid where substitute products are used.

Information should be used for guidance only.