

Application Number:	24/00279/CPL
Location:	69 Lake Bank, Littleborough, OL15 0DN
Proposal:	Certificate of lawfulness for a single storey rear extension
Applicant:	Mr David Harwood
Case Officer:	Sam Yuen
Recommendation:	Refuse

CHECKED AND SIGNED OFF BY: RK

DATE: 08/05/2024

Location

The application relates to no. 69 Lake Bank, a detached bungalow located in the suburb of Smithy Bridge, Littleborough. The dwelling is adjacent to no. 71 Lake Bank to the north-east, adjacent to no. 67 Lake Bank to the south-west, and faces the highway to the south-east. The rear curtilage boundary backs onto the no. 10 Heald Close to the north-west.

Description of Proposal

Certificate of lawfulness is sought for a single-storey rear extension which projects 3.6m from the rear elevation of the dwelling. It is characterised by a pitched roof form with a ridge height of 4.43m and a height to eaves of 2.85m.

Is the proposal wholly within the curtilage of the dwellinghouse?	Yes
--	-----

Relevant History:

24/00280/CAA - Prior approval for upwards extension through the addition of one additional storey, increasing maximum height from 5.732 to 8.260m – To be determined at the time of writing

Permitted Development Rights removed?	Cannot locate original permission.
--	------------------------------------

Representations

In accordance with the Council's code for publicity for this type of application, no letters of notification have been issued.

Legislation and Guidance

The Town and Country Planning (General Permitted Development) (England) Order 2015 (as amended).

Permitted development rights for householders – Technical Guidance (Sept 2019)

Assessment (Class A)

Class A of Part 1 of Schedule 2 of the GPDO allows for the enlargement, improvement or other alteration of a house subject to it not being contrary to any of the following criteria:

- (a) Permission to use the dwellinghouse as a dwelling has not been granted only by virtue of Class M,N,P, PA or Q of Part 3 of the GPDO

☒ **Complies**

☐ **Does Not Comply**

- (b) As a result of the works, the total area of ground covered by buildings within the curtilage of the dwellinghouse (other than the original dwellinghouse) would exceed 50% of the total area of the curtilage (excluding the ground area of the original dwellinghouse).

☒ **Complies**

☐ **Does Not Comply**

- (c) The height of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the highest part of the roof of the existing dwellinghouse.

☒ **Complies**

☐ **Does Not Comply**

- (d) The height of the eaves of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the eaves of the existing dwellinghouse.

☒ **Complies**

☐ **Does Not Comply**

- (e) The enlarged part of the dwellinghouse would extend beyond a wall which -
(i) Forms the principal elevation or
(ii) Fronts a highway and forms a side elevation of the original dwellinghouse.

☒ **Complies**

☐ **Does Not Comply**

- (f) Subject to Paragraph (g), the enlarged part of the dwellinghouse would have a single storey and extend beyond the rear wall of the original dwellinghouse by more than 4 metres in the case of a detached dwellinghouse, or 3 metres in the case of any other dwellinghouse, or exceed 4 metres in height.

☐ **Complies**

☒ **Does Not Comply**

The host dwelling is a detached property and therefore eligible for a 4m extension. The plans indicate a projection of 3.6m.

In measuring the height of the enlarged part of the dwellinghouse, the *Permitted Development – Technical Guidance for Householders* sets out “when calculating the height of the enlarged part of the house, this measurement should be at the highest part of the enlargement and may include any protrusions above the roof such as parapet walls”. The height of eaves should be measured externally and parapet walls should not be included in any calculation of eaves height (as per the calculation for criterion (d) above).

Taking this into account, the maximum height of the enlarged part of the dwellinghouse is to be taken from the highest external ground level to the top of the pitched roof, which equals 4.43m and therefore the development does not comply.

- (g) For a dwellinghouse not on article 2(3) land or a site of special scientific interest, the enlarged part of the dwellinghouse would have a single storey and –
- (i) extend beyond the rear wall of the original dwellinghouse by more than 8 metres in the case of a detached dwellinghouse, or 6 metres in the case of any other dwellinghouse, or
 - (ii) exceed 4 metres in height.

☒ **Complies**

☐ **Does Not Comply**

Note – This application does not propose a larger home extension and paragraph (g) is therefore not applicable.

- (h) The enlarged part of the dwellinghouse would have more than a single storey and extend beyond the rear wall of the original dwellinghouse by more than 3 metres, or be within 7 metres of any boundary of the curtilage of the dwellinghouse opposite the rear wall of the dwellinghouse.

☒ **Complies**

☐ **Does Not Comply**

Note – This application does not propose an extension with more than a single storey and paragraph (h) is therefore not applicable.

- (i) The enlarged part of the dwellinghouse would be within 2 metres of the boundary of the curtilage of the dwellinghouse, and the height of the eaves of the enlarged part would exceed 3 metres.

☒ **Complies**

☐ **Does Not Comply**

The height to eaves is 2.85m.

- (j) The enlarged part of the dwellinghouse would extend beyond a wall forming a side elevation of the original dwellinghouse, and would exceed 4 metres in height, have more than a single storey or have a width greater than half the width of the original dwellinghouse; or

☒ **Complies**

☐ **Does Not Comply**

(ja) (any total enlargement (being the enlarged part together with any existing enlargement of the original dwellinghouse to which it will be joined) exceeds or would exceed the limits set out in sub-paragraphs (e) to (j);

☒ **Complies**

☐ **Does Not Comply**

(k) it would consist of or include

- (i) the construction or provision of a veranda, balcony or raised platform,
- (ii) the installation, alteration or replacement of a microwave antenna,
- (iii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or
- (iv) an alteration to any part of the roof of the dwellinghouse

☒ **Complies**

☐ **Does Not Comply**

- ☐ **The plans do not include a balcony or raised platform**
- ☐ **The plans do not include the alteration of a microwave antenna**
- ☐ **The plans do not include the alteration or installation of a soil and vent pipe**
- ☐ **The plans include the alteration to part of the rear-facing roof of the dwellinghouse. However, it is noted alterations to roof may fall under Class C of permitted development rights.**

Finally, paragraph A.3 of the above order stipulates that development is permitted by Class A subject to the following conditions-

- a. The materials used in any exterior work (other than materials used in the construction of a conservatory) must be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse;

☒ **Complies**

☐ **Does Not Comply**

☐ **Details Not Provided**

- b. Any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse must be-
 - i. Obscure-glazed, and
 - ii. Non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed; and

☒ **Complies**

☐ **Does Not Comply**

☐ **Details Not Provided**

- c. Where the enlarged part of the dwellinghouse has more than a single storey, the roof pitch of the enlarged part must, so far as practicable, be the same as the roof pitch of the original dwellinghouse.

☒ **Complies**

☐ **Does Not Comply**

☐ **Details Not Provided**

Note: The proposed materials for construction would be similar in appearance to the exterior of the existing dwellinghouse and consists of a single storey extension.

Assessment (Class B)

Class B of Part 1 of the Schedule to the GPDO allows for the enlargement of a dwellinghouse consisting of an addition or alteration to its roof subject to it not being contrary to any of the following criteria:

- (l) Permission to use the dwellinghouse as a dwelling has not been granted only by virtue of Class M,N,P, PA or Q of Part 3 of the GPDO

☒ **Complies**

☐ **Does Not Comply**

- (m) Any part of the dwellinghouse would, as a result of the works, exceed the height of the highest part of the existing roof;

☒ **Complies**

☐ **Does Not Comply**

- (n) Any part of the dwellinghouse would, as a result of the works, extend beyond the plane of any existing roof slope which forms the principal elevation of the dwellinghouse and front a highway;

☒ **Complies**

☐ **Does Not Comply**

- (o) The cubic content of the resulting roof space would exceed the cubic content of the original roof space by more than-
- (i) 40 cubic metres in the case of a terrace house, or
 - (ii) 50 cubic metres in any other case;

☒ **Complies**

☐ **Does Not Comply**

Area of gable wall = $\frac{1}{2} \times 4.86\text{m} \times 1.88\text{m} = 4.57\text{m}^2$

Volume of pitched roof= $4.57\text{m}^2 \times 3.6\text{m} = 16.45\text{m}^3$

Volume of remaining adjoining roof space = $\frac{1}{3} \times 4.57\text{m}^2 \times 2.21\text{m} = 3.36\text{m}^3$

Total volume = $16.45\text{m}^3 + 3.36\text{m}^3 = \underline{19.81\text{m}^3}$

(p) It would consist of or include –

- (i) The construction or provision of a veranda, balcony or raised platform, or
- (ii) The installation, alteration or replacement of a chimney, flue or soil and vent pipe; or

☒ **Complies**

☐ **Does Not Comply**

(q) The dwellinghouse is on article 2(3) land.

☒ **Complies**

☐ **Does Not Comply**

Conditions (Class B)

Development is permitted by Class B subject to the following conditions –

- (a) The materials used in any exterior work must be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse;

☒ **Complies**

☐ **Does Not Comply**

☐ **Details Not Provided**

(b) The enlargement must be constructed so that –

- (i) Other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension
 - (aa) The eaves of the original roof are maintained or reinstated; and
 - (bb) The edge of the enlargement closest to the eaves of the original roof is, so far as practicable, not less than 0.2 metres from the

eaves, measured along the roof slope from the outside edge of the eaves; and

- (ii) Other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse; and

☒ **Complies**

☐ **Does Not Comply**

☐ **Details Not Provided**

- (c) Any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse must be –

- (i) Obscure-glazed, and
- (ii) Non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed

☒ **Complies**

☐ **Does Not Comply**

☐ **Details Not Provided**

Assessment (Class C)

Class C of Part 1 of Schedule 2 of the GPDO allows for any other alteration to the roof of the dwellinghouse subject to it not being contrary to any of the following criteria:

- (a) permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class M, N, P, PA or Q of Part 3 of this Schedule (change of use)

☒ **Complies**

☐ **Does Not Comply**

- (b) the alteration would protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof

☒ **Complies**

☐ **Does Not Comply**

(c) it would result in the highest part of the alteration being higher than the highest part of the original roof; or

☒ **Complies**

☐ **Does Not Comply**

(d) it would consist of or include-

- (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or
- (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment

☒ **Complies**

☐ **Does Not Comply**

Conditions (Class C)

Development is permitted by Class C subject to the condition that any window located on a roof slope forming a side elevation of the dwellinghouse shall be -

- (a) obscure-glazed; and
- (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed

☒ **Complies**

☐ **Does Not Comply**

☐ **Details Not Provided**

Note: The proposed development does not comprise of any window to the roof slope forming a side elevation of the host dwelling.

Recommendation: Refuse

The proposal does not constitute permitted development by virtue of non-compliance with the requirements of Criterion (f) of Class A, Part 1 of Schedule 2 of the Town and Country Planning (General Permitted Development) (England) Order 2015 (as amended) as the plans indicate that the enlarged part of the dwellinghouse would exceed 4 metres in height.

Notes for applicant:

For the avoidance of doubt, the decision relates to the following drawings:-

- Location Plan – Drawing No. LDC01 received 19/03/2024
- Existing Site Plan – Drawing No. LDC02 received 19/03/2024
- Proposed Site Plan – Drawing No. LDC05 received 19/03/2024
- Existing Floor Plan – Drawing No. LDC03 received 19/03/2024
- Existing Elevations – Drawing No. LDC04 received 19/03/2024
- Proposed Floor Plan – Drawing No. LDC06 received 19/03/2024

- Proposed Elevations – Drawing No. LDC07 received 19/03/2024
- Proposed Section Plan A – Drawing No. LDC08 received 19/03/2024
- Proposed Section Plan B – Drawing No. LDC09 received 19/03/2024

	Date	Officer
Report Completed	24/04/2024	Signed: SY
Authorisation	08/05/2024	Signed: Rk

Report Author Sam Yuen